XLEAR NASAL DECONGESTANT- nasal spray liquid Xlear Inc.

The use of this container by morethan one person may spread infection. Keep out of reach of children. Clean nozzle after each use and replace the cap. Do not exceed recommended dosage. Do not use this product for more than 3 days. If pregnant or breast-feeding, ask a health professional before use. Ask a physician before use if you have, heart disease, highblood pressure, thyroid disease, diabetes, trouble unitnating due to enlarged prostate gland. Not for children under age 6 unless directed by a physician.

XDC_Box_R4.pdf 1 12/15/20 1:59 PM



Uses: For temporary relief of nasal decongestion due to colds, hay fever or other upper respiratory allergies, or associated with sinusitus. Helps sooth and moisturize nasal passages. thins and loosens mucous secretions.

Shake well before using. The metered pump sprayer provides a precise amount of soothing spray in a fine mist. Claer the nasal passage-way by gently blowing your nose before using. Prior to initial use, remove cap, prime the pump by holding it upright and pumping one or more times until the solution is dispensed. Insert nozzle into nostirl and depress pump completely while breathing in through the nose. Clean nozzle after use. Ages 6 years to adult (with adult supervision) - spray 1-2 times in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

Keep out of reach of children

The use of this container by more than one person may spread infection. Keep out of reach of children. Clean nozzle after each use and replace the cap. Do not exceed recommended dosage. Do not use this product for more than 3 days. If pregnant or breast-feeding, ask a health professional before use. Ask a physician before use if you have, heart disease, highblood pressure, thyroid disease, diabetes, trouble unitnating due to enlarged prostate gland. Not for children under age 6 unless directed by a physician.

Active Ingredients: Oxymetazoline HCL 0.05% nasal decongestant

Shake well before using. The metered pump sprayer provides a precise amount of soothing spray in a fine mist. Claer the nasal passage-way by gently blowing your nose before using. Prior to initial use, remove cap, prime the pump by holding it upright and pumping one or more times until the solution is dispensed. Insert nozzle into nostirl and depress pump completely while breathing in through the nose. Clean nozzle after use. Ages 6 years to adult (with adult supervision) - spray 1-2 times in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

Inactive Ingredients: Benzalkonium Chloride, purified water, xylitol

Active ingreeillent: Organizazilne HO 0.079 s.

Nasal decognizacini: financilne ingreeillents: Nasal decognizacini: financilne ingreeillents: Nasal decognizacini: financilne ingreeillents: Nasalinagi. Inte une fit di containe by more finan cone passion mey spreed infection. Keap out of mission replaces the cust be professional communication of dicheter. Lies an unzule affert reach to see an oppialor of the cust. Be professional recommendation of dicheter. Lies an unzule affective see and communication of the cust be professional control of the cust be professional control of the cust be professional control of the customer of the

Under age & universitatives by a programming Mark Inc., Mark Inc., PD Box 1421 American Fort, UT 86003 USA Castomer Service: 1.877.589.5327 www.csieac.com S



Disections: Sales well before using, The most particular state of the sales well before using, The most particular state of the sales which is amount of soothing spray in a fine mist. Clear the nead passagenesy by gently blowing your nose before using. For initial sac remove can prive the pump or more times until the solution is dispensed. Insert nozels into noted and degrees pump completely will be breedfring dispensed. Insert nozels into noted and degrees pump completely will be breedfring the sales of th





Dissociation: Shake well before using Tomented jump sample before using Tomented jump sample before using Tomented pump sample per law to the in-Clear the seasil passagency by gen blowing your note before using 7-ft in initial use, remove cap, prime the pum by hedding it upday that and pumpley or or more times small the solution of more times and the solution of the pumple of the pumple of the pumple of the digress pump completely while breading digress pump completely while breading digress pump completely while breading about 5-grey 1-2 times in each notificity more offern them of the pumple of the pumple of the more offern them very 10 to 12 Neur. 1 recommended dosage. Do not use this product for more than 3 days. If pregnant or breast-feeding, ask a health professional before use. Ask a physician before use if you have, heart disease, highblood pressure, thyroid disease, diabetes, trouble unitnating due to enlarged prostate gland. Not for children under age 6 unless directed by a physician.

XLEAR NASAL DECONGESTANT

nasal spray liquid

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:27017-018

Route of Administration NASAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength 0.0005 a

OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE OXYMETAZOLINE - UNII:8VLN5B44ZY) **HYDROCHLORIDE** in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
XYLITOL (UNII: VCQ006KQ1E)	

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:27017- 018-01	1 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/12/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	03/12/2019	

Labeler - Xlear Inc. (839884058)

Registrant - Xlear Inc. (839884058)

Fstablishment

Name	Address	ID/FEI	Business Operations	

Xlear Inc.	839884058	manufacture(27017-018)	

Revised: 1/2024 Xlear Inc.