

MEIJER NIGHTTIME SLEEP AID CAPLET- diphenhydramine hydrochloride tablet
Meijer, Inc.

meijer NIGHTTIME Sleep Aid CAPLET

Drug Facts

Active ingredient (in each caplet)

Diphenhydramine HCl 25 mg

Purpose

Nighttime sleep aid

Use

for relief of occasional sleeplessness

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- avoid alcoholic drinks
- drowsiness will occur
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 2 caplets at bedtime if needed, or as directed by a doctor
children under 12 years	do not use

Other information

- each caplet contains: **calcium 22 mg**
- store at room temperature between 20°-25°C (68°-77°F)
- protect from light, heat and moisture

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, FD&C blue no.1, FD&C blue no.2, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments?

1-888-577-8033 Monday - Friday 8am - 4pm EST

COMPARE TO TYLENOL® PM SIMPLY SLEEP® ACTIVE INGREDIENT*

Does Not Contain Pain Reliever

READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Kenvue, Inc., owner of the registered trademarks Tylenol PM® an Simply Sleep®.

**DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544**

WWW.MEIJER.COM

PRODUCT OF INDIA

Packaging





DRUG FACTS LABEL

Drug Facts	
Active ingredient (in each caplet)	Purpose
Diphenhydramine HCl 25 mg.....Nighttime sleep aid	
Use	
for relief of occasional sleeplessness	
Warnings	
Do not use	
in children under 12 years of age	

Drug Facts (continued)	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children.	
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions	
adults and	take 2 caplets at

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over
 take 2 caplets at bedtime if needed, or as directed by a doctor
 children under 12 years
 do not use

Other information

each caplet contains: calcium 22 mg
 store at room temperature between 20°-25°C (68°-77°F)
 protect from light, heat and moisture

Inactive ingredients

crosscarmellose sodium, dicalcium phosphate, FD&C blue no. 1, FD&C blue no. 2, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments?

1-888-577-8633 Monday - Friday 8am - 4pm ES

Drug Facts

Active ingredient (in each caplet)
 Diphenhydramine HCl 25 mg.....Nighttime sleep aid

Use
 for relief of occasional sleeplessness

Warnings

Do not use
 in children under 12 years of age
 with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
 a breathing problem such as emphysema or chronic bronchitis
 glaucoma
 trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you


are taking sedatives or tranquilizers

When using this product
 avoid alcoholic drinks
 drowsiness will occur
 do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

CT7948101511 REV.00-052024 PID 383633



LOT:
 EXP:
 NO VARNISH

how2recycle.info
 BOX PAPER PLASTIC BOTTLE
 OUR QUALITY GUARANTEE
 PRODUCT OF INDIA
 WWW.MEIJER.COM
 GRAND RAPIDS, MI 49544
 DIST. BY MEIJER DISTRIBUTION, INC.
 Trademarks Tylenol PM® and Simply Sleep® by Kenvue, Inc. owner of the registered trademarks.

K/O FOR GLUING

K/O FOR GLUING

K/O EXTERIOR GUELINE

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- avoid alcoholic drinks
- drowsiness will occur
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

children 12 years and over	bedtime if needed, or as directed by a doctor
children under 12 years	do not use

Other information

- each caplet contains: **calcium 22 mg**
- store at room temperature between 20°-25°C (68°-77°F)
- protect from light, heat and moisture

Inactive ingredients

crosscarmellose sodium, dicalcium phosphate, FD&C blue no.1, FD&C blue no.2, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments?
1-888-577-8033 Monday - Friday 8am - 4pm EST

MEIJER NIGHTTIME SLEEP AID CAPLET

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0151
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	DB
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0151-1	1 in 1 CARTON	06/27/2024	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	06/27/2024	

Labeler - Meijer, Inc. (006959555)

Revised: 9/2024

Meijer, Inc.