

UV DEFENSE ME. NO SEBUM SUNSCREEN- zinc oxide cream
Magnif Co., Ltd

Active Ingredient

ZINC OXIDE (22.24%)

Purpose

Sunscreen

Uses

helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Keep out of reach of children

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Inactive Ingredients

WATER, CYCLOHEXASILOXANE, CAPRYLYL METHICONE, BUTYLENE GLYCOL, DICAPRYLATE/DICAPRATE, BUTYLOCTYL SALICYLATE, DIPROPYLENE GLYCOL, PROPYLHEPTYL CAPRYLATE, LAURYL PEG-10 TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE, METHYL METHACRYLATE CROSSPOLYMER, DISTEARDIMONIUM HECTORITE, TRIETHOXYCAPRYLYLSILANE, 1,2-HEXANEDIOL, POLYGLYCERYL-2 TRIISOSTEARATE, LAURYL POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, SODIUM HYALURONATE, TOCOPHEROL, GLYCERIN, CAPRYLIC/CAPRIC TRIGLYCERIDE, POLYGLYCERYL-10 DIISOSTEARATE, HYDROGENATED LECITHIN, MENADIONE, CENTELLA ASIATICA EXTRACT, BETA-GLUCAN

Directions

For sunscreen use:

apply liberally 15 minutes before sun exposure

reapply at least every 2 hours

use a water-resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. – 2 p.m.

wear long-resistant shirts, pants, hats, and sunglasses

children under 6 months of age: Ask a doctor

make
p:rem

모공자차

6시간 피지컨트롤

[피지(유분) 분비 조절효과 및 6시간 지속효과
인체적용테스트 완료]
* 실험 2228 / 2022.11.15~2022.12.7 / 한국미부과학연구원
[민감성 피부 자극 테스트 완료]

메이크프렘
유브이 디펜스 미
노 세뵘 선크림
SPF 50+ PA++++

[자외선 차단 기능성 화장품]
보송하고 매끈하게 피팅되어 피부의 번들거름을 잡아
주고 강력하게 자외선을 차단하는 세뵘 컨트롤 선크림

사용법 스킨케어 마지막 단계에서 적당량을 취해 피부에
골고루 펴 바릅니다.

효능 효과 자외선으로부터 피부를 보호한다.
(SPF 50+ PA++++)

용법 용량 본 품 적당량을 취해 피부에 골고루 펴 바른다.
사용할 때의 주의사항 가, 화장품 사용 시 또는 사용 후
직사광선에 의하여 사용부위가 붉은 반점, 부어오름 또는
가려움증 등의 이상 증상이나 부작용이 있는 경우에는
전문의 등과 상담할 것 나, 상처가 있는 부위 등에는 사용을
자제할 것 다, 보관 및 취급 시 주의사항 1) 어린이의 손이
닿지 않는 곳에 보관할 것 2) 직사광선을 피해서 보관
할 것 *본 제품은 개봉 후 12개월 내에 최적으로 사용할
수 있습니다. 보관 조건 10~30°C, 직사광선은 피하세요.

전성분 정제수, 징크옥사이드, 사이클로헥사실록세인, 부틸옥틸
실리실레이트, 프록판디올, 프로필헥실카프릴레이트, 아이소드
데케인, 카프릴메틸리온, 폴리글리세릴-9폴리다이메틸실록시
에틸다이메티콘, 메틸테트라크릴레이트크로스폴리머, 메틸트라이
메티콘, 설티드지라늄옥시물, 달랏이[꽃]추출물, 덩노르나루부리
추출물, 대항송암추출물, 향부리추출물, 바실라스[스]아민발효
추출물, 연꽃향나무오일, 리시알레오일, 스킨하이알루론네이브,
베타버부리오일, 소두구세오일, 푸른연꽃수, 다이스테아디아모늄
헥트라이드, 마그네슘셀레이트, 트라이에톡시카프릴알실리엔,
1,2-헥산다이올, 폴리글리세릴-2-에틸헥사이드로시사포아레이트,
폴리메틸실세스퀴옥세인, 라우릴폴리글리세릴-9폴리다이메틸
실록시에틸다이메티콘, 글리세릴[브]필레이트, 카프릴알콜리올,
에틸헥실글리세린, 토크페롤, 부틸렌글리콜, 올릭에시드

본 제품에 이상이 있을 경우 공정거래
위원회 고시 "소비자분쟁 해결기준"에
의해 교환 또는 보상에 드립니다.
고객상담실 070-8228-0808
제조번호 및 사용기한 별도표기
화장품안전관리법 제10조 제1항
서울특별시 강남구 봉은사로 228, 6층
화장품제조업자 한국콜마㈜
세종특별자치시 전의면 산단길 22-47
MAGNIF CO., LTD.
6F, 226, Bongseunsa-ro,
Gangnam-gu, Seoul, Korea
www.makeprem.com
MADE IN KOREA



이 제품은 친환경
소재인 생*콩 잉크로
인쇄 및 지출기능성
상활성물질의 사용으로
환경 친화적 인공
물질을 사용하지
하였습니다.



메이크프렘
유브이 디펜스 미
노 세뵘 선크림
50ml / 1.69 fl. oz.



make
p:rem
UV defense me.
No sebum sun cream
SPF 50+ PA++++

Drug Facts	
Active Ingredient	Purpose
ZINC OXIDE (22.24%)	Sunscreen
Uses	
<ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
For sunscreen use:	
<ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> o limit time in the sun, especially from 10 a.m. to 2 p.m. o wear long-resistant shirts, pants, hats, and sunglasses o children under 6 months of age. Ask a doctor 	
Other Information	
• protect this product in this container from excessive heat and direct sun.	
Inactive Ingredients	
WATER, CYCLOHEXANOLONE, CAPRYLYL METHICONE, BUTYLENE GLYCOL, DICAPRYL SEBACATE, BUTYLOCTYL SALICYLATE, LAURYL PEG-10 TRIS(trimethylsilyloxy)silyl ethyl dimethicone, METHYL METHACRYLATE, CROSSPOLYMER, DISTEARDIMONIUM HECTORITE, TRITHOXYPOLYBUTYLENE, 1,2-HEXANEDIOL, POLYOLYCERYL-2 TRISOSTEARATE, LAURYL POLYOLYCERYL-10 POLYDIMETHYLSILOXYETHYL DIMETHICONE, FRAGRANCE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, SODIUM HYALURONATE, TOCOPHEROL, GLYCERIN, CAPRYLYLCAPRIC TRIGLYCERIDE, POLYOLYCERYL-10 DISOSTEARATE, HYDROGENATED LECITHIN, MENTHOL, CENTELLA ASIATICA EXTRACT, BETA-GLUCAN	
Questions or Comments	
Call: 070-8228-0808	

Distributed by MAGNIF CO., LTD.
6F, 226, Bongseunsa-ro, Gangnam-gu,
Seoul, South Korea

UV DEFENSE ME. NO SEBUM SUNSCREEN

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84523-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	11.12 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
MENADIONE (UNII: 723JX6CXY5)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-2 TRIISOSTEARATE (UNII: 68DUY2D39A)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPYLHEPTYL CAPRYLATE (UNII: 991Z19V2OD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84523-101-02	1 in 1 BOX	07/09/2024	
1	NDC:84523-101-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	07/09/2024	

Labeler - Magnif Co., Ltd (694496350)

Establishment

Name	Address	ID/FEI	Business Operations
Korea Kolmar Co. Ltd		963271745	manufacture(84523-101)

Revised: 7/2024

Magnif Co., Ltd