

TYLENOL COLD PLUS FLU MULTI-SYMPOTM LIQUID GELS DAY-
acetaminophen, dextromethorphan hydrobromide capsule, liquid filled
Kenvue Brands LLC

TYLENOL® Cold + Flu Multi-Symptom Liquid Gels Day

Drug Facts

Active ingredients (in each capsule)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant

Uses

- temporarily relieves these common cold/flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - cough
 - temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

- you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- persistent or chronic cough such as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dose

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present ■ new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 capsules every 4 hours while symptoms last ■ do not take more than 8 capsules in 24 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

Other information

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat above 40°C (104°F) ■ protect from light
- **do not use if blister unit is torn or broken**

Inactive ingredients

FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, lecithin, mineral oil, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-130-24

TYLENOL®

FOR ADULTS

COLD & FLU

**MULTI-SYMPOTOM
LIQUID GELS**

Acetaminophen,

Dextromethorphan HBr
Pain Reliever-Fever Reducer, Cough Suppressant

DAY

- HEAD + BODY ACHES
- FEVER + SORE THROAT
- COUGH

*LIQUID FILLED CAPSULES

Actual Size

24 LIQUID GELS*



TYLENOL COLD PLUS FLU MULTI-SYMPOTOM LIQUID GELS DAY

acetaminophen, dextromethorphan hydrobromide capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-130
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

GELATIN (UNII: 2G86QN327L)

GLYCERIN (UNII: PDC6A3C00X)

MINERAL OIL (UNII: T5L8T28FGP)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

POVIDONE (UNII: FZ989GH94E)

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	TY;DT
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-130-24	2 in 1 CARTON	09/25/2024	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50580-130-08	1 in 1 CARTON	03/30/2025	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/25/2024	

Labeler - Kenvue Brands LLC (118772437)

Revised: 1/2025

Kenvue Brands LLC