

**ANTISEPTIC MOUTH RINSE- eucalyptol, menthol, methyl salicylate,  
thymol mouthwash**

**Chain Drug Marketing Association**

-----

**Quality Choice 318.003/318AI  
Antiseptic Mouth Rinse**

**Active ingredients**

Eucalyptol 0.092%

Menthol 0.042%

Methyl salicylate 0.060%

Thymol 0.064%

**Purpose**

Antigingivitis, Antiplaque

**Use**

helps control plaque that leads to gingivitis

**Warnings**

for this product

**Do not use**

if you have painful or swollen gums, pus from the gum line, loose teeth or increased spacing between the teeth. See your dentist immediately. These may be signs of periodontitis, a serious form of gum disease.

**Stop use and ask a dentist if**

gingivitis, bleeding, or redness persists for more than 2 weeks

**Keep out of reach of children.**

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 12 years of age and older - vigorously swish 20 mL (2/3 FL OZ or 4

teaspoonfuls) between teeth twice a day for 30 seconds then spit out; do not swallow  
children under 12 years of age - consult a dentist or doctor

- this rinse is not intended to replace brushing or flossing

### **Other information**

cold weather may cloud this product. Its antiseptic properties are not affected. Store at room temperature (59° - 77°F).

### **Inactive ingredients**

water, alcohol 26.9%, benzoic acid, poloxamer 407, sodium benzoate, caramel

### **Disclaimer**

\*This product is not manufactured or distributed by Kenvue, Inc., distributor of Original Listerine<sup>®</sup> Antiseptic Mouthwash.

### **Adverse reaction**

QC 100% SATISFACTION GUARANTEED<sup>®</sup>

Distributed by CDMA, Inc.

Novi, MI 48375

[www.qualitychoice.com](http://www.qualitychoice.com)

Questions: 800-935-2362

DSP-TN-21091

DSP-MO-20087

### **Principal display panel**

Sealed With Printed Neckband For Your Protection

NDC 83324-180-33

QC<sup>®</sup>

QUALITY

CHOICE

Compare to Original LISTERINE<sup>®</sup>\*

Antiseptic

Mouth Rinse

Antigingivitis/Antiplaque

Kills Germs That Cause:

Bad Breath

Plaque

Gingivitis

Gum Disease

Original

1 L (1.05 QT) 33.8 FL OZ

Sealed With Printed Neckband For Your Protection

NDC 83324-180-33



Compare to  
Original  
LISTERINE®\*

# Antiseptic Mouth Rinse

**Antigingivitis | Antiplaque**

**Kills Germs That Cause:**  
Bad Breath  
Plaque  
Gingivitis  
Gum Disease



**Original**

**1 L (1.05 QT)  
33.8 FL OZ**

L0018912FB

## Drug Facts

### Active ingredients

Eucalyptol 0.092%, Menthol 0.042%.....Antigingivitis, Antiplaque  
Methyl salicylate 0.060%, Thymol 0.064%.....Antigingivitis, Antiplaque

### Purpose

**Use** helps control plaque that leads to gingivitis

### Warnings

**Dr. York, Jackie** (jyork@consumerproductpartners.com) is signed in based on spacing between the teeth. See your dentist immediately. These may be signs of periodontitis, a serious form of gum disease.

**Stop use and ask a dentist** if gingivitis, bleeding, or redness persists for more than 2 weeks

**Keep out of reach of children.** If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

### Directions

adults and children 12 years of age and older	vigorous swish 20 mL (2/3 FL OZ or 4 teaspoons) between teeth twice a day for 30 seconds then spit out; do not swallow
children under 12 years of age	consult a dentist or doctor

■ this rinse is not intended to replace brushing or flossing

**Other information** cold weather may cloud this product. Its antiseptic properties are not affected. Store at room temperature (59°-77°F).

**Inactive ingredients** water, alcohol 26.9%, benzoic acid, poloxamer 407, sodium benzoate, caramel

\*This product is not manufactured or distributed by Kenvue, Inc., distributor of Original Listerine® Antiseptic Mouthwash.



Distributed by CDMA, Inc.  
Novi, MI 48375  
www.qualitychoice.com  
Questions: 800-935-2362



DSP-TN-21091  
DSP-MO-20087

L0018912BB

## ANTISEPTIC MOUTH RINSE

eucalyptol, menthol, methyl salicylate, thymol mouthwash

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83324-180
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EUCALYPTOL</b> (UNII: RV6J6604TK) (EUCALYPTOL - UNII:RV6J6604TK)	EUCALYPTOL	0.92 mg in 1 mL
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.42 mg in 1 mL

<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.6 mg in 1 mL
<b>THYMOL</b> (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	THYMOL	0.64 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>CARAMEL</b> (UNII: T9D99G2B1R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-180-33	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/02/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	07/02/2024	

**Labeler** - Chain Drug Marketing Association (011920774)

**Registrant** - Nice-Pak Products, LLC (119091520)

**Establishment**

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(83324-180)

Revised: 2/2026

Chain Drug Marketing Association