

# **PAIN RELIEVING PLASTER- camphor, menthol, methyl salicylate plaster**

**Health Body World Supply Inc.**

-----

## **Active ingredients**

Camphor 3.1%

Menthol 2.6%

Methyl Salicylate 2%

## **Purposes**

External Analgesic

## **Uses**

For the temporary relief of minor aches and pains of muscles and joints due to

- simple backache
- arthritis
- strains
- bruises
- sprains

## **Warnings**

### **For external use only**

**Allergy alert:** this product contains natural rubber latex which may cause allergic reactions

### **Do not use**

- on wounds
- on irritated or damaged skin if the appearance of this product has changed
- if you have known hypersensitivities to this product
- otherwise than as directed

### **Ask a doctor or pharmacist before use if you are**

- taking other medications
- pregnant

### **when using this product**

- avoid contact with the eyes or mucous membranes
- do not bandage tightly
- do not apply heat to the area in the form of heating pads, hot water bottles, or lamps (the risk of serious burns)
- avoid placing on extremely hairy areas of skin to avoid irritation upon removing the plaster

**Stop use and ask a doctor if**

- condition worsens
  - symptoms persist for more than 7 days
  - symptoms clear up and occur again within a few days
  - excessive irritation of the skin develops
  - when using for pain of arthritis:
- pain persists for more than 10 days
- redness is present
- in conditions affecting children under 12 years of age

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 12 years of age and older

- Apply one or two plasters to affected area once a day. Remove after 12 hours.

Children 2 to 12 years of age and adults with compromised health

- Use only under the guidance of a doctor

Children under 2 years of age

Do not use, consult a doctor

**Inactive ingredients**

Frankincense, Myrrh, Clove, Lindera Aggregata Root, Cinnamomi Cortex, Schizonepeta Bud, Saposhnikovia Divaricata Root, Geranium Wilfordii Top, Periploca Root Bark, Centella Asiatica, Drynaria Fortunei Root, Angelica Dahurica Root, Kaempferia Galanga Root, Ginger Root, Borneol, Latex Rubber, Rosin, Zinc Oxide, Petrolatum, Lanolin, Light Mineral Oil

壯骨風濕止痛膏

**External Analgesic**  
NDC 81980-727-10

請仔細閱讀說明書並按說明使用或則醫師指導下購買和使用  
Please read the instructions for use or consult your healthcare provider

**For external use only**  
只供外用



壯骨風濕止痛膏

ReVIVE 華寶  
Zhuang Gu Feng Shi Zhi Tong Gao

PAIN RELIEVING PLASTER

**10 Plasters (貼)**  
Each Plaster 2.75 in x 3.94 in  
(7cm x 10cm)

壯骨風濕止痛膏

Drug Facts 藥品資料		Drug Facts (cont.) 藥品資料(續)					
<p><b>Active Ingredients有效成份</b> <b>Purposes用途</b></p> <p>Camphor 3.1% 樟腦 External Analgesic Menthol 2.5% 薄荷腦 External Analgesic Methyl Salicylate 2% 水楊酸甲酯 External Analgesic</p> <p><b>Uses 作用</b></p> <p>For the temporary relief of minor aches and pains of muscles and joints due to: 暫時緩解由一下情況引起的肌肉和關節疼痛 simple backache 一般腰酸背痛</p> <p>■ arthritic 風濕痛 ■ strains 扭傷 ■ sprains 挫傷 ■ bruises 瘀傷</p> <p><b>Warnings 警告</b></p> <p><b>For external use only 只供外用</b></p> <p><b>Allergy Alert:</b> This product contains natural rubber latex which may cause allergic reactions 過敏警告。本品亦含有天然橡膠乳成分，可能導致過敏反應。</p> <p><b>Do not use 不可用於</b></p> <ul style="list-style-type: none"> <li>■ on wounds 傷口</li> <li>■ on irritated or damaged skin 受到刺激或受損的皮膚</li> <li>if the appearance of this product has changed 如果產品的外觀有改變</li> <li>■ if you have known hypersensitivities to the product 如果你對產品已有已知的過敏反應</li> <li>■ otherwise than as directed 與標明用法不同的情況</li> </ul> <p><b>ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE:</b></p> <ul style="list-style-type: none"> <li>■ using other medicines 正在服用其他藥物</li> <li>■ taking other medications 正在服用其他藥物</li> <li>■ pregnant 懷孕期間</li> </ul> <p><b>When using this product 在使用本產品時</b></p> <ul style="list-style-type: none"> <li>■ avoid contact with the eyes or mucous membranes 避免接觸眼睛及黏膜</li> <li>■ do not bandage tightly 避免包紮過緊</li> <li>■ do not apply heat to the area in the form of heating pads, hot water bottles, or lamps (doing so increases the risk of serious burns) 不要在貼敷處、熱水袋或加熱燈的形式增加熱量(這樣做會增加嚴重灼傷的風險)</li> <li>■ avoid placing on extremely hairy areas of skin to avoid irritation upon removing the plaster 避免貼在毛髮濃密處，以免在撕掉時對引起皮膚發癢</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ condition worsens 病情加重</li> <li>■ symptoms persist for more than 7 days 症狀持續超過7天</li> <li>■ symptoms clear up and occur again within a few days 症狀減輕後幾天內復發</li> </ul>		<p>■ excessive irritation of the skin develops 皮膚出現過度刺激</p> <p>■ when using for pain of arthritis: 用於治療關節炎引起的疼痛時</p> <ul style="list-style-type: none"> <li>■ pain persists for more than 10 days 疼痛持續超過10天</li> <li>■ redness is present 發紅</li> <li>■ in conditions affecting children under 12 years of age 影響12歲以下兒童的狀況</li> </ul> <p><b>KEEP OUT OF REACH OF CHILDREN.</b> 確定或在下列的地方 if swallowed, get medical help or contact a Poison Control Center right away 如果兒童意外吞食，請立即聯繫或聯絡毒藥控制中心。</p> <p><b>Directions 使用说明</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <p><b>Adults and children 12 years of age and older 成人及12歲或以上兒童</b></p> <p>Apply one or two plasters to affected area once a day. Remove after 12 hours. 每天貼一至兩貼於患處12小時。</p> </td> <td style="width: 50%; vertical-align: top;"> <p><b>Children 2 to 12 years of age and adults with compromised health 2至12歲的兒童或有健康問題的成人</b></p> <p>Use only under the guidance of a doctor 在醫生指導下使用</p> </td> </tr> <tr> <td style="width: 50%; vertical-align: top;"> <p><b>Children under 2 years of age 2歲以下兒童</b></p> <p>Do not use, consult a doctor if you refer to above warnings; use otherwise than as directed may be dangerous. 參考以上警告，不按說明使用會導致危險</p> </td> <td style="width: 50%; vertical-align: top;"> <p><b>Other information 其他資訊</b></p> <ul style="list-style-type: none"> <li>■ Keep container tightly closed 密封保存</li> <li>■ Store below 20°C(68°F) in a dry area 在攝氏20度 華氏68度以下於干燥處保存</li> </ul> <p><b>Inactive Ingredients 非活性成份</b></p> <p>Frankincense, Myrrh, Clove, Lindera Aggregata Root, Cinnamon Bark, Schizonepeta Bud, Saposhnikovia Divaricata Root, Garam Woodlice Tip, Parosela Root Bark, Ceratonia Flos, Oryzaria Flos, Forsydia Root, Angelica Dahurica Root, Kaempferia Galanga Root, Ginger Root, Burnside Rubber, Resin, Zinc Oxide, Petroleum, Lanolin, Light Mineral Oil, Stearic Acid, Titanium Dioxide, Polyethylene Glycol, Glycerin, Ethyl Alcohol, Benzyl Alcohol, Phenoxyethanol, Methylparaben, Propylparaben, Butylparaben, Methylchlorophenol, Propylchlorophenol, Hydroxyethylcellulose, Polyethylene Glycol, Glycerin, Ethyl Alcohol, Benzyl Alcohol, Phenoxyethanol, Methylparaben, Propylparaben, Butylparaben, Methylchlorophenol, Propylchlorophenol.</p> </td> </tr> </table> <p><b>Questions or Comments? 問題或意見?</b> M-F: 9am to 5pm 星期一至五 上午9時到5時 Tel: 1-800-852-4839 or Email: info@reviveltd.com</p>		<p><b>Adults and children 12 years of age and older 成人及12歲或以上兒童</b></p> <p>Apply one or two plasters to affected area once a day. Remove after 12 hours. 每天貼一至兩貼於患處12小時。</p>	<p><b>Children 2 to 12 years of age and adults with compromised health 2至12歲的兒童或有健康問題的成人</b></p> <p>Use only under the guidance of a doctor 在醫生指導下使用</p>	<p><b>Children under 2 years of age 2歲以下兒童</b></p> <p>Do not use, consult a doctor if you refer to above warnings; use otherwise than as directed may be dangerous. 參考以上警告，不按說明使用會導致危險</p>	<p><b>Other information 其他資訊</b></p> <ul style="list-style-type: none"> <li>■ Keep container tightly closed 密封保存</li> <li>■ Store below 20°C(68°F) in a dry area 在攝氏20度 華氏68度以下於干燥處保存</li> </ul> <p><b>Inactive Ingredients 非活性成份</b></p> <p>Frankincense, Myrrh, Clove, Lindera Aggregata Root, Cinnamon Bark, Schizonepeta Bud, Saposhnikovia Divaricata Root, Garam Woodlice Tip, Parosela Root Bark, Ceratonia Flos, Oryzaria Flos, Forsydia Root, Angelica Dahurica Root, Kaempferia Galanga Root, Ginger Root, Burnside Rubber, Resin, Zinc Oxide, Petroleum, Lanolin, Light Mineral Oil, Stearic Acid, Titanium Dioxide, Polyethylene Glycol, Glycerin, Ethyl Alcohol, Benzyl Alcohol, Phenoxyethanol, Methylparaben, Propylparaben, Butylparaben, Methylchlorophenol, Propylchlorophenol, Hydroxyethylcellulose, Polyethylene Glycol, Glycerin, Ethyl Alcohol, Benzyl Alcohol, Phenoxyethanol, Methylparaben, Propylparaben, Butylparaben, Methylchlorophenol, Propylchlorophenol.</p>
<p><b>Adults and children 12 years of age and older 成人及12歲或以上兒童</b></p> <p>Apply one or two plasters to affected area once a day. Remove after 12 hours. 每天貼一至兩貼於患處12小時。</p>	<p><b>Children 2 to 12 years of age and adults with compromised health 2至12歲的兒童或有健康問題的成人</b></p> <p>Use only under the guidance of a doctor 在醫生指導下使用</p>						
<p><b>Children under 2 years of age 2歲以下兒童</b></p> <p>Do not use, consult a doctor if you refer to above warnings; use otherwise than as directed may be dangerous. 參考以上警告，不按說明使用會導致危險</p>	<p><b>Other information 其他資訊</b></p> <ul style="list-style-type: none"> <li>■ Keep container tightly closed 密封保存</li> <li>■ Store below 20°C(68°F) in a dry area 在攝氏20度 華氏68度以下於干燥處保存</li> </ul> <p><b>Inactive Ingredients 非活性成份</b></p> <p>Frankincense, Myrrh, Clove, Lindera Aggregata Root, Cinnamon Bark, Schizonepeta Bud, Saposhnikovia Divaricata Root, Garam Woodlice Tip, Parosela Root Bark, Ceratonia Flos, Oryzaria Flos, Forsydia Root, Angelica Dahurica Root, Kaempferia Galanga Root, Ginger Root, Burnside Rubber, Resin, Zinc Oxide, Petroleum, Lanolin, Light Mineral Oil, Stearic Acid, Titanium Dioxide, Polyethylene Glycol, Glycerin, Ethyl Alcohol, Benzyl Alcohol, Phenoxyethanol, Methylparaben, Propylparaben, Butylparaben, Methylchlorophenol, Propylchlorophenol, Hydroxyethylcellulose, Polyethylene Glycol, Glycerin, Ethyl Alcohol, Benzyl Alcohol, Phenoxyethanol, Methylparaben, Propylparaben, Butylparaben, Methylchlorophenol, Propylchlorophenol.</p>						

<p><b>ReVIVE</b> THE WABBO COMPANY 華寶 美國華寶有限公司</p> <p>671 W. MENTHORN ST., LAKE ELSINORE, CA 92531 HWA BAO TANG   TRUSTED BRAND SINCE 1899   QC PASSED</p>	 <p>LOT NUMBER: BEST BEFORE:</p>	<p>Product of China</p>
--	---	-------------------------

# PAIN RELIEVING PLASTER

camphor, menthol, methyl salicylate plaster

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81980-727
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>CAMPBOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPBOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPBOR (SYNTHETIC)	3.1 g in 100 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2.6 g in 100 g

METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ) METHYL SALICYLATE 2 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
KAEMPFERIA GALANGA ROOT (UNII: 7B7U9D12AI)	
NEPETA TENUIFOLIA FLOWERING TOP (UNII: 2FN3BA1MZE)	
DRYNNARIA FORTUNEI ROOT (UNII: 731W842X8Q)	
PERIPLLOCA SEPIUM ROOT BARK (UNII: 638OW484M3)	
FRANKINCENSE (UNII: R9XLF1R1WM)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
BORNEOL (UNII: M89NIB437X)	
ROSIN (UNII: 88S87KL877)	
PETROLATUM (UNII: 4T6H12BN9U)	
SAPOSHNIKOVIA DIVARICATA ROOT (UNII: 8H84LFK2QD)	
GERANIUM WILFORDII TOP (UNII: 771B1S9W3R)	
GINGER (UNII: C5529G5JPQ)	
CLOVE (UNII: K48IKT5321)	
MYRRH (UNII: JC71GJ1F3L)	
LINDERA AGGREGATA ROOT (UNII: 517Q7XRT2T)	
CHINESE CINNAMON (UNII: W54CQ062KM)	
LANOLIN (UNII: 7EV65EAW6H)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81980-727-03	2 in 1 BOX	07/22/2024	
1	NDC:81980-727-02	5 in 1 POUCH		
1	NDC:81980-727-01	100 g in 1 PATCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	07/03/2024	

**Labeler** - Health Body World Supply Inc. (155986677)

## Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Dingtai Pharmaceutical Co., Ltd		420598724	manufacture(81980-727)

Revised: 7/2024

Health Body World Supply Inc.