

**NASAL DECONGESTANT PE MAXIMUM STRENGTH NON DROWSY- phenylephrine
hcl tablet, film coated**

L.N.K. International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Quality Plus 44-453

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dose.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dicalcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silica gel, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

**QUALITY
PLUS**

NDC 50844-953-08

**Compare to active ingredient
in Sudafed PE[®] Congestion*

Maximum Strength **NASAL
DECONGESTANT PE**
Phenylephrine HCl 10 mg • NASAL DECONGESTANT

- SINUS PRESSURE
- CONGESTION

24 Tablets NON-DROWSY

ACTUAL SIZE

**This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Sudafed PE[®] Congestion.*

50844 ORG071545308

Distributed by
LNK INTERNATIONAL, INC.
60 Arkay Drive, Hauppauge, NY 11788
USA

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



Drug Facts (continued)
 Active ingredient (in each tablet) Phenylephrine HCl 10 mg
 Purpose Nasal decongestant

Warnings
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotic or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Uses
 temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Directions
 adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
 children under 12 years: ask a doctor

Other information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Inactive ingredients croscarmellose sodium, dextrose monohydrate, dicalcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silica gel, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments? 1-800-426-9391

QUALITY PLUS **MAXIMUM STRENGTH** NASAL DECONGESTANT PE

B-1603-453-08-R
 ORG071545308

NDC 50844-953-08
 *Compare to active ingredient in Sudafed PE® Congestion

QUALITY PLUS **MAXIMUM STRENGTH** NASAL DECONGESTANT PE

Phenylephrine HCl 10 mg • NASAL DECONGESTANT

24 Tablets **NON-DROWSY** ACTUAL SIZE

CONGESTION • SINUS PRESSURE • CONGESTION • SINUS PRESSURE • CON
 PRESSURE • CONGESTION • SINUS PRESSURE • CONGESTION • SINUS PRE
 IGESTION • SINUS PRESSURE • CONGESTION • SINUS PRESSURE CONG
 PRESSURE • CONGESTION • SINUS PRESSURE • CONGESTION • SIN

No Print / No Varnish Lot no. & Exp. date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

0 50844 95308 J

USA
 60 Arkay Drive, Hainpauge, NY 11788
 LNK INTERNATIONAL, INC.
 Distributed by
 50844 ORG071545308
 Healthcare, owner of the registered trademark Sudafed PE® Congestion.

Quality Plus 44-453

NASAL DECONGESTANT PE MAXIMUM STRENGTH NON DROWSY
 phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50844-953
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

Product Characteristics

Color	RED	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-953-44	1 in 1 CARTON	01/14/2005	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50844-953-08	1 in 1 CARTON	01/14/2005	
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	01/14/2005	

Labeler - L.N.K. International, Inc. (038154464)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(50844-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(50844-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(50844-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(50844-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(50844-953)