

RING RELIEF- arnica montana, calcium sulfide, hypericum perforatum, lycopodium clavatum spore, thiosinaminum, mercurius solubilis, salicylic acid, silicon dioxide, allylthiourea liquid
TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ring Relief

Arnica montana HPUS 6x, 30x
Hepar sulph calc HPUS 13x
Hypericum perforatum HPUS 6x, 30x
Lycopodium clavatum HPUS 12x
Mercurius sol HPUS 13x
Salicylicum acidum HPUS 6x
Silicea HPUS 13x
Thiosinaminum HPUS 6x

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Arnica montana HPUS - Buzzing, Chirping
Hepar sulph calc HPUS - Noise sensitivity
Hypericum perforatum HPUS - Nerve sensitivity
Lycopodium clavatum HPUS - Pounding, wax buildup
Mercurius sol HPUS - Discomfort
Salicylicum acidum HPUS - Ringing, Buzzing
Silicea HPUS - Roaring
Thiosinaminum HPUS - Ringing (Tinnitus)

Uses:*

According to homeopathic indications, these ingredients temporarily relieve Tinnitus symptoms such as: • Ringing • Buzzing • Roaring • Nerve and Noise Sensitivity • Pounding • Discomfort • Wax buildup after serious causes have been ruled out by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings:

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

If pregnant or breast-feeding, ask a health professional before use.

Do not use:

- If solution changes color or becomes cloudy.
- If you have ear drainage, discharge, irritation, a rash in the ear or dizziness.
- If you have ear tubes, after surgery or with damaged ear drums.

Keep out of reach of children

- In case of accidental ingestion, get medical help or contact a Poison Control Center right away.
- Do not get into eyes. If contact occurs, rinse eyes thoroughly with water.

Directions:

Suitable for adults and children ages 2 and over.

- Children under the age of 2: consult a physician before use.
- For use in ear only.
- Use 3 to 5 drops twice per day or as needed.
- Warm contents to body temperature by holding in your hands. Tilt your head to the side and let solution drip into the ear. Never put the tip into the ear canal.
- Keep drops in your ear by tilting your head for 20-40 seconds.

Homeopathic remedies may not be effective for everyone.

May take up to 60 days to see results.

Other information:

There are no known contraindications. Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. Store in a cool dark location. Ring Relief® Ear Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive Ingredients:

Benzalkonium Chloride, Glycerin, Purified Water.

Questions or comments?

www.thereliefproducts.com, 1-888-969-6855

Stop Use

Stop use and ask a doctor if: • You experience ear pain or worsening symptoms. • Your symptoms last longer than 7 days.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Natural Ears™

Ring Relief®



Natural Ears™

Ring Relief®

FOR TINNITUS SYMPTOMS
EAR DROPS
Ringing / Buzzing / Roaring
Pounding / Discomfort

100%
NATURAL
ACTIVE
INGREDIENTS



HOMEOPATHIC
0.33 FL OZ (10 mL)

Natural Ears™

Natural Ears™ harnesses the power of nature. Naturally sourced ingredients that work gently and safely with your body.

Ring Relief®

***New name, same trusted formula, Natural Ears™ continues to deliver soothing relief.**

Do not use if tamper evident seal is torn, broken, or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

© 2023 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 www.thereliefproducts.com

Drug Facts

Active ingredients	Purpose
Amica montana HPUS 6X, 30X.....	Buzzing, chirping
Hepar sulphuris calcareum HPUS 13X.....	Noise sensitivity
Hypericum perforatum HPUS 6X, 30X.....	Nerve sensitivity
Lycopodium clavatum HPUS 12X.....	Pounding, ear wax buildup
Mercurius solubilis HPUS 13X.....	Discomfort
Salicylicum acidum HPUS 6X.....	Ringing, buzzing
Silicea HPUS 13X.....	Roaring
Thiosinaminum HPUS 6X.....	Ringing (Tinnitus)

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as:

- Ringing, buzzing, roaring
- Nerve and noise sensitivity
- Pounding
- Discomfort
- Wax buildup; after serious causes have been ruled out by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- **If pregnant or breast-feeding, ask a health professional before use.**
- **Keep out of reach of children.**
- In case of accidental ingestion, get medical help or contact a Poison Center right away.
- Replace cap after every use.
- Use within 30 days of opening.
- **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.**

Do not use if:

- Solution changes color or becomes cloudy.
- You have ear drainage, discharge, irritation, a rash in the ear or dizziness.
- You have ear tubes, after surgery or with damaged ear drums.

Stop use and ask a doctor if:

- You experience ear pain or worsening symptoms.
- Symptoms last longer than 7 days.
- Do not get into eyes. If contact occurs, rinse eyes thoroughly with water.
- Suitable for adults and children ages 2 and over.

BOTTLE IMAGE IS ACTUAL SIZE

Drug Facts (continued)

Directions

Children under the age of 2: Consult a physician before use.

- For use in ear only.
- Use 3 to 5 drops twice per day or as needed.
- Warm contents to body temperature by holding bottle in your hands.
- Tilt your head to the side and let solution drip into the ear.
- Never put the tip into the ear canal.
- Keep drops in your ear by tilting your head for 20 to 40 seconds.
- Homeopathic remedies may not be effective for everyone. Individual results may vary. May take up to 60 days to see results.

Other information

- Store at room temperature 15° to 30° C (59° to 86°F).
- Keep bottle tightly closed.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications.
- Ring Relief® Ear Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients

Benzalkonium chloride, Glycerin, Purified water.

Questions or comments

1-888-969-6855
8am to 4pm; Monday - Friday

Encontrará la información en español sobre este medicamento al interior de la caja.



NDC #17312-001-15

Stay Healthy, Naturally.
HOMEOPATHIC

Ring Relief®

Ear Drops

For Tinnitus Symptoms

Temporarily Relieves:

- Ringing, buzzing
- Roaring, chirping
- Pounding, discomfort

100% Natural Active Ingredients
0.33 FL OZ (10 mL)

Active ingredients

Amica montana HPUS 6X, 30X; Hepar sulphuris calcareum HPUS 13X; Hypericum perforatum HPUS 6X, 30X; Lycopodium clavatum HPUS 12X; Mercurius solubilis HPUS 13X; Salicylicum acidum HPUS 6X; Silicea HPUS 13X; Thiosinaminum HPUS 6X

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.

- For use in ear only.
- Use 3 to 5 drops twice per day or as needed.
- Warm contents to body temperature by holding bottle in your hands.
- Tilt your head to the side and let solution drip into the ear.
- Never put the tip into the ear canal.
- Keep drops in your ear by tilting your head for 20 to 40 seconds.
- Homeopathic remedies may not be effective for everyone. Individual results may vary. May take up to 60 days to see results.

Inactive ingredients

Benzalkonium chloride, Glycerin, Purified water

Other information

Refer to outer carton for complete information.

- Store at room temperature 15° to 30° C (59° to 86°F).
- Keep bottle tightly closed.
- Replace cap after every use.
- Use within 30 days of opening.
- **EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.**
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications.
- Ring Relief® Homeopathic Ear Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

© 2020 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite #208, Reno, NV 89502
Questions or Comments?
www.thereliefproducts.com, 888-969-6855

Do not use if tamper evident seal is torn, broken or missing.

11117
R03.20

1/4" Non-Varnished area

RING RELIEF

arnica montana, calcium sulfide, hypericum perforatum, lycopodium clavatum spore,

thiosinaminum, mercurius solubilis, salicylic acid, silicon dioxide, allylthiourea liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-001
Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	6 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	13 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	6 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	13 [hp_X] in 1 mL
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	6 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	13 [hp_X] in 1 mL
ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)	ALLYLTHIOUREA	6 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-001-11	1 in 1 PACKAGE	06/01/2006	02/16/2018
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:17312-001-15	1 in 1 PACKAGE	05/05/2015	
2		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved		06/01/2006	

homeopathic

06/01/2006

Labeler - TRP Company (105185719)

Registrant - TRP Company (105185719)

Revised: 12/2025

TRP Company