RING RELIEF- arnica montana, calcium sulfide, hypericum perforatum, lycopodium clavatum spore, thiosinaminum, mercurius solubilis, salicylic acid, silicon dioxide, allylthiourea liquid TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ring Relief

Arnica montana HPUS 6x, 30x
Hepar sulph calc HPUS 13x
Hypericum perforatum HPUS 6x, 30x
Lycopodium clavatum HPUS 12x
Mercurius sol HPUS 13x
Salicylicum acidum HPUS 6x
Silicea HPUS 13x
Thiosinaminum HPUS 6x

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Arnica montana HPUS - Buzzing, Chirping
Hepar sulph calc HPUS - Noise sensitivity
Hypericum perforatum HPUS - Nerve sensitivity
Lycopodium clavatum HPUS - Pounding, wax buildup
Mercurius sol HPUS - Discomfort
Salicylicum acidum HPUS - Ringing, Buzzing
Silicea HPUS - Roaring
Thiosinaminum HPUS - Ringing (Tinnitus)

Uses:*

According to homeopathic indications, these ingredients temporarily relieve Tinnitus symptoms such as: • Ringing • Buzzing • Roaring • Nerve and Noise Sensitivity • Pounding • Discomfort • Wax buildup after serious causes have been ruled out by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings:

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

If pregnant or breast-feeding, ask a health professional before use.

Do not use:

- If solution changes color or becomes cloudy.
- If you have ear drainage, discharge, irritation, a rash in the ear or dizziness.
- If you have ear tubes, after surgery or with damaged ear drums.

Keep out of reach of children

- In case of accidental ingestion, get medical help or contact a Poison Control Center right away.
- Do not get into eyes. If contact occurs, rinse eyes thoroughly with water.

Directions:

Suitable for adults and children ages 2 and over.

- Children under the age of 2: consult a physician before use.
- For use in ear only.
- Use 3 to 5 drops twice per day or as needed.
- Warm contents to body temperature by holding in your hands. Tilt your head to the side and let solution drip into the ear. Never put the tip into the ear canal.
- Keep drops in your ear by tilting your head for 20-40 seconds.

Homeopathic remedies may not be effective for everyone.

May take up to 60 days to see results.

Other information:

There are no known contraindications. Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. Store in a cool dark location. Ring Relief® Ear Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive Ingredients:

Benzalkonium Chloride, Glycerin, Purified Water.

Questions or comments?

www.thereliefproducts.com, 1-888-969-6855

Stop Use

Stop use and ask a doctor if: • You experience ear pain or worsening symptoms. • Your symptoms last longer than 7 days.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Natural Ears 🍐

Ring Relief®

Drug Facts

Active ingredients Purpose Arnica montana HPUS 6X, 30X .Buzzing, chirping Hepar sulphuris calcareum HPUS 13X.....Noise sensitivity Hypericum perforatum HPUS 6X, 30X.....Nerve sensitivity ...Pounding, Lycopodium clavatum HPUS 12X. ear wax buildup Mercurius solubilis HPUS 13X. .Discomfort

Ringing, buzzing....Roaring Salicylicum acidum HPUS 6X... Silicea HPUS 13X Thiosinaminum HPUS 6X... .Ringing (Tinnitus)

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications these ingredients

provide temporary relief from symptoms such as:

• Ringing, buzzing, roaring • Nerve and noise sensitivity
• Pounding • Discomfort • Wax buildup; after serious causes have been ruled out by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only.

 This product is intended to complement, not replace, standard medical treatment. . Initial worsening of symptoms may occur. • If pregnant or breast-feeding, ask a health professional before use. • Keep out of reach of children. • In case of accidental ingestion, get medical help or contact a Poison Control Center right away. • Replace cap after every use. • Use within 30 days of opening. • EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.

Do not use if: • Solution changes color or becomes cloudy. • You have ear drainage, discharge, irritation, a rash in the ear or dizziness. • You have ear tubes, after surgery or with damaged ear drums.

Stop use and ask a doctor if: • You experience ear pain or worsening symptoms. • Symptoms last longer than 7 days. • Do not get into eyes. If contact occurs, rinse eyes thoroughly with water. • Suitable for adults and children ages 2 and over.

BOTTLE IMAGE IS ACTUAL SIZE

Drug Facts (continued)

Directions

Children under the age of 2: Consult a physician before use. For use in ear only.
 Use 3 to 5 drops twice per day or as needed. • Warm contents to body temperature by holding bottle in your hands. • Tilt your head to the side and let solution drip into the ear. • Never put the tip into the ear canal. . Keep drops in your ear by tilting your head for 20 to 40 seconds. Homeopathic remedies may not be effective for everyone. Individual results may vary. May take up to 60 days to see results.

Other information

 Store at room temperature 15° to 30° C (59° to 86°F). • Keep bottle tightly closed. . Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-taxic with no known side effects or contraindications. • Ring Relief® Ear Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients Benzalkonium chloride,

Glycerin, Purified water.

Questions or comments 1-888-969-6855 8 am to 4 pm; Monday - Friday

Encontrara la informacion en espanol sobre este medicamento al interior de la caja.

THE RELIEF PRODUCTS® NDC # 17312-001-15

IEW NAME*

Ears

Natural **Ears**

Natural Ears™ harnesses the power of nature.

Naturally sourced ingredients that work gently and safely with your body.

Ring Relief

FOR TINNITUS SYMPTOMS

EAR DROPS

Ringing / Buzzing / Roaring Pounding / Discomfort

> 100% NATURAL ACTIVE **INGREDIENTS**



*New name, same trusted formula, Natural Ears continues to deliver soothing relief.

Do not use if tamper evident seal is torn, broken, or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

© 2023 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 www.thereliefproducts.com

0.33 FL OZ (10 mL)

Stay Healthy, Naturally Active ingredients Stay Healthy, Naturally American PUS 130; Hyperican perforation HOMBOPATHIC Active ingredients Active ingredients Benzakonium chloride, Gycerin, Purified water calcareum HPUS 130; Hyperican perforation HPUS 62, 30%; Lycopodium davatum HPUS Before to guide, carden for complete IRP ar Drops --- Tinnitus Symptoms

Temporarily Relieves:

- · Ringing, buzzing · Roaring, chirping
- · Pounding, discomfort

00% Natural Active Ingredients

12% Mercurius solubilis HPUS 13% Salicylicum acidum HPUS 60; Silicea HPUS 13X; Thiosinaminum HPUS 6X

"HPUS" indicates the active ingredients of this product are officially monographed in the homeopathic Pharmacopoeia of the United States.

Directions

Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Forusein ear only. • Use physican better use. For usern ear only. • Use 3 to 5 drops twice per day or as needed. • Warm contents to body temperature by holding bottle in your hands. • Tit your head to the side and let solution drip into the ear. • Never put the tip into the ear carriel. • Keep drops in your ear by \$1 ting your head for 20 to 40 seconds. • Homeopathic remedies may not be effective for everyone. • Ingredients Individual results may vary. May take up to 60 0.33 FLOZ (10 mL) days to see results.

Other information
Refer to outer carton for complete
information. * Store at room temperature
15° to 30° C (59° to 86° P. * Keep bottle
tightly closed. * Replace cap after every
use. * Use within 30 days of opening.
**EDYRATION DATE COMY REFERS TO THE
UNOPENED BOTTLE. * Active ingredients
are micro-diuded in accordance with the
Homeopathic Pharmacopoeia of the United
States and are therefore non-foxic with no
known size effects or contraindications.
Ring Relief Homeopathic Ear Drops are
homeopathic diutions, for details see
www.therefelproducts.com.
2020 A right researed to RP Company Inc.

© 2020 All rights reserved to TRP Company, Inc. Manufactured exclusively for TRP Company, Inc. 1575 Delucchi Lane, Suite #208, Reno, NV 89502

TSTS Debuchi Lang same Quasitors or Commerts? www.theetidpoduds.com, 888-969-6855

is form broken or missing.

RING RELIEF

arnica montana, calcium sulfide, hypericum perforatum, lycopodium clavatum spore,

thiosinaminum, mercurius solubilis, salicylic acid, silicon dioxide, allylthiourea liquid

| Product Information | | | |
|-------------------------|------------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:17312-001 |
| Route of Administration | AURICULAR (OTIC) | | |

| Active Ingredient/Active Moiety | | |
|--|------------------------------|----------------------|
| Ingredient Name | Basis of Strength | Strength |
| ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW) | ARNICA MONTANA | 6 [hp_X] in 1 mL |
| CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q) | CALCIUM SULFIDE | 13 [hp_X] in 1 mL |
| HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII: XK4IUX8MNB) | HYPERICUM PERFORATUM | 6 [hp_X] in 1 mL |
| LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479) | LYCOPODIUM CLAVATUM SPORE | 12 [hp_X] in 1 mL |
| MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2) | MERCURIUS SOLUBILIS | 13 [hp_X] in 1 mL |
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 6 [hp_X] in 1 mL |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4) | SILICON DIOXIDE | 13 [hp_X] in 1 mL |
| ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7) | ALLYLTHIOUREA | 6 [hp_X] in 1 mL |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | |
| WATER (UNII: 059QF0KO0R) | | |
| | | |

| Packaging | | | | |
|-----------|----------------------|---|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:17312- 001-11 | 1 in 1 PACKAGE | 06/01/2006 | 02/16/2018 |
| 1 | | 15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |
| 2 | NDC:17312- 001-15 | 1 in 1 PACKAGE | 05/05/2015 | |
| 2 | | 10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved | | 06/01/2006 | |

| homeopathic | 00/01/2000 |
|-------------|------------|
| | |

Labeler - TRP Company (105185719)

Registrant - TRP Company (105185719)

Revised: 3/2024 TRP Company