

**LIGHTENING SUNCREEN CREAM- lightening sunscreen cream emulsion**  
**Guangzhou Kadiya Biotechnology Co., Ltd.**

-----  
Uses

Helps prevent sunburn

Indications: For sun protection

AQUA MINERAL OIL GLYCERIN CETEARYL ALCOHOL UREA DIMETHICONE GLYCERYL STEARATE CETEARETH-20 POTASSIUM CETYL PHOSPHATE PEG-100 STEARATE TRIETHANOLAMINE ALLANTOIN CARBOMER C13-16 ISOALKANE DMDM HYDANTOIN AROMA METHYLPARABEN PROPYLPARABEN 3-O-ETHYL ASCORBIC ACID DISODIUM EDTA BUTYLENE GLYCOL IODOPROPYNYL BUTYLCARBAMATE CI 19140

Warning.

1. Before use, perform a skin test on your arm and discontinue use if you have allergy symptoms or skin abnormalities.

2 For external use only, avoid contact with eyes when used

3 Keep out of reach of children

Step 1 Take an appropriate amount in the palm.

Step 2 Spread evenly on the face, neck and body.

Step 3 Evenly pat around the skin and push away, waiting to be absorbed.

1. Use daily during the day, after any daytime skin care products, and before makeup.

2. Use it 15 minutes before going out.

KEEP OUT OF REACH OF CHILDREN SECTION

Active Ingredients

NIACINAMIDE 1mg

Zinc oxide 6%

1. Use daily during the day, after any daytime skin care products, and before makeup.

2. Use it 15 minutes before going out.

Active Ingredients

NIACINAMIDE 1mg

Zinc oxide 6%

Uses

Helps prevent sunburn

Indications: For sun protection

The storage method

Store sealed in a cool place and out of sunlight

Warning.


1. Before use, perform a skin test on your arm and discontinue use if you have allergy symptoms or skin abnormalities.

2. For external use only, avoid contact with eyes when used

3. Keep out of reach of children

Inactive ingredients

AQUA, MINERAL OIL, GLYCERIN, CETEARYL ALCOHOL, UREA, DIMETHICONE, GLYCERYL STEARATE, CETEARETH-20, POTASSIUM CETYL PHOSPHATE, PEG-100 STEARATE, TRIETHANOLAMINE, ALLANTOIN, CARBOMER, C13-16 ISOALKANE, DMDM HYDANTOIN, AROMA, METHYLPARABEN, PROPYLPARABEN, 3-O-ETHYL ASCORBIC ACID, DISODIUM EDTA, BUTYLENE GLYCOL, IODOPROPYNYL BUTYLCARBAMATE, CI 19140



#### Drug Facts

Active Ingredients	Purpose
Niacinamide 1%	Moisturise
Zinc oxide 6%	Sunburn protection

#### Inactive ingredients:


AQUA, MINERAL OIL, GLYCERIN, CETEARYL ALCOHOL, UREA, DIMETHICONE, GLYCERYL STEARATE, CETEARETH-20, POTASSIUM CETYL PHOSPHATE, PEG-100 STEARATE, TRIETHANOLAMINE, ALLANTOIN, CARBOMER, C13-16 ISOALKANE, DMDM HYDANTOIN, AROMA, METHYLPARABEN, PROPYLPARABEN, 3-O-ETHYL ASCORBIC ACID, DISODIUM EDTA, BUTYLENE GLYCOL, TIODOPROPYNYL BUTYLCARBAMATE, CI 19140

#### REAPPLY


For use on children less than 6 months of age, consult a doctor.

#### WARNINGS

1. Before use, perform a skin test on your arm and discontinue use if you have allergy symptoms or skin abnormalities.
2. For external use only, avoid contact with eyes when used.
3. Keep out of reach of children.



MJCM SARL  
78 avenue des Champs-Élysées Bureau 326  
mjc190929@gmail.com  
Tel: +33 0167213611



EUR-MJCM LTD  
Suite B3, 152 Warwick Way London,  
SW19 4JE, GB  
Tel: 0044 7825478164



Guangzhou Kadhya Biological Technology Co., Ltd.  
(CO-PRESENTED BY)  
Room 309, 3rd Floor, No. 12, Runyun Road,  
Huangshi East Road, Baiyun District, Guangzhou

#### DIRECTIONS

Step 1 Take an appropriate amount in the palm.

Step 2 Spread evenly on the face, neck and body.


Step 3 Evenly pat around the skin and push away, waiting to be absorbed.

1. Use daily during the day, after any daytime skin care products, and before makeup.
2. Use it 15 minutes before going out.

#### Use:


Helps prevent sunburn

The storage method:  
Store sealed in a cool place and out of sunlight.




## LIGHTENIN SUNCREET CREAM

SPF 50+++



Protect & Hydrat

50ml



## LIGHTENING SUNCREEN CREAM

lightening suncreen cream emulsion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84423-010
Route of Administration	CUTANEOUS		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	0.5 mg in 50 mg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3 mg in 50 mg

## Inactive Ingredients

Ingredient Name	Strength
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
MINERAL OIL (UNII: T5L8T28FGP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
UREA (UNII: 8W8T17847W)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
ALLANTOIN (UNII: 344S277G0Z)	
3-O-ETHYL ASCORBIC ACID (UNII: 6MW60CB71P)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PEG-100 STEARATE (UNII: YD01N1999R)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84423-010-01	50 mg in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/08/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	07/08/2024	

**Labeler** - Guangzhou Kadiya Biotechnology Co., Ltd. (713172913)

**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Kadiya Biotechnology Co., Ltd.		713172913	manufacture(84423-010)

Revised: 7/2024

Guangzhou Kadiya Biotechnology Co., Ltd.