# PROCEUTICALS PRIVATE LABEL BY TIZO TINTED REPLENISHING DAILY PROTECTION- zinc oxide cream Fallien Cosmeceuticals, Ltd

-----

**ACTIVE INGREDIENT: Zinc Oxide 16%** 

PURPOSE:Sunscreen

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### **DIRECTIONS:**

- Apply liberally 15 minutes before sun exposure.
- Reapply:
- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am-2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS: Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, Iron Oxide, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

#### OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of the reach of children.

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging cuased by the sun.

Apply liberally 15 minutes befor sun exposure.

Principal Display Panel - 50g Bottle Label

**PROCEUTICALS** 

PRIVATE LABEL by TiZO

tinted replenishing daily protection

broad spectrum spf 40 with ceramides, zinc oxide & antioxidants C & E

net wt. 1.75 oz / 50 g

Graphic-Untitled

#### **DRUG FACTS**

Zinc Oxide 16%

ACTIVE INGREDIENT:

PURPOSE:

Sunscreen

#### USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

#### WARNINGS

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

#### DIRECTIONS:

- · Apply liberally 15 minutes before sun exposure
- · Use a water resistant product if swimming or sweating.
- · Reapply at least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - · Limit time in the sun, especially from 10 am 2 pm
  - · Wear long-sleeved shirts, pants, hats, and sunglasses

#### **INACTIVE INGREDIENTS:**

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone, Iron Oxide, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

#### OTHER INFORMATION:

- $\cdot$  Protect this product from excessive heat and direct sun
- · May stain some fabrics.

MANUFACTURED FOR: City, State, Zip

NDC 58892-208-50



## tinted replenishing daily protection

broad spectrum spf 40 with ceramides, zinc oxide & antioxidants C & E

net wt. 1.75 oz / 50 g

## PROCEUTICALS PRIVATE LABEL BY TIZO TINTED REPLENISHING DAILY PROTECTION

zinc oxide cream

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:58892-208

TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (LINII: SOI2LOH547) (ZINC OXIDE - LINII: SOI2LOH547)	ZINC OXIDE	160 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE 20 (UNII: H8YMB5QY0D)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
CERAMIDE 3 (UNII: 4370DF050B)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:58892- 208-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/08/2024	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

### Labeler - Fallien Cosmeceuticals, Ltd (958388357)

Establishment			
Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis (58892-208)

### **Establishment**

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc. (FMI)		793406000	manufacture(58892-208), pack(58892-208)

Revised: 7/2024 Fallien Cosmeceuticals, Ltd