

HYDROCORTISONE 1%- hydrocortisone acetate ointment
Ezricare Llc

EZRI CARE™ Hydrocortisone Ointment USP 1%

Drug Facts

Active ingredient

Hydrocortisone Acetate 1%

Purpose

Antipruritic (Anti-itch)

Uses

For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching

Warnings

For external use only

If pregnant or breast-feeding, ask a health professional before use

Do not use • in the eyes • for diaper rash • for external genital or feminine itching if you have a vaginal discharge • more than the recommended daily dosage unless directed by a doctor • this product in the rectum by using finger or any mechanical device or applicator

Stop use and ask a doctor if • condition worsens or if symptoms persist more than 7 days or clear up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days, or if bleeding occurs near anus when used for anal itching

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: consult a doctor. • When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying.

Children under 12: consult a doctor before using for anal itching.

Other information

- Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal
- Store at room temperature
- Avoid excessive heat
- See crimp of tube or carton for Lot Number and Expiry Date

Inactive ingredients

Mineral Oil, Sorbitan Sesquioleate, White Petrolatum

Questions or comments?

718-502-6610 between 9 am to 4 pm EST, Monday-Friday.

Maximum Strength Anti-itch Ointment

Compared to the active ingredient in Cortizone •10®*

Temporary Relief the Discomfort of Itching, Rashes and Irritation on Skin Due to Eczema, Psoriasis and Insect bites

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Cortizone • 10®

Distributed by:

EzriCare, LLC

Lakewood, NJ

www.EzriCare.com

Made in India

Packaging

OUTER PACKAGE LABEL



Temporary Relief the Discomfort of Itching, Rashes and Irritation
on Skin Due to Eczema, Psoriasis and Insect bites

EZRI CARE™

NDC 79503-0103-30

Hydrocortisone

Ointment USP 1%

Maximum Strength Anti-itch Ointment

1.05 oz (30g)



Distributed by:
EzriCare, LLC
Lakewood, NJ
www.EzriCare.com

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Corlzone® 10^g

Mfg. Lic. No.: KD/503
Made in India

Questions or comments? 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.
Inactive ingredients: Mineral Oil, Sorbitan Sesquioleate, White Petrolatum
Other information: Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal. Store at room temperature. Avoid excessive heat. See crimp of tube or carton for Lot Number and Expiry Date.
Directions: Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: consult a doctor. When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: consult a doctor before using for anal itching.
Stop use and ask a doctor if: condition worsens or if symptoms persist more than 7 days or clear up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days, or if bleeding occurs near anus when used for anal itching.
Do not use: in the eyes; for diaper rash; for external genital or feminine itching if you have a vaginal discharge; more than the recommended daily dosage unless directed by a doctor; this product in the rectum by using finger or any mechanical device or applicator.
Warnings: For external use only. If pregnant or breast-feeding, ask a health professional before use.
Uses: For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching.
Active ingredient: Hydrocortisone Acetate 1% Purpose: Antipruritic (Anti-itch)

Anti-itch Ointment



EZRI CARE™
Hydrocortisone
Ointment USP 1%

INNER PACKAGE LABEL

EZRI CARE™

NDC 79503-0103-30

Hydrocortisone

Ointment USP 1%

Maximum Strength Anti-itch Ointment

1.05 oz (30g)



Drug Facts**Active ingredient**
Hydrocortisone Acetate 1%**Purpose**
Antipruritic (Anti-itch)**Uses** For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching**Warnings****For external use only****If pregnant or breast-feeding**, ask a health professional before use**Do not use** ■ in the eyes ■ for diaper rash ■ for external genital or feminine itching if you have a vaginal discharge ■ more than the recommended daily dosage unless directed by a doctor ■ this product in the rectum by using finger or any mechanical device or applicator**Drug Facts (Continued)****Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist more than 7 days or clear up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days, or if bleeding occurs near anus when used for anal itching**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.**Other information** ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature ■ Avoid excessive heat ■ See crimp of tube or carton for Lot Number and Expiry Date**Questions or comments?** 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.**Important** See box for complete **Drug Facts**Mfg. Lic. No.: KD/503
Made in IndiaDistributed by:
EzriCare, LLC
Lakewood, NJ
www.EzriCare.com**DRUG FACTS LABEL****Drug Facts****Active ingredient**

Hydrocortisone Acetate 1%

Purpose

Antipruritic (Anti-itch)

Uses For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching**Warnings****For external use only****If pregnant or breast-feeding**, ask a health professional before use**Do not use** ■ in the eyes ■ for diaper rash ■ for external genital or feminine itching if you have a vaginal discharge ■ more than the recommended daily dosage unless directed by a doctor ■ this product in the rectum by using finger or any mechanical device or applicator**Stop use and ask a doctor if**

■ condition worsens or if symptoms persist more than 7 days or clear up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days, or if bleeding occurs near anus when used for anal itching

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**Directions**

■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: consult a doctor. ■ When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: consult a doctor before using for anal itching.

Other information ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature ■ Avoid excessive heat ■ See crimp of tube or carton for Lot Number and Expiry Date**Inactive ingredients** Mineral Oil, Sorbitan Sesquioleate, White Petrolatum**Questions or comments?** 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.**HYDROCORTISONE 1%**

hydrocortisone acetate ointment

Product Information**Product Type**

HUMAN OTC DRUG

Item Code (Source)

NDC:79503-103

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE ACETATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79503-103-30	1 in 1 CARTON	08/19/2021	07/01/2025
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/19/2021	07/01/2025

Labeler - Ezricare Llc (117573818)

Revised: 1/2024

Ezricare Llc