

**MURINE EAR WAX REMOVAL DROPS- carbamide peroxide liquid**  
**Prestige Brands Holdings, Inc.**

-----  
**Murine Ear Wax Removal Drops**

***Drug Facts***

***Active ingredient***

Carbamide peroxide 6.5%

***Purpose***

Earwax removal aid

***Uses***

For occasional use as an aid to soften, loosen and remove excessive ear wax

***Warnings***

**For external use only**

**Do not use**

this product for more than 4 days

**Ask a doctor before use**

- if you have ear drainage or discharge, ear pain, irritation, a rash in the ear or are dizzy
- if you have an injury or perforation (hole) of the eardrum or after ear surgery

**When using this product**

avoid contact with the eyes

**Stop use and ask a doctor if**

excessive ear wax remains after 4-day treatment with this product

**Never insert cotton swabs, toothpicks, hairpins or other objects into the ear canal to remove earwax.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. If accidental contact with eyes occurs, flush eyes with water and consult a doctor.

## ***Directions***

**FOR USE IN THE EAR ONLY.** Remove any hearing aids before using this product.

- **Adults and children over 12 years of age:** tilt head sideways and place 5 to 10 drops into ear canal.

### **Tip of applicator should not enter ear canal.**

- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear.
- Use twice daily for up to 4 days if needed, or as directed by a doctor.
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe. The tip of the ear syringe should not obstruct the flow of fluid leaving the ear.

**Children under 12 years of age:** consult a doctor.

## ***Other information***

- Murine® Ear Drops foam upon being placed in the ear due to the release of oxygen.
- This product is not intended to restore hearing loss due to medical reasons. In such cases, consult a doctor.
- Protect from heat and sunlight. Secure cap tightly on bottle when not in use.
- **Tamper-Evident:** Do not use if neckband on bottle is broken or missing.
- Check expiration date before using.

## ***Inactive ingredients***

alcohol, citric acid, glycerin, polysorbate 20, sodium citrate, tartaric acid

***Questions? 1-877-854-0853***

**Murine.com**

## **PRINCIPAL DISPLAY PANEL**

Murine Ear Wax Removal Drops  
Carbamide Peroxide / Ear Wax Removal Aid  
0.5 FL OZ (15 mL)



## PRINCIPAL DISPLAY PANEL

Murine Ear Wax Removal System  
Carbamide Peroxide / Ear Wax Removal Aid  
0.5 FL OZ (15 mL) & SYRINGE



## MURINE EAR WAX REMOVAL DROPS

carbamide peroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67172-361
<b>Route of Administration</b>	AURICULAR (OTIC)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CARBAMIDE PEROXIDE</b> (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>TARTARIC ACID</b> (UNII: W4888119H)	

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:67172-361-02	1 in 1 CARTON	06/01/2012	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:67172-361-01	1 in 1 CARTON	06/01/2012	
2		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M014	06/01/2012	

**Labeler** - Prestige Brands Holdings, Inc. (159655021)

Revised: 10/2024

Prestige Brands Holdings, Inc.