

**CENTIPAINÉ FOR PAIN CONTROL- lidocaine 4%, menthol 1% patch  
ASCLEMED USA INC.**

-----  
**Centipaine for Pain Control**

**Active Ingredients**

Lidocaine 4%

Menthol 1%

**Purpose**

Topical Analgesic

**Uses**

For the temporary relief of pain.

**Warnings**

**For external use only** not intended for ingestion.

**Do not use**

- in large quantities, particularly over raw surfaces, or blistered areas.

**When using this product**

- Avoid contact with the eyes.

**Stop use and ask doctor if**

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

If swallowed, get medical help, or contact a Poison Control Central right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Directions**

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times a daily.
- Children under 2 years of age: consult a doctor.

**Other Information**

Store at 20-25 °C (68-77 °F) and protect from moisture.

**Inactive ingredients**

polyacrylamide, vinol, sodium polyacrylate; acrylate polymerization, purified water.

**Questions?**

(310) 320-0100



3 PATCHES  
3.94 IN X 5.5 IN (10 cm x 14 cm)

Centipaine™  
for Pain Control

Maximum Strength  
for Pain Control

Maximum Strength Patch  
Lidocaine 4% / Menthol 1%  
Topical Analgesic

Centipaine™  
for Pain Control

3 PATCHES  
3.94 IN X 5.5 IN (10 cm x 14 cm)

Assembled in the USA

<b>Drug Facts</b>
<b>Active Ingredients</b> ..... Lidocaine 4%..... Menthol 1%..... Topical Analgesic..... Topical Analgesic.....
<b>Uses:</b> ■ For the temporary relief of pain.
<b>Warnings:</b> For external use only not intended for ingestion. Do not use ■ In large quantities, particularly over raw surfaces, or blistered areas. When using this product ■ Avoid contact with the eyes. Stop use and ask a doctor if ■ conditions worsen, or if symptoms persist for more than 7 days or clear up and occur again within a few days. Keep out of reach of children. If swallowed, get medical help, or contact a Poison Control Center right away. If pregnant or breastfeeding, ask a health professional before use.
<b>Directions:</b> ■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. ■ Children under 2 years of age: consult a doctor.
<b>Other information:</b> ■ Store at 20-25°C (68-77°F) and protect from moisture.
<b>Inactive ingredients:</b> polyacrylamide, vinyl sodium polyacrylate, acrylate polymerization, purified water.
<b>Questions?</b> (310) 320-0100



# CENTIPAINÉ FOR PAIN CONTROL

lidocaine 4%, menthol 1% patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76420-146
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	1 g in 100 g
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYACRYLAMIDE (10000 MW)</b> (UNII: E2KR9C9V2I)	
<b>ETHENYL</b> (UNII: PQ2K3G3591)	
<b>ACRYLATES CROSSPOLYMER-6</b> (UNII: 4GXD0Q3OS3)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76420-146-03	3 in 1 BOX	01/19/2022	
1		4 g in 1 PATCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/23/2021	

**Labeler** - ASCLEMED USA INC. (059888437)