## BRONCO PLUS- syrup plant mix syrup Camacho Navarrete, Jose Luis

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

Do not give this product for persistent or chronic cough such as occurs with asthma or if cough is accompanied by excesive phlegm (mucus) unles directed by a doctor. Stop use and ask a doctor if cough persist for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache, as a persistent cough may be a sing of a serious condition.

If pregnant or breast feeding, ask a health professional before use.

For the relief of the symptoms of the common cold and cough.

Children over 2 years take one teaspoon (2.5 mL) every 6 hours during the day. Adults: Take one jtablespoon (5 mL) every 6 hours during the day.

Oral administration.

Hypersensitivity to the components of the formula.

Do not administer to children under 2 years of age, or to diabetic patients without medical supervision.

Do not use during pregnancy and breastfeeding without medical supervision.

Keep out of reach of children. In case of overdose, get medial help or contact a Poison Control Center right away.

If pregnant or breast feeding, ask a health professional before use.

EUCALYPTUS GLOBULUS LEAF

WATER

BOUGAINVILLEA GLABRA FLOWER

MENTHA PIPERITA

VERBASCUM THAPSUS

**INVERT SUGAR** 

For the relief of the symptoms of the common cold and cough.

84370-202-01

Formula: Each 100 ml contains:	CAMACHO"	Keep the jar tightly closed. Protect vourself from light.
Fluid Extract <b>Eucalyptus</b> Globulus ( Eucalyptus )		Manufatured in México by
Fluid Extract <b>Bougainvillea</b> glabra ( Bougambilia )	<b>Bronco Plus</b> <sup>®</sup>	PC Productos Camacho®
Fluid Extract Verbascum Thapsus (mullein)	Syrup made with mixed silvers	Address: Calle Nogales S/N, Ejidos de San Cristobal, Ecatepec, Estado de México
Dry Extract Mentha Piperita (Peppermint)		C.P. 55024
Contains 80% other sugars	(H	Phone: 0052 55 5835 7715
Dosage: Children over 2 years take 1 scoop (2.5 ml) every 6 hours during the day. Adults; take one tablespoon (5ml) every 6 hours during the day.		
<ul> <li>(2.5 ml) every 6 hours during the day.</li> <li>Adults; take one tablespoon (5ml) every 6 hours during the day.</li> <li>Contraindications: Hypersensitivity to the components of the formula.</li> <li>Do not administer to children under 2 years of age, or to</li> </ul>		accompanied by fever, rash, or persistent headache, as a persistent cough n a sing of a serious condition. aregnant or breast feeding, ask a health professional before use.
(2.5 ml) every 6 hours during the day. Adults; take one tablespoon (5ml) every 6 hours during the day. Contraindications: Hypersensitivity to the components of the formula.	It helps to decongest and clear the	pregnant or breast feeding, ask a health professional before use. ep out of reach of children. In case of overdose, get medical help or contact a
<ul> <li>(2.5 ml) every 6 hours during the day.</li> <li>Adults; take one tablespoon (5ml) every 6 hours during the day.</li> <li>Contraindications: Hypersensitivity to the components of the formula.</li> <li>Do not administer to children under 2 years of age, or to diabetic patients without medical supervision.</li> <li>Do not use during pregnancy and breastfeeding without medical supervision.</li> </ul>	It helps to decongest and clear the airways clogging up by coughing.	accompanied by fewer, rash, or persistent headache, as a persistent cough m a sing of a serious condition. pregnant or breast feeding, ask a health professional before use. ep out of reach of children. In case of overdose, get medical help or contact a ison Control Center right away.
<ul> <li>(2.5 ml) every 6 hours during the day.</li> <li>Adults; take one tablespoon (5ml) every 6 hours during the day.</li> <li>Contraindications: Hypersensitivity to the components of the formula.</li> <li>Do not administer to children under 2 years of age, or to diabetic patients without medical supervision.</li> <li>Do not use during pregnancy and breastfeeding without</li> </ul>	It helps to decongest and clear the airways clogging up by coughing.	accompanied by fewer, rash, or persistent headache, as a persistent cough m a sing of a serious condition. pregnant or breast feeding, ask a health professional before use. ep out of reach of children. In case of overdose, get medical help or contact a ison Control Center right away.

Product Type	HUMAN OTC DRUG	ltem Code (So	urce)	NDC:843	370-202
Route of Administration	ORAL				
Active Ingredient/Active Moiety					
Active Ingredient/Active	Molety				
	•		<b>D</b> · ( <b>C</b> )		<u> </u>
	Molety edient Name		Basis of Str	ength	Strength
	edient Name	PTUS GLOBULUS	Basis of Str EUCALYPTUS GLOBULUS LEA		<b>Strength</b> 0.0002 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
VERBASCUM THAPSUS (UNII: C9TD27U172)	0.002 g in 100 g
INVERT SUGAR (UNII: ED959S6ACY)	80 g in 100 g
MENTHA PIPERITA (UNII: 79M2M2UDA9)	0.002 g in 100 g
BOUGAINVILLEA GLABRA FLOWER (UNII: V5FW05GP6R)	0.0002 g in 100 g

## Packaging

	Date Date
NDC:84370-202- 01         250 g in 1 BOTTLE; Type 0: Not a Combination Product         01/06/202	4

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		01/06/2024		
			·	

Labeler - Camacho Navarrete, Jose Luis (951750834)

Registrant - Camacho Navarrete, Jose Luis (951750834)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Camacho Navarrete, Jose Luis		951750834	manufacture(84370-202)	

Revised: 1/2024

E.

Camacho Navarrete, Jose Luis