SCHNEVEU MUL TIPLEX SUNSCREEN- sunscreen cream Ruian Information Technology (Guangdong) Co., Ltd.

Active ingredients

Ethylhexyl Methoxycinnamate 8.2%

Dicaprylyl Carbonate 6%

Titanium Dioxide 5%

Purpose

Sunscreen

Moisturizes throughout the day & helps protects.

Uses

Apply sunscreen generously to exposed skin. Rub it in evenly. Reapply as need, specially after swimming or sweating.

Enjoy your sun-protected day!

Wamings

For exteral use only.

Do not use on damaged or broken skin.

When using this product

Only for external use. Do not ingest.

Avoid direct contact with eyes.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Ask Doctor . When Pregnant or breast-feeding.

Directions

Directions for use

- -apply liberally 15 minutes before sun exposure.
- -reapply at least every 2 hours.
- -use a water resistant sunscreen if swimming or sweating.
- -Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.
- -Spectrum SPF value of 15 or higher and other sun protection
- -limit time in the sun, especially from 10 a.m.-2 p.m., and wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

Before use, read all information on the carton.


Store at controlled room temperature 20 to 25°C (68 to 77°F).

Inactive ingredients

Water, ethylhexyl palmitate, Ethylhexyl Methoxycinnamate, Propylene Glycol, Dioctyl Carbonate, Titanium Dioxide, Oxaline, Cetearyl Alcohol, Squalane

Additional Ingredients (Fragrances, Stabilizers, etc.)

Xanthan gum, Erythritol, Hydroxybenzyl ester











SCHNEVEU MUL TIPLEX SUNSCREEN

sunscreen cream

| Product Information | | | | |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84487-002 | |
| Route of Administration | TOPICAL | | | |

| Active Ingredient/Active Moiety | | | |
|--|---------------------------|------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ETHYL METHOXYCINNAMATE (UNII: SD418S06XD) (ETHYL METHOXYCINNAMATE - UNII: SD418S06XD) | ETHYL METHOXYCINNAMATE | 200 mg in 1 g | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 50 mg in 1 g | |
| | | | |

| Inactive Ingredients | | | |
|--|---------------|--|--|
| Ingredient Name | Strength | | |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA) | 100 mg in 1 g | | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | 200 mg in 1 g | | |
| 2-PHENYLPROPANAL PROPYLENE GLYCOL ACETAL (UNII: 1Z RR9A405A) | 100 mg in 1 g | | |

| l | Packaging | | | | |
|---|-----------|---------------------------------|---|-------------------------|-----------------------|
| | # | # Item Code Package Description | | Marketing Start Date | Marketing End Date |
| | | NDC:84487-002- 01 | 65 g in 1 BOTTLE; Type 0: Not a Combination Product | 05/01/2024 | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 05/01/2024 | |
| | | | |

Labeler - Ruian Information Technology (Guangdong) Co., Ltd. (552316177)

| Establishment | | | | |
|--|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Ruian Information Technology (Guangdong) Co., Ltd. | | 552316177 | manufacture(84487-002) | |

Revised: 7/2024 Ruian Information Technology (Guangdong) Co., Ltd.