

**LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15
HYDRATING LONGWEAR FOUNDATION SPF 15 CAPUCCINO 310-C- octinoxate,
zinc oxide emulsion**

**LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15
HYDRATING LONGWEAR FOUNDATION SPF 15 BEIGE 220-C- octinoxate, zinc
oxide emulsion**

**LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15
HYDRATING LONGWEAR FOUNDATION SPF 15 ALMENDRA 230-N- octinoxate,
zinc oxide emulsion**

**LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15
HYDRATING LONGWEAR FOUNDATION SPF 15 LATTE 180-F- octinoxate, zinc
oxide emulsion**

**LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15
HYDRATING LONGWEAR FOUNDATION SPF 15 CHAMPAGNE 170-N-
octinoxate, zinc oxide emulsion**

BEL STAR S A

**L'BEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACIÓN FPS 15
HYDRATING LONGWEAR FOUNDATION SPF 15**

Drug Facts

Active ingredients

Octinoxate 5.00%

Zinc oxide 2.94%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Childrend under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, dimethicone, isododecane, glycerin, polymethylsilsesquioxane, polymethylsilsesquioxane/trimethylsiloxysilicate, saccharide isomerate, hdi/trimethylol hexyllactone crosspolymer, hydroxyethyl urea, peg/ppg-18/18 dimethicone, peg-10 dimethicone, zea mays (corn) starch (zea mays starch), polysilicone-11, silica, sodium pca, dimethicone/vinyl dimethicone crosspolymer, phenoxyethanol, sorbitan sesquioleate, triethoxycaprylylsilane, caprylyl glycol, erythritol, chlorphenesin, disteardimonium hectorite, fragrance (parfum), niacinamide, tocopheryl acetate, peg-8 caprylic/capric glycerides, octyldodeceth-25, sodium hyaluronate, homarine hcl, propylene glycol, decylene glycol.

May Contain: Titanium dioxide, iron oxides.

Company Information

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.

Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126.
Made in Colombia.

www.lbel.com

Packaging - LATTE 180-F

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 2.94%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging
Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, glycerin, polymethylsilsequioxane, polymethylsilsequioxane/trimethylsiloxysilicate, saccharide isomerate, hdi/trimethylol hexyllactone crosspolymer, hydroxyethyl urea, peg/ppg-18/18 dimethicone, peg-10 dimethicone, zea mays (corn) starch (zea mays starch), polysilicone-11, silica, sodium pca, dimethicone/vinyl dimethicone crosspolymer, phenoxyethanol, sorbitan sesquileate, triethoxycaprylylsilane, caprylyl glycol, erythritol, chlorphenesin, disteardimonium hectorite, fragrance (parfum), niacinamide, tocopheryl acetate, peg-8 caprylic/capric glycerides, octyldodeceth-25, sodium hyaluronate, homarine hcl, propylene glycol, decylene glycol.

May Contain: Titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd, DBA 3elcorp USA, Miami, FL 33126. Made in Colombia.
www.lbel.com

STONE: LATTE 180-F

L'BEL

FOREVER
HYDRA 72H

BASE HIDRATANTE
DE LARGA DURACIÓN FPS 15
HYDRATING LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A SECA
NORMAL TO DRY SKIN

Net Wt. 0.95 oz. | 27 g

72H: Hidratación*
*Resultados con el uso continuo por 1 semana. Brasil, 2022.

72H: Hydration*
*Results with continuous use for one week. Brazil, 2022.

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 2.94%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, glycerin, polymethylsiloxane, polymethylsiloxane/trimethylsiloxysilicate, saccharide isomerate, hdi/trimethylol hexyllactone crosspolymer, hydroxyethyl urea, peg/ppg-18/18 dimethicone, peg-10 dimethicone, zea mays (corn) starch (zea mays starch), polysilicone-11, silica, sodium pca, dimethicone/vinyl dimethicone crosspolymer, phenoxyethanol, sorbitan sesquioleate, triethoxycaprylylsilane, caprylyl glycol, erythritol, chlorphenesin, disteardimonium hectorite, fragrance (parfum), niacinamide, tocopheryl acetate, peg-8 caprylic/capric glycerides, octyldodeceth-25, sodium hyaluronate, homarine hcl, propylene glycol, decylene glycol.

May Contain: Titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONE: BEIGE 220-C

L'BEL

FOREVER HYDRA 72H

BASE HIDRATANTE
DE LARGA DURACIÓN FPS 15
HYDRATING LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A SECA
NORMAL TO DRY SKIN

Net Wt. 0.95 oz. | 27 g

72H: Hidratación*
*Resultados con el uso continuo
por 1 semana. Brasil, 2022.

72H: Hydration*
*Results with continuous use
for one week. Brazil, 2022.

Packaging - ALMENDRA 230-N



Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 2.94%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, glycerin, polymethylsilsesquioxane, polymethylsilsesquioxane/trimethylsiloxy silicate, saccharide isomerate, hdi/trimethylol hexyllactone crosspolymer, hydroxyethyl urea, peg/ppg-18/18 dimethicone, peg-10 dimethicone, zea mays (corn) starch (zea mays starch), polysilicone-11, silica, sodium pca, dimethicone/vinyl dimethicone crosspolymer, phenoxyethanol, sorbitan sesquioleate, triethoxycaprylylsilane, caprylyl glycol, erythritol, chlorphenesin, disteardimonium hectorite, fragrance (parfum), niacinamide, tocopheryl acetate, peg-8 caprylic/capric glycerides, octyldodeceth-25, sodium hyaluronate, homarine hdi, propylene glycol, decylene glycol.

May Contain: Titanium dioxide, Iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926.
Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

L'BEL

FOREVER HYDRA 72H

BASE HIDRANTE
DE LARGA DURACIÓN FPS 15
HYDRATING LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A SECA
NORMAL TO DRY SKIN

Net Wt. 0.95 oz. | 27 g

72H: Hidratación*
*Resultados con el uso continuo por 1 semana. Brasil, 2022.

72H: Hydration*
*Results with continuous use for one week. Brazil, 2022.

TONE: ALMENDRA 230-N

Packaging - CAPUCCINO 310-C



Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 2.94%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin Aging

Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, glycerin, polymethylsilsesquioxane, polymethylsilsesquioxane/trimethylsiloxysilicate, saccharide isomerate, hdi/trimethylol hexyllactone crosspolymer, hydroxyethyl urea, peg/ppg-18/18 dimethicone, peg-10 dimethicone, zea mays (corn) starch (zea mays starch), polysilicone-11, silica, sodium pca, dimethicone/vinyl dimethicone crosspolymer, phenoxyethanol, sorbitan sesquioleate, triethoxycaprylylsilane, caprylyl glycol, erythritol, chlorphenesin, disteardimonium hectorite, fragrance (parfum), niacinamide, tocopheryl acetate, peg-8 caprylic/capric glycerides, octyldodeceth-25, sodium hyaluronate, homarine hcl, propylene glycol, decylene glycol.

May Contain: Titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.
 Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.
www.lbel.com

L'BEL

FOREVER
 HYDRA 72H

BASE HIDRATANTE
 DE LARGA DURACIÓN FPS 15
 HYDRATING LONGWEAR
 FOUNDATION SPF 15
 PIEL NORMAL A SECA
 NORMAL TO DRY SKIN

Net Wt. 0.95 oz. | 27 g

72H: Hidratación*
 *Resultados con el uso continuo
 por 1 semana. Brasil, 2022.
 72H: Hydration*
 *Results with continuous use
 for one week. Brazil, 2022.

TONE: CAPOCCINO 310-C

Packaging - CHAMPAGNE 170-N

Drug Facts

Active Ingredients	Purpose
Octinoxate 5.00%.....	Sunscreen
Zinc oxide 2.94%.....	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging**
Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■
For external use only. ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, dimethicone, isododecane, glycerin, polymethylsilsesquioxane, polymethylsilsesquioxane/trimethylsiloxysilicate, saccharide isomerate, hdi/trimethylol hexyllactone crosspolymer, hydroxyethyl urea, peg/ppg-18/18 dimethicone, peg-10 dimethicone, zea mays (corn) starch (zea mays starch), polysilicone-11, silica, sodium pca, dimethicone/vinyl dimethicone crosspolymer, phenoxethanol, sorbitan sesquioleate, triethoxycaprylsilane, caprylyl glycol, erythritol, chlorphenesin, disteardimonium hectorite, fragrance (parfum), niacinamide, tocopheryl acetate, peg-8 caprylic/capric glycerides, octyldodeceth-25, sodium hyaluronate, homarine hcl, propylene glycol, decylene glycol

L'BEL

FOREVER


HYDRA 72H

BASE HIDRATANTE
DE LARGA DURACIÓN FPS 15
HYDRATING LONGWEAR
FOUNDATION SPF 15
PIEL NORMAL A SECA
NORMAL TO DRY SKIN

Net Wt. 0.95 oz. | 27 g

72H: Hidratación*
*Resultados con el uso continuo por 1 semana. Brasil, 2022.

72H: Hydration*
*Results with continuous use for one week. Brazil, 2022.



LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15 HYDRATING LONGWEAR FOUNDATION SPF 15 CAPUCCINO 310-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-345
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	

SACCHARIDE ISOMERATE (UNII: W8K377W98I)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
HOMARINE HYDROCHLORIDE (UNII: 8866LNG61N)
DECYLENE GLYCOL (UNII: S57M60MI88)
ISODODECANE (UNII: A8289P68Y2)
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
DIMETHICONE (UNII: 92RU3N3Y1O)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ERYTHRITOL (UNII: RA96B954X6)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-345-01	1 in 1 BOX	07/01/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2024	

LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15 HYDRATING LONGWEAR FOUNDATION SPF 15 BEIGE 220-C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-343
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ERYTHRITOL (UNII: RA96B954X6)	
NIACINAMIDE (UNII: 25X51I8RD4)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
HOMARINE HYDROCHLORIDE (UNII: 8866LNG61N)	
DECYLENE GLYCOL (UNII: S57M60MI88)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-343-01	1 in 1 BOX	07/01/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2024	

LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15 HYDRATING LONGWEAR FOUNDATION SPF 15 ALMENDRA 230-N
 octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-344
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
HOMARINE HYDROCHLORIDE (UNII: 8866LNG61N)	
DECYLENE GLYCOL (UNII: S57M60MI88)	

ISODODECANE (UNII: A8289P68Y2)
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
DIMETHICONE (UNII: 92RU3N3Y1O)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ERYTHRITOL (UNII: RA96B954X6)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
WATER (UNII: 059QF0KO0R)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-344-01	1 in 1 BOX	07/01/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	07/01/2024		

LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15 HYDRATING LONGWEAR FOUNDATION SPF 15 LATTE 180-F
 octinoxate, zinc oxide emulsion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-347	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g	

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
HOMARINE HYDROCHLORIDE (UNII: 8866LNG61N)	
DECYLENE GLYCOL (UNII: S57M60MI88)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ERYTHRITOL (UNII: RA96B954X6)	
NIACINAMIDE (UNII: 25X5118RD4)	
SORBITAN SESQUIOLEATE (UNII: 0WBRR15W5A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-347-01	1 in 1 BOX	07/01/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

LBEL FOREVER HYDRA BASE HIDRATANTE DE LARGA DURACION FPS 15 HYDRATING LONGWEAR FOUNDATION SPF 15 CHAMPAGNE 170-N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-346
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
OCTYLDODECETH-25 (UNII: F8934HEL3M)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
HOMARINE HYDROCHLORIDE (UNII: 8866LNG61N)	
DECYLENE GLYCOL (UNII: S57M60MI88)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ERYTHRITOL (UNII: RA96B954X6)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-346-01	1 in 1 BOX	07/01/2024	
1		27 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2024	

Labeler - BEL STAR S A (880160197)

Revised: 7/2024

BEL STAR S A