

CITROMA- magnesium citrate liquid
Vi-Jon, LLC

Swan 162.000 /162AB
Grape Magnesium Citrate

TRP

Do Not User If Tamper Evident Twist-off Cap Is Missing, Broken or Separated From Neckband

Active Ingredient (in each fl oz)

Magnesium citrate 1.745g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity)
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask A Doctor

before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist

before use if you are

- taking any other drug
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use

and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Storage

Store at temperatures between 46° and 86°F (8° and 30° C)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

other information

- **each fl oz contains: magnesium 290 mg**
- **each fl oz contains: sodium 1 mg**

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Claims

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

Adverse Reaction

Distributed by: Vi-Jon LLC

One Swan Drive,

Smyrna, TN 37167

principal display panel

NDC 0869-0162-38

swan[®]

Magnesium Citrate

Saline Laxative

Oral Solution

Low Sodium

Grape Flavor

FORMULA BLENDED IN THE USA

10 FL OZ (296 mL)

swan[®]
Magnesium Citrate
 Saline Laxative Oral Solution

Low Sodium Grape Flavor

FORMULA BLENDED IN THE USA[®]

10 FL OZ (296 mL)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Drug Facts
Active ingredient (in each fl oz) Purpose
 Magnesium citrate 1.745 g Saline Laxative

Uses ■ for relief of occasional constipation (irregularity).
 ■ Generally produces bowel movement in 1/2 to 6 hours.

Warnings
 Ask a doctor before use if you have
 ■ kidney disease ■ a magnesium restricted diet
 ■ abdominal pain, nausea, or vomiting
 ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks
 ■ already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are
 ■ taking any other drug.
 ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help

Drug Facts (continued)
 or contact a Poison Control Center right away.
 Store at temperatures between 40° and 80° F (4° and 30° C).

Directions ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other information
 ■ each fl oz contains: magnesium 290 mg
 ■ each fl oz contains: sodium 1 mg

Inactive ingredients benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Distributed by: Vita-Jon LLC
 One Swan Drive,
 Smyrna, TN 37167
 L00210123A

0 72785 14385 2

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

CITROMA

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0869-0162
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0869-0162-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/10/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/08/2021	

Labeler - Vi-Jon, LLC (088520668)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(0869-0162)

Revised: 3/2025

Vi-Jon, LLC