MOSQUITO REPELLENT- ethyl butylacetylaminopropionate liquid Shenzhen Furuizhilian keji Co., Ltd.

MOSQUITO REPELLENT SPRAY

Active inpradients

ETHYL BUTYLACETYLAMINOPROPIONATE 5%

Purpose

Insect Repellents

Uses

Make sure the application area is clean and dry. Spray on the application area, be careful not to spray into the mouth or nose

Warings

Flammable, keep away from fire and flames. For external use only

Do not use

on damaged skin

When using this product

Do not get into eyes.

If contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

irritation and redness develop. If condition persists more than 48 hours.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Use when going out or when there are many mosquitoes

Test on a small area before first use, and continue to use if there is no discomfort after 24 hours

Spray the area 2-3 times when using

Water, Alcohol Denat





MOSQUITO REPELLENT SPRAY Jemeesen* MOSQUITO REPELLENT SPRAY is specially formulated with a lower level of active repellent to feel and smell better on your skin. Repels mosquitoes, biting flies, ticks, gnats, and chiggers up to 3 hours.

biting flies, ticks, gnats, and chiggers up to 3 hours.

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS
CAUTION: Causes substantial but temporary eye injury.
Do not get in eyes or on clothing. Wash thoroughly with
soap and water after handling, and before eating,
drinking, chewing gurn, using tobacco, or using the
toilet. Discontinue use and consult a doctor if irritation
or rash occurs. The information below describes the
first aid procedures for incidents involving this product.

FIRST AID

IF IN EYES: Hold eye open and rinse gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a physician or Poison Control Center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to do so by a Poison Control Center or a doctor, Do not give anything to an unconscious person.

person.

IF YOU SUSPECT A REACTION TO THIS PRODUCT:
Discontinue use. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
Call a Poison Control Center or doctor for treatment

advice.

STORAGE: Store away from heat or flame in an area inaccessible to children.

DISPOSAL: Non refiliable container. Before disposing, empty container by using the product according to the label. Do not reuse or refill this contoiner. Place in trash or offer for recycling if available.

Distributed By: Shenzhen Furuizhilian keji Co., Ltd. Room 401-3, Factory Building 2, Jianghao (Bantian) Industrial Factory, No. 430, Jihua Road



MOSQUITO REPELLENT

ethyl butylacetylaminopropionate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84445-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ETHYL BUTYLACETYLAMINOPROPIONATE (UNII: 65GQA237EH)	ETHYL	5 g

Inactive Ingredients	
Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

ı	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:84445-003-01	100 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	07/11/2024		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	07/11/2024	

Labeler - Shenzhen Furuizhilian keji Co., Ltd. (418598613)

Establishment				
Name	Address	ID/FEI	Business Operations	
Shenzhen Furuizhilian keji Co., Ltd.		418598613	manufacture(84445-003)	

Revised: 7/2024 Shenzhen Furuizhilian keji Co., Ltd.