

CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride tablet

RedPharm Drug

Cetirizine Hydrochloride

Drug Facts

Active ingredient (in each tablet)

Cetirizine HCl, USP 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away (1-800-222-1222).

Directions

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, talc, titanium dioxide

Questions?

call **1-800-406-7984**

Distributed by: Ohm Laboratories Inc., New Brunswick, NJ 08901

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Bottle Label

NDC 51660-939-53

†Compare To
the active ingredient of
Zyrtec[®]

ohm[®]
Allergy Relief
Cetirizine HCl Tablets, USP 10 mg
ANTIHISTAMINE
Indoor & Outdoor Allergies

24 Hour Relief of:

- Sneezing • Runny Nose
- Itchy, Watery Eyes • Itchy Throat or Nose

300 TABLETS
10 mg EACH

24
Hours

Original Prescription Strength

Drug Facts	
Active Ingredient (In each tablet)	Purpose
Cetirizine HCl, USP 10 mg	Antihistamine
Uses	
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:	
■ runny nose	■ sneezing
■ itchy, watery eyes	■ itching of the nose or throat
Warnings	
Do not use if you have ever had an allergic reaction to this product or	

1219

5204634

Batch No. Expiration Date

open here

Non Varnish Area

3 51660 93953 8

Drug Facts (continued)
any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness

Drug Facts (continued)
■ be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
if pregnant or breast-feeding:
■ if breast-feeding: not recommended
■ if pregnant: ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)	
Directions	
adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Drug Facts (continued)
Other Information
■ TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.
■ store between 20° to 25° C (68° to 77° F)
Inactive Ingredients corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, talc, titanium dioxide
Questions? call 1-800-406-7984
<small>Ohm® is a registered trademark of Sun Pharmaceutical Industries, Inc. All other trademarks are property of their respective owners. Distributed by: Ohm Laboratories Inc., New Brunswick, NJ 08901</small>

CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67296-1024(NDC:51660-939)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white	Score	no score
Shape	RECTANGLE (rounded-off)	Size	9mm
Flavor		Imprint Code	RI52
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67296-1024-1	30 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077498	12/27/2007	

Labeler - RedPharm Drug (828374897)

Registrant - RedPharm Drug (828374897)

Establishment

Name	Address	ID/FEI	Business Operations
RedPharm Drug		828374897	repack(67296-1024)

