

ULTRA-GUARD BASE- sodium chlorite liquid IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Ultra-Guard Base

Active Ingredient

Sodium Chlorite 0.7%

Inert Ingredients

Contains barrier forming agents

Mixing Directions

To make a ready-to-use solution of Ultra-Guard sanitizing barrier, add equal volumes of Ultra-Guard Base and Ultra-Guard Activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only amount needed for one milking of the herd. Discard any unused teat dip. Do not mix with any other products.

Recommended Procedures for teat dip sanitation

POST-MILKING (POST-DIPPING)

Immediately after milking, dip all teats full length with READY-TO-USE ULTRA-GUARD SANITIZING TEAT DIP. Ensure good coverage of all sides of the teats and teat orifices. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

NOTE: Before milking, use a compatible pre-dip or udder wash to thoroughly clean the teats.

Warning

Do not dilute this product.

Do not return teat dip left in the teat dipper to storage container.

Ensure that teat dips are dry before exposing the animals to weather conditions that may cause damage to the teats.

Protect this product from freezing. Store at room temperature. Always store away from direct sunlight.

First Aid

EYE CONTACT: Rinse cautiously with fresh, tepid water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for 15 minutes. Get immediate medical advice/attention. SKIN CONTACT: For RTU products wash any sensitive areas. INGESTION: Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink large amounts of water. If vomiting occurs, keep airways open. Keep head lower than the hips to prevent aspiration into the lungs. Get immediate medical advice/attention.

Caution

Keep out of reach of children. Avoid contact with food. Do not take internally.

Ultra-Guard Base

NDC 29983-1078-8



NPE FREE ULTRA-GUARD™ NPE FREE

SANITIZING BARRIER TEAT DIP

Provides A Protective Barrier Over The Teat End Until The Next Milking

ACTIVE INGREDIENT:

Sodium Chlorite.....0.70%

INERT INGREDIENTS:

Contains Barrier Forming Agents

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION: KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES

EYE CONTACT: RINSE CAUTIOUSLY WITH FRESH, TEPID WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

MIXING DIRECTIONS: TO MAKE A READY-TO-USE SOLUTION OF ULTRA-GUARD™ SANITIZING BARRIER TEAT DIP, ADD EQUAL VOLUMES OF ULTRA-GUARD™ BASE AND ULTRA-GUARD™ ACTIVATOR INTO A CLEAN DIP CUP/CONTAINER AND MIX UNTIL THE COLOR IS UNIFORM THROUGHOUT. DO NOT DILUTE. MIX ONLY AMOUNT NEEDED FOR ONE MILKING OF THE HERD. DISCARD ANY UNUSED TEAT DIP. DO NOT MIX WITH ANY OTHER PRODUCTS.

RECOMMENDED PROCEDURES FOR TEAT SANITATION POST-MILKING (POST-DIPPING)

Immediately after milking, dip all teats full length with ready-to-use ULTRA-GUARD™ SANITIZING BARRIER TEAT DIP. Ensure good coverage of all sides of the teats and teat orifices. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

NOTE: BEFORE MILKING, USE A COMPATIBLE PRE-DIP OR UDDER WASH TO THOROUGHLY CLEAN THE TEATS.

WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING. STORE AT ROOM TEMPERATURE. ALWAYS STORE AWAY FROM DIRECT SUNLIGHT.

BASE

FOR USE ONLY WITH ULTRA-GUARD™ ACTIVATOR



A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE: LOT NO.: NET CONTENTS: 55 GALLONS IBA STOCK # 262170 1021W

sodium chlorite liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1078
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	0.70 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1078-6	58.56 kg in 1 DRUM		
2	NDC:29983-1078-8	214.75 kg in 1 DRUM		
3	NDC:29983-1078-9	1073.75 kg in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/16/2021	

Labeler - IBA (019494160)

Registrant - IBA (019494160)

Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc. DBA in Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack

Revised: 12/2023

IBA