

TIDL PAIN RELIEF HEAT THERAPY ROLL-ON- pain relief heat therapy roll-on gel

Shenzhen Sam Technology Co., Ltd.

84214-002

Active Ingredient

Lidocaine 4%

Menthol 1%

Purpose

Topical Anesthetic

Topical Analgesic

Use

For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains

Warnings

For external use only

Do not use

do not use with heating pad or device

When Using

- avoid contact with the eyes or mucous membranes
- do not apply to wounds or damaged skin
- do not apply to irritated skin
- do not bandage
- wash hands after use with cool water
- do not use with heating pad or device
- spray product away from nose, eyes, and mouth
- do not use in large quantities, particularly over raw surfaces or blistered areas

Stop Use

if condition worsens, or if symptoms persist for more than 7 days, or clear up and reoccur again within a few days

Ask Doctor

if condition worsens, or if symptoms persist for more than 7 days, or clear up and reoccur again within a few days

Keep Out Of Reach Of Children

If accidentally ingested, get medical help or contact a Poison Control Center immediately. Make sure to turn child safety spray lock to off position when not in use. If pregnant or breast-feeding, ask a healthcare professional before use.

Directions

- Adults and children 12 years of age and older□Apply to affected area not more than 3 to 4 times daily
- Children under 12 years of age□Consult physician

Inactive ingredients

Borneol, Carbohydrates, Ginger Extract, Mugwort Leaf Extract, Saffron Extract, Vanillyl butyl, Water

PRINCIPAL DISPLAY PANEL

D40mm*H120mm

前中心线

后中心线

底部

头部

H:120mm

中心距:62mm

可印刷区域宽度:125mm

T

NEW

TIDL

PAIN RELIEF
HEAT THERAPY

LIDOCAINE+
DUAL ACTION FORMULA

MENTHOL

FULL BODY ROLL-ON

PLANT POWDERED INGREDIENTS
SIGNATURE SCENT

3 FL. OZ. (85g)

Child-resistant packaging. Replace cap after each use.

Drug Facts

Active Ingredients

Lidocaine 4%
Menthol 1%

Purpose
Topical Anesthetic
Topical Analgesic

Use For the temporary relief of minor aches and pains of muscles and joints associated with simple backaches, arthritis, strains, sprains, and spasms.

Warnings

For external use only

When using this product - avoid contact with the eyes or mucous membranes. Do not apply to wounds or damaged skin. Do not use on children under 12 years of age. Do not use on children after use with cold water. Do not use with heating pad or device. Apply product away from nose, eyes, and mouth. Do not use in large quantities, particularly over raw surfaces or irritated areas.

Stop use and ask a doctor - if condition worsens or if symptoms persist for more than 7 days or later repeat use again within a few days.

Keep out of reach of children - if accidentally ingested, get medical help or contact Poison Control Center immediately. Refer user to care and advise user to seek medical attention if needed. If pregnant or breast feeding, ask a healthcare professional before use.

Directions - Adults and children 12 years of age and older: Apply to affected area and rub in for 5 to 10 minutes daily. Children under 12 years of age: Consult physician.

Inactive ingredients
Borneol, camphor, ginger extract, mugwort leaf extract, saffron extract, vanilla body water

Questions? Call 1(888) 778-2986

DISTRIBUTED BY

TIDL, INC.

1987 Del Amo Blvd

Torrance, CA 90501

TIDL.COM f @ X

YOUR COMEBACK
STORY STARTS NOW

TIDL

20202 13078 2

成品效果图（仅供参考）

T

NEW

TIDL

PAIN RELIEF
HEAT THERAPY

LIDOCAINE+
DUAL ACTION FORMULA

MENTHOL

FULL BODY ROLL-ON

PLANT POWDERED INGREDIENTS
SIGNATURE SCENT

3 FL. OZ. (85g)

Child-resistant packaging. Replace cap after each use.

Drug Facts

Active Ingredients

Lidocaine 4%
Menthol 1%

Purpose
Topical Anesthetic
Topical Analgesic

Use For the temporary relief of minor aches and pains of muscles and joints associated with simple backaches, arthritis, strains, sprains, and spasms.

Warnings

For external use only

When using this product - avoid contact with the eyes or mucous membranes. Do not apply to wounds or damaged skin. Do not use on children under 12 years of age. Do not use on children after use with cold water. Do not use with heating pad or device. Apply product away from nose, eyes, and mouth. Do not use in large quantities, particularly over raw surfaces or irritated areas.

Stop use and ask a doctor - if condition worsens or if symptoms persist for more than 7 days or later repeat use again within a few days.

Keep out of reach of children - if accidentally ingested, get medical help or contact Poison Control Center immediately. Refer user to care and advise user to seek medical attention if needed. If pregnant or breast feeding, ask a healthcare professional before use.

Directions - Adults and children 12 years of age and older: Apply to affected area and rub in for 5 to 10 minutes daily. Children under 12 years of age: Consult physician.

Inactive ingredients
Borneol, camphor, ginger extract, mugwort leaf extract, saffron extract, vanilla body water

Questions? Call 1(888) 778-2986

DISTRIBUTED BY

TIDL, INC.

1987 Del Amo Blvd

Torrance, CA 90501

TIDL.COM f @ X

YOUR COMEBACK
STORY STARTS NOW

TIDL

20202 13078 2

全塑白片材管身 上雾光 参样

胶印 PANTONE 7406 C 有挂网

胶印白色

图案胶印 参电脑色

胶印黑色

Created (制日期)	2024-06-27	Product Name (品名)		Version (版本号)	Designer (制作者)	Checked by (校对)	approved by (核准)	Customer Approval (客户确认)
Order number (单号)		Specification (规格)	D40mm*H120mm	V1	LISSON			

TIDL PAIN RELIEF HEAT THERAPY ROLL-ON

pain relief heat therapy roll-on gel

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:84214-002

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

Strength

MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)

MENTHOL

1 g in 100 g

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)

LIDOCAINE

4 g in 100 g

Inactive Ingredients

Ingredient Name

Strength

ARTEMISIA ARGYI LEAF (UNII: 2JYC99Q0WZ)

BORNEOL (UNII: M89NIB437X)	
CROCUS SATIVUS FLOWER (UNII: 00IF91KFKQ)	
VANILLYL BUTYL ETHER (UNII: S2ULN37C9R)	
WATER (UNII: 059QF0KO0R)	
GALECTIN-3 (UNII: VB5832VP5D)	
GINGER (UNII: C5529G5JPQ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84214-002-01	85 g in 1 BOTTLE; Type 0: Not a Combination Product	07/12/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/12/2024	

Labeler - Shenzhen Sam Technology Co., Ltd. (418511877)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Sam Technology Co., Ltd.		418511877	manufacture(84214-002)