

**LA ROCHE POSAY ANTHELIOS UV CLEAR DAILY INVISIBLE BROAD SPECTRUM
SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate and
octocrylene lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 7%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, C15-19 alkane, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, azelaic acid, sodium stearyl glutamate, cetearyl alcohol, sclerotium gum, hydroxyacetophenone, caprylyl glycol, sodium hydroxide, sodium starch octenylsuccinate, glyceryl stearate, jojoba esters, helianthus annuus (sunflower) seed wax, hydroxypropyl starch phosphate, trisodium ethylenediamine disuccinate, pentylene glycol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin, caprylic/capric triglyceride, polyglycerin-3, citric acid

Questions or comments?

1-888-LRP-LAB0 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.



Scan me to learn more about Anthelios UV Clear SPF 50.



Made in USA of US and/or Imported Ingredients, 3612624021353. Distribution reserved to La Roche-Posay agreed distributors. L'Oréal USA S/D, Inc., Dist., 10 Hudson Yards, New York, NY 10001. La Roche-Posay Laboratoire Dermatologique CAI 86270 La Roche-Posay, France TSA 75000 93584 ST OUEN CEDEX FR www.laroche-posay.us

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

NEW

50
BROAD SPECTRUM
SPF 50

ANTHELIOS
UV CLEAR

DAILY INVISIBLE
SUNSCREEN

HELPS PROTECT AGAINST SUN DAMAGE.*

Designed for sensitive skin
Suitable for acne-prone & rosacea-prone skin

CELL-OX SHIELD®
UVA/UVB Protection + Antioxidants

[+AZELAIC ACID]

Fragrance-free
Suitable for all skin tones
Tested on sensitive skin

*when used as directed with other sun protection measures

1.7 FL. OZ - 50 ml

ANTHELIOS UV CLEAR 50
DAILY INVISIBLE SUNSCREEN

Package:



Skin Type: All
Texture: Light Lotion
Application: Face

PROPERTIES.

1. Designed for all skin tones, and for sensitive skin.

Invisible, barely-there finish is ideal for protecting against the effects of daily sun exposure. Provides hydrating sun protection while minimizing white cast.

2. Formulated for Skin Soothing with Azelaic Acid.

Suitable for acne-prone and rosacea-prone skin. Will not cause breakouts or clog pores. This innovative sunscreen has a lightweight, non-greasy texture that blends easily into skin leaving a natural finish.

3. CELL-OX SHIELD TECHNOLOGY
UVA/UVB Protection + Antioxidants

Broad Spectrum UV Filters

Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection.

Powerful Antioxidant Protection

With Senna Alata, a tropical leaf extract known to defend skin cells¹ against damaging free radicals caused by the sun that can accelerate skin aging.

RESULTS.

Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

¹upper layers of skin

SUITABLE FOR ACNE-PRONE SKIN
SUITABLE FOR ROSACEA-PRONE SKIN
FRAGRANCE-FREE
PARABEN-FREE
ALLERGY TESTED
NON-COMEDOGENIC
DERMATOLOGIST TESTED FOR SAFETY

Drug Facts

Active ingredients Purpose

Avobenzone 3%	Sunscreen
Homosalate 7%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, C15-19 alkane, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, azelaic acid, sodium stearyl glutamate, cetearyl alcohol, sclerotium gum, hydroxyacetophenone, caprylyl glycol, sodium hydroxide, sodium starch octenylsuccinate, glyceryl stearate, jojoba esters, helianthus annuus (sunflower) seed wax, hydroxypropyl starch phosphate, trisodium ethylenediamine disuccinate, pentylene glycol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin, caprylic/capric triglyceride, polyglycerin-3, citric acid

Questions or comments?

1-888-LRP-LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

2067505 10

Code F.I.L.: V70041239/1

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

50
BROAD SPECTRUM
SPF 50

FRONT PANEL
C/L
ANTHELIOS
UV CLEAR

**DAILY INVISIBLE
SUNSCREEN**

**HELPS PROTECT AGAINST
SUN DAMAGE*.
SUITABLE FOR
ACNE-PRONE SKIN**

CELL-OX SHIELD®

UVA/UVB Protection + Antioxidants

[+AZELAIC ACID]

*when used as directed with other
sun protection measures.

0.17 FL. OZ. - 5 ml

Drug Facts: Active ingredients: Avobenzone 3%;
Homosalate 7%; Octisalate 5%; Octocrylene 7%.

Purpose: Sunscreen.

Use: Helps prevent sunburn. **Warnings:** For
external use only. Do not use on damaged or
broken skin. When using this product keep
out of eyes. Rinse with water to remove. **Stop
use and ask a doctor if** rash occurs. **Keep out of
reach of children.** If swallowed, get medical help
or contact a Poison Control Center right away.

Directions: For sunscreen use: Apply generously
15 minutes before sun exposure. Reapply at least
every 2 hours. Use a water resistant sunscreen if
swimming or sweating. **Sun Protection**

Measures. Spending time in the sun increases
your risk of skin cancer and early skin aging. To
decrease this risk, regularly use a sunscreen with
a Broad Spectrum SPF value of 15 or higher and
other sun protection measures including: limit
time in the sun, especially from 10 a.m.-2 p.m.;
wear long-sleeved shirts, pants, hats, and
sunglasses. Children under 6 months of age: Ask
a doctor. **Other information:** Protect the product
in this container from excessive heat and direct
sun. **Questions or comments: 1-888-577-5226**

Made in USA of US and/or Imported Ingredients

L'Oréal USA S/D, Inc., Dist.,

10 Hudson Yards, New York, NY 10001

PROF. SAMPLE - NOT FOR SALE

4021391

LA ROCHE POSAY ANTHELIOS UV CLEAR DAILY INVISIBLE BROAD SPECTRUM SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-211
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	70 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
C15-19 ALKANE (UNII: CI87N1IM01)	
PROPANEDIOL (UNII: 5965N8W85T)	
TOCOPHEROL (UNII: R0ZB2556P8)	
AZELAIC ACID (UNII: F2VW3D43YT)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
SCLEROTIUM GUM (UNII: 2X51AD1X3T)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
HYDROLYZED JOJOBA ESTERS (UNII: UDR641JW8W)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
CITRIC ACID (UNII: 2968PHW8QP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-211-01	1 in 1 CARTON	11/01/2024	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-211-02	5 mL in 1 TUBE; Type 0: Not a Combination Product	11/01/2024	
3	NDC:49967-211-03	15 in 1 CARTON	11/01/2024	
3		5 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/01/2024	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'OREAL USA PRODUCTS, INC.		624244349	manufacture(49967-211)

Revised: 12/2024

L'Oreal USA Products Inc