

BANANA BOAT- zinc oxide lotion
Edgewell Personal Care Brands LLC

Active Ingredients

Zinc Oxide 19%

Purpose

Sunscreen

Uses

- helps prevent sunburn. if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

May stain some fabrics.

Do not use

on damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well • Apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water, Isohexadecane, Ethylhexyl Palmitate, Diisopropyl Adipate, Cocos Nucifera (Coconut) Oil, Stearyl/Octyldodecyl Citrate Crosspolymer, Glycerin, Polyhydroxystearic Acid, Silica, Sodium Chloride, Phenoxyethanol, Triethoxycaprylylsilane, Xanthan Gum, Cetyl PEG/PPG10/1 Dimethicone, Caprylyl Glycol, Lauryl PEG-8 Dimethicone, Ethylhexylglycerin, Sodium Citrate, Mica, Tocopheryl Acetate, Titanium Dioxide, Iron Oxides.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA BOAT
SPORT
mineral
100% MINERAL BASED SUNSCREEN LOTION
UVA/UVB BROAD SPECTRUM, SPF 50
50
FAST RUB IN
ACROSS SKIN TONES
SWEAT | WATER
RESISTANT
(80 minutes)
5 FL. OZ. (147 mL)



SPORT mineral

100% MINERAL BASED SUNSCREEN LOTION
UVA/UVB BROAD SPECTRUM SPF 50



FAST RUB IN
ACROSS SKIN TONES

SWEAT | WATER
RESISTANT
(80 minutes)

5 FL. OZ. (147 mL)

Blends in quickly. High endurance vs sweat & water. Fragrance-free.

Drug Facts

Active Ingredients	Purpose
Zinc Oxide 19%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Shake well ■ Apply liberally 15 minutes before sun exposure ■ reapply: after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Other information

■ Protect the product in this container from excessive heat and direct sun ■ May stain some fabrics.

Inactive Ingredients Water, Isohexadecane, Ethylhexyl Palmitate, Diisopropyl Adipate, Cocos Nucifera (Coconut) Oil, Stearyl/Octyldodecyl Citrate Crosspolymer, Glycerin, Polyhydroxystearic Acid, Silica, Sodium Chloride, Phenoxyethanol, Triethoxycaprylylsilane, Xanthan Gum, Cetyl PEG/PPG-10/1 Dimethicone, Caprylyl Glycol, Lauryl PEG-8 Dimethicone, Ethylhexylglycerin, Sodium Citrate, Mica, Tocopheryl Acetate, Titanium Dioxide, Iron Oxides.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

www.bananaboat.com

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
SHELTON, CT 06484 © 2025 Edgewell.



93047019



BOTTLE
BANANA BOAT
SPORT
mineral
100% MINERAL BASED SUNSCREEN LOTION
UVA/UVB BROAD SPECTRUM, SPF 50
50
FAST RUB IN
ACROSS SKIN TONES
SWEAT | WATER
RESISTANT
(80 minutes)
5 FL. OZ. (147 mL)
Carton
50
PROTECTS UP TO 98%
OF BURNING RAYS
100% MINERAL ACTIVES

WITH NATURALLY
SOURCED ZINC



PROTECTS
FROM UP TO **98%**
OF BURNING RAYS

100% **MINERAL**
ACTIVES
WITH NATURALLY
SOURCED ZINC

2 PACK
50
100%

MINERAL

FATS RUB IN

ACROSS SKIN TONES

HIGH

PERFORMANCE

VS. SWEAT & WATER

DERMATOLOGIST

TESTED

2 - 5 FL. OZ (147 mL) Tubes

Total 10 FL OZ.

(294 mL)



Bands in quickly. High endurance vs sweat & water. Fragrance-free

Drug Facts	
Active Ingredients	Purpose
Zinc Oxide 18%	Sunscreen
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings For external use only. Do not use ■ on damaged or broken skin. When using this product ■ Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if ■ rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.	
Directions ■ Shake well ■ Apply liberally 15 minutes before sun exposure ■ Reapply after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ at least every 2 hours ■ See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. to 4 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
Other information ■ Protect the product in this container from excessive heat and direct sun	
Inactive Ingredients Water, Isobutadecane, Ethylhexyl Palmate, Diisopropyl Adipate, Cocos Nucifera (Coconut) Oil, Ethylhexyl Octyldecyl Citrate, Crosspolymer, Glycerin, Polymethylsilyoxane Acid, Silica, Sodium Chloride, Phenoxyethanol, Triethoxycaprylylsilane, Xanthan Gum, Cetyl PEG/PPG-10/1 Dimethicone, Caprylyl Glycol, Lauryl PEG-8 Dimethicone, Ethylhexylglycerin, Sodium Citrate, Mica, Tocopheryl Acetate, Titanium Dioxide, Iron Oxides.	
Questions or comments? Call 1-800-SafeSun, Mon-Fri	

APPLYING SUNSCREEN IS AS EASY AS



1 APPLY LIBERALLY TO FULLY COVER YOURSELF

2 APPLY 15 MINUTES BEFORE GOING OUTSIDE



3 REAPPLY EVERY 2 HOURS & AFTER SWIMMING OR SWEATING



www.edgewell.com

FC26037 064

ITM./ART. 1931476



www.edgewell.com
 Distributed by:
 EDGEMOUNT PERSONAL CARE
 BRANDS, LLC
 Shelton, CT 06484
 © 2025 Edgewell



Drug Facts

Active Ingredients

Purpose

Zinc Oxide 19% Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ Shake well ■ Apply liberally 15 minutes before sun exposure
■ reapply: after 80 minutes of swimming or sweating
■ immediately after towel drying ■ at least every 2 hours
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Other information

■ Protect the product in this container from excessive heat and direct sun

Inactive Ingredients Water, Isohexadecane, Ethylhexyl Palmitate, Diisopropyl Adipate, Cocos Nucifera (Coconut) Oil, Stearyl/Octyldodecyl Citrate Crosspolymer, Glycerin, Polyhydroxystearic Acid, Silica, Sodium Chloride, Phenoxethanol, Triethoxycaprylylsilane, Xanthan Gum, Cetyl PEG/PPG-10/1 Dimethicone, Caprylyl Glycol, Lauryl PEG-8 Dimethicone, Ethylhexylglycerin, Sodium Citrate, Mica, Tocopheryl Acetate, Titanium Dioxide, Iron Oxides.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

BANANA BOAT

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-374
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	19 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ISOHEXADECANE (UNII: 918X1OUF1E)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
COCONUT OIL (UNII: Q9L0O73W7L)	
STEARYL/OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: PN88NW0KPK)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-374-23	147 g in 1 TUBE; Type 0: Not a Combination Product	10/01/2024	
2	NDC:63354-374-27	294 g in 1 TUBE; Type 0: Not a Combination Product	10/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2024	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 9/2025

Edgewell Personal Care Brands LLC