

**TRSTAY COLLAGEN CREAM- trstay collagen cream cream**  
**Yiwu Xinqian E - Commerce Co., Ltd.**

-----  
Salicylic acid 2%

**purpose**

wart remover

**uses**

Apply twice daily (morning and night as a man and once as a woman). After application, proceed with an active massage for 3-5 minutes until the product is fully absorbed.

**warnings**

For external use only. Avoid contact with eyes. If contact occurs, rinse thoroughly with water. Keep out of reach of children if you are pregnant or nursing. Avoid any underlying medical condition. Consult your healthcare provider before using the product.

**dosage**

For external use only.

**do not use**

Discontinue use if any irritation or adverse reaction occurs.

**when using**

When using this product, avoid contact with eyes. If contact occurs, rinse thoroughly with water. Discontinue use if any irritation or adverse reaction occurs.

**stop use**

on broken or irritated scalp

If swallowed, get medical help or contact a Poison Control Center right away.

Acrylates copolymer, Ethyl acetate



## TRSTAY COLLAGEN CREAM

trstay collagen cream cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:84515-005 |
| <b>Route of Administration</b> | RECTAL         |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)       | CAFFEINE          | 0.2 g in 100 g |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4) | NIACINAMIDE       | 0.2 g in 100 g |
| <b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)     | MINOXIDIL         | 5 g in 100 g   |
| <b>BIOTIN</b> (UNII: 6S06U10H04) (BIOTIN - UNII:6S06U10H04)           | BIOTIN            | 0.3 g in 100 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)              |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)            |          |
| <b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)           |          |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84515-005-01 | 60 g in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | 07/13/2024           | 12/31/2024         |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016                                     | 07/13/2024           | 12/31/2024         |

**Labeler** - Yiwu Xinqian E - Commerce Co., Ltd. (601039773)

## Establishment

| Name                                | Address | ID/FEI    | Business Operations    |
|-------------------------------------|---------|-----------|------------------------|
| Yiwu Xinqian E - Commerce Co., Ltd. |         | 601039773 | manufacture(84515-005) |

Revised: 7/2024

Yiwu Xinqian E - Commerce Co., Ltd.