

**LIDOCAINE PLUS MENTHOL- lidocaine, menthol patch**  
**Chain Drug Consortium, LLC**

-----  
**Lidocaine Plus Menthol**

**Drug Facts**

Lidocaine 4% Topical Anesthetic

Menthol 1% Topical Anesthetic

Topical Anesthetic

**USES**

Temporary relief of minor pain

**WARNINGS**

- For External use only. Use only as directed.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**DO NOT USE**

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened.

**If pregnant or breast feeding**

- Ask a health professional before use.

**WHEN USING:**

- Use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave

■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop use and consult a doctor if**

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

**DIRECTIONS Adults and children 12 years of age and over:**


Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard after single use. Children under 12 years of age: consult a physician.

**INACTIVE INGREDIENTS**

aluminum glycinat e, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Distributed By:  
Pharmacy Value Alliance, LLC  
Wayne, PA 19087**



## LIDOCAINE PLUS MENTHOL

lidocaine, menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-876
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	

<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL 1-(2-METHYLBUTYRATE)</b> (UNII: 9Q5W5G6461)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-876-05	5 in 1 POUCH	01/14/2019	
1		8 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/14/2019	

**Labeler** - Chain Drug Consortium, LLC (101668460)

### Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co.,Ltd.		529128763	manufacture(68016-876)

Revised: 12/2024

Chain Drug Consortium, LLC