

GLUCAMINOLYTE FORTE- glucaminolyte solution
Vedco, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

GLUCAMINOLYTE FORTE

ORAL SOLUTION

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

INDICATIONS

For use as a supplemental nutritive source of electrolytes, dextrose and amino acids in cattle.

DOSAGE AND ADMINISTRATION

Administer orally as a drench or by use of a stomach tube. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

SHAKE WELL BEFORE USING.

Store at controlled room temperature between 15° and 30°C (59-86°F)

TAKE TIME OBSERVE LABEL DIRECTIONS

COMPOSITION

Each 1000 mL of aqueous solution contains:

Dextrose • H ₂ O	300 g
Sodium Chloride	5.4 g
Sodium Acetate, Anhydrous	3.0 g
Potassium Acetate	1.0 g
Calcium Chloride • 2H ₂ O	330.0 mg
Magnesium Chloride • 5H ₂ O ...	260.0 mg

Comprised of: L-Glutamic Acid, L-Arginine, Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phnylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Methionine, L-Tyosine, with Methylparaben (preservative) 0.18% and Propylparaben (preservative) 0.02%.

INDICATIONS: For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

DOSAGE AND ADMINISTRATION: Administer orally as a drench or by use of a stomach tube. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

Store at room temperature between 15° and 30°C (59°-86°F).

A-0436-07
VINV-GLUC-AMIN

Rev. 04-14



Distributed By
VEDCO, INC.
St. Joseph, MO 64507

NDC 50989-056-17

**GLUCAMINOLYTE
FORTE**
ORAL SOLUTION
NET CONTENTS: 1000 mL

VEDCO

**FOR
ANIMAL
USE ONLY
KEEP OUT OF
REACH OF CHILDREN**

COMPOSITION: Each 1000 mL of aqueous solution contains:

Dextrose • H₂O 300.0 g
Sodium Chloride 5.4 g
Sodium Acetate, Anhydrous 3.0 g
Potassium Acetate 1.0 g
Calcium Chloride • 2H₂O 330.0 mg
Magnesium Chloride • 6H₂O 260.0 mg

Comprised of: L-Glutamic Acid, L-Arginine Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phenylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Methionine, L-Tyrosine, with Methylparaben (preservative) 0.18% and Propylparaben (preservative) 0.02%.

Lot No.

Exp. Date

GLUCAMINOLYTE FORTE

glucaminolyte solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50989-056
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CHLORIDE (UNII: M4I0D6VV5M) (CALCIUM CATION - UNII:2M83C4R6ZB, CHLORIDE ION - UNII:Q32ZN48698)	CALCIUM CHLORIDE	330 mg in 1000 mL
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	DEXTROSE MONOHYDRATE	300 g in 1000 mL
MAGNESIUM CHLORIDE (UNII: 02F3473H9O) (MAGNESIUM CATION - UNII:T6V3LHY838, CHLORIDE ION - UNII:Q32ZN48698)	MAGNESIUM CHLORIDE	260 mg in 1000 mL
POTASSIUM ACETATE (UNII: M911911U02) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM ACETATE	1 g in 1000 mL
SODIUM ACETATE ANHYDROUS (UNII: NVG71ZZ7P0) (ACETATE ION - UNII:569DQM745C, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM ACETATE ANHYDROUS	3 g in 1000 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	5.4 g in 1000 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-056-17	1000 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/14/2010	

Labeler - Vedco, Inc. (021634266)

Revised: 6/2017

Vedco, Inc.