

CHILDRENS PAIN RELIEVER- acetaminophen tablet, chewable
Valu Merchandisers Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Best choice 44-449-children

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain Reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - sore throat
 - flu
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

**When using this product
do not exceed recommended dosage.**

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

* or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates

hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

1-800-426-9391

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S TYLENOL®†

Best Choice®

**Children's
Pain Reliever**

Actual Size

**ACETAMINOPHEN
160 mg CHEWABLE TABLETS**

Pain Reliever/Fever Reducer

Aspirin Free • Ibuprofen Free

GRAPE FLAVOR

AGES 2-11

Chew or crush tablets completely before swallowing.

24 Chewable Tablets

160 mg each

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

†This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®.

50844 REV1018A44908

Best Choice®

100% Guaranteed

www.bestchoicebrand.com

**PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106**

Children's Pain Reliever


Best Choice®

Best Choice®

COMPARE TO THE ACTIVE INGREDIENT
IN CHILDREN'S TYLENOL[†]

Children's Pain Reliever

Actual Size




ACETAMINOPHEN 160 mg CHEWABLE TABLETS

Pain Reliever/Fever Reducer
Aspirin Free • Ibuprofen Free
GRAPE FLAVOR
AGES 2-11

Chew or crush tablets completely
before swallowing.

24 Chewable Tablets
160 mg each



**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

Drug Facts (continued)
■ see end flap for expiration date and lot number
Inactive ingredients citric acid, croscopolone,
D&C red #27 aluminum lake, D&C red #30 aluminum
lake, dextrates hydrated, ethylcellulose, FD&C blue #1,
aluminum lake, flavors, magnesium stearate, mannitol,
polyethylene, stearic acid, sucralose
Questions or comments? 1-800-426-9391

Best Choice
100% Guaranteed
www.bestchoicebrand.com
PROUDLY DISTRIBUTED BY:
VALU MERCHANTISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106
50844 REV1018A44908
registered trademark Children's Tylenol[®].
Johnson & Johnson Corporation, owner of the
This product is not manufactured or distributed by

B-2115-449-08-RR
REV1018A44908

Directions ■ this product does not contain
directions or complete warnings for adult use
even if you do not notice any signs or symptoms.
attention is critical for adults as well as for children
Center (1-800-222-1222) right away. Prompt medical
overdose, get medical help or contact a Poison Control
Keep out of reach of children. In case of accidental
These could be signs of a serious condition.
■ redness or swelling is present
■ new symptoms occur
■ fever gets worse or lasts more than 3 days
■ pain gets worse or lasts more than 5 days
Stop use and ask a doctor if
recommended dosage.
When using this product do not exceed
taking the blood thinning drug warfarin.
Ask a doctor or pharmacist before use if your child is
Ask a doctor before use if your child has liver disease.
the inactive ingredients in this product
■ if your child is allergic to acetaminophen or any of
doctor or pharmacist.
whether a drug contains acetaminophen, ask a
(prescription or nonprescription). If you are not sure
■ any other drug containing acetaminophen

Other information
■ TAMPER EVIDENT: DO NOT USE IF OUTER
■ PACKAGE IS OPENED OR BLISTER IS TORN OR
BROKEN ■ avoid high humidity
■ store at 25°C (77°F); excursions permitted between
15°-30°C (59°-86°F)
* or as directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

■ do not give for more than 5 days unless directed
by a doctor
■ do not give more than 5 times in 24 hours
■ repeat dose every 4 hours while symptoms last
swallowing; do not swallow tablets whole
■ chew or crush tablets completely before
weight to dose; otherwise, use age.
■ if you are not sure

Drug Facts
KEEP OUTER PACKAGE FOR
COMPLETE PRODUCT INFORMATION
Active ingredient
(in each chewable tablet)
Acetaminophen 160 mg.....Pain reliever/fever reducer
Purpose
Uses
■ temporarily relieves minor aches and pains due to:
■ headache ■ sore throat ■ flu
■ toothache ■ the common cold
■ temporarily reduces fever
Warnings
Liver warning: This product contains acetaminophen,

Drug Facts (continued)
Severe liver damage may occur if your child takes
more than 5 doses in 24 hours, which is the
maximum daily amount
■ with other drugs containing acetaminophen
Allergy alert: Acetaminophen may cause severe skin
reactions. Symptoms may include:
■ skin redness ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical
help right away.
Sore throat warning: If sore throat is severe, persists
for more than 2 days, is accompanied or followed by
fever, headache, rash, nausea, or vomiting, consult a
doctor promptly.

Do not use with any other drug containing acetaminophen
 Do not give more than directed
 Find the right dose on chart below. If possible use

44-449

CHILDRENS PAIN RELIEVER

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-944
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPROVIDONE (UNII: 2S7830E561)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTRATES (UNII: G263MI44RU)	
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Product Characteristics

Color	PURPLE	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	44;449
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-944-08	4 in 1 CARTON	01/28/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	01/28/2005	

Labeler - Valu Merchandisers Company (868703513)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(63941-944)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(63941-944)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(63941-944)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(63941-944)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(63941-944)

Revised: 11/2019

Valu Merchandisers Company