

MAXIMUM STRENGTH NON-ASPIRIN 100- acetaminophen tablet
MAXIMUM STRENGTH NON-ASPIRIN 250- acetaminophen tablet
JHK Inc dba American Safety & First Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MAXIMUM STRENGTH NON-ASPIRIN

Drug Facts

Active ingredient (In Each Tablets)

Acetaminophen 500 mg

Purpose

pain reliever/fever reducer

Use

temporarily relieves fever and minor aches and pains associated with:

- headache
- backache
- muscular aches
- minor arthritis pain
- common cold
- toothaches
- menstrual cramps

Warnings

Liver Warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- More than 8 tablets (4000mg of acetaminophen) in 24 hours, which is the maximum daily amount
- With other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Adults and children 12 years of age and older: Take 2 tablets every 4 to 6 hours as needed; do not exceed 8 tablets in 24 hours, or as directed by a doctor **Children under 12 years of age:** Do not use this product; this will provide more than the recommended dose (overdose) of acetaminophen and could cause serious health concerns

Other Information

- do not use if packet is opened or torn
- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity

Inactive Ingredients

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, and stearic acid

Questions?

1-866-651-3660 Monday-Friday 8:00am-5:00pm EST

PRINCIPAL DISPLAY PANEL - 100 Tablet Box

Product #1122

Maximum Strength
Non-Aspirin

Active ingredient:
Acetaminophen

Pain Reliever/Fever Reducer

- Temporary relief from minor aches, pain, and fever
- Soothes muscles aches and minor arthritis pain
- Non-drowsy, aspirin-free formula

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308.1-2015 standards. They are sealed in tamper-evident packets for safety and convenience.

100 Tablets • 2 Tablets Per Packet

Product #1122

This product is not manufactured or distributed by
McNeil-PPC, Inc. Owner of the registered trademark Tylenol®.



Maximum Strength
Non-Aspirin

Active ingredient:
Acetaminophen

Pain Reliever/Fever Reducer

- Temporary relief from minor aches, pain, and fever
- Soothes muscles aches and minor arthritis pain
- Non-drowsy, aspirin-free formula

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308.1-2015 standards. They are sealed in tamper-evident packets for safety and convenience.

Drug Facts (continued)

Other Information • do not use if packet is opened or torn
• store at room temperature 59-86°F (15-30°C)
• avoid excessive heat and humidity

Inactive Ingredients corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, and stearic acid

Questions? 1-866-651-3660 Monday-Friday
8:00am-5:00pm EST

100 Tablets • 2 Tablets Per Packet

Manufactured for
American Safety & First Aid
Osceola, IN 46561

Pain Reliever/Fever Reducer

Maximum Strength
Non-Aspirin



Product #1122

100 Tablets • 2 Tablets Per Packet

Drug Facts

Active ingredient (In Each Tablet).....**Purpose**
Acetaminophen 500 mg.....pain reliever/fever reducer

Use temporarily relieves fever and minor aches and pains associated with: ■ headache ■ muscular aches ■ backache ■ minor arthritis pain ■ common cold ■ toothache ■ menstrual cramps

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ More than 8 tablets (4000mg of acetaminophen) in 24 hours, which is the maximum daily amount ■ With other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions Adults and children 12 years of age and older: Take 2 tablets every 4 to 6 hours as needed; do not exceed 8 tablets in 24 hours, or as directed by a doctor. Children under 12 years of age: Do not use this product; this will provide more than the recommended dose (overdose) of acetaminophen and could cause serious health concerns

V2_1/31/20



Maximum Strength
Non-Aspirin
Pain Reliever/Fever Reducer

PULL TO OPEN

Compare Active Ingredients To: Tylenol®

Do not use if individual packet is open or torn.

PRINCIPAL DISPLAY PANEL - 250 Tablet Box

Product #1124

Maximum Strength
Non-Aspirin

Active ingredient:
Acetaminophen

Pain Reliever/Fever Reducer

- Temporary relief from minor aches, pain, and fever
- Soothes muscles aches and minor arthritis pain
- Non-drowsy, aspirin-free formula

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308. 1-2015 standards. They are sealed in

tamper-evident packets for safety and convenience.

250 Tablets • 2 Tablets Per Packet

This product is not manufactured or distributed by McNeil-PPC, Inc. Owner of the registered trademark Tylenol®.

Product #1124



Maximum Strength
Non-Aspirin

Active ingredient:
Acetaminophen

Pain Reliever/Fever Reducer

- Temporary relief from minor aches, pain, and fever
- Soothes muscles aches and minor arthritis pain
- Non-drowsy, aspirin-free formula

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308.1-2015 standards. They are sealed in tamper-evident packets for safety and convenience.



Maximum Strength
Non-Aspirin

Pain Reliever/Fever Reducer

- Temporary relief from minor aches, pain, and fever
- Soothes muscle aches and minor arthritis pain
- Non-drowsy, aspirin-free formula

250 Tablets • 2 Tablets Per Packet

Manufactured for
American Safety & First Aid
Osceola, IN 46561

Pain Reliever/Fever Reducer

Non-Aspirin

Maximum Strength



Product #1124

250 Tablets • 2 Tablets Per Packet

Drug Facts

Active ingredient (In Each Tablet).....**Purpose**
Acetaminophen 500 mg.....pain reliever/fever reducer

Use Temporarily relieves fever and minor aches and pains associated with: • headache • muscular aches
• backache • minor arthritis pain • common cold • toothache • menstrual cramps

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take: • More than 8 tablets (4000mg of acetaminophen) in 24 hours, which is the maximum daily amount • With other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions Adults and children 12 years of age and older: Take 2 tablets every 4 to 6 hours as needed; do not exceed 8 tablets in 24 hours, or as directed by a doctor. **Children under 12 years of age:** Do not use this product; this will provide more than the recommended dose (overdose) of acetaminophen and could cause serious health concerns.

Other information

• do not use if packet is opened or torn • store at room temperature 59-86°F (15-30°C)
• avoid excessive heat and humidity

Inactive ingredients oom starch, microcrystalline cellulose, povidone, sodium starch glycolate, and stearic acid

Questions? 1-866-651-3660 Monday-Friday 8:00am-5:00pm EST



Non-Aspirin

Maximum Strength

Pain Reliever/Fever Reducer

PULL TO OPEN

Compare Active Ingredients To: Tylenol®

Do not use if individual packet is open or torn.

V1_10/9/19



MAXIMUM STRENGTH NON-ASPIRIN 100
acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73598-1122
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
microcrystalline cellulose (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
stearic acid (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73598-1122-1	50 in 1 BOX	02/02/2000	
1		2 in 1 DOSE PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	02/02/2000	

MAXIMUM STRENGTH NON-ASPIRIN 250

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73598-1124
---------------------	----------------	---------------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
microcrystalline cellulose (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
stearic acid (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73598-1124-1	125 in 1 BOX	02/02/2000	
1		2 in 1 DOSE PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	02/02/2000	

Labeler - JHK Inc dba American Safety & First Aid (867236309)

Revised: 9/2022

JHK Inc dba American Safety & First Aid