

WART REMOVER PATCH- salicylic acid patch

Shenzhen Yangan Technology Co., Ltd.

salicylic acid 1%

Wart Remover

For external use only.

on irritated, infected or reddened skin

on genital warts and warts on the face

on moles, birthmarks and warts with hair growing from them

on mucous membranes

keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away
when using

Ask a doctor before use if you have diabetes poor blood circulation

One patch per day, each patch contains 1 mg of salicylic acid.

Store between 59° and 86°F (15° and 30° C)

hard paraffin, lanolin, phenol

DIRECTIONS

wash affected area: may soak wart in warm water for 5 minutes

dry area thoroughly

remove bandage strips by peeling backing off

if necessary, cut medicated patch to fit wart

carefully apply medicated plaster

repeat procedure every 48 hours as needed (until wart is removed)

for up to 12 weeks



Quick and Effective Removal Sticker for All

WARNINGS For external use only.
DO NOT USE on irritated, infected or reddened skin on genital warts and warts on the face on moles, birthmarks and warts with hair growing from them on mucous membranes
KEEP OUT OF REACH OF CHILDREN If swallowed, get medical help or contact a Poison Control Center right away.
DIRECTIONS wash affected area; may soak wart in warm water for 5 minutes dry area thoroughly remove bandage strips by peeling backing off If necessary, cut medicated patch to fit wart carefully apply medicated plaster repeat procedure every 48 hours as needed (until wart is removed) for up to 12 week
WHEN USING Ask a doctor before use if you have diabetes poor blood circulatio
OTHER INFORMATION Store between 59° and 86°F (15° and 30°C).
INACTIVE INGREDIENTS hard paraffin, lanolin, phenol.
DOSAGE & ADMINISTRATION SECTION One patch per day, each patch contains 1 mg of tolnaftate

PATCHES

- ✔ Fast Healing
- ✔ Waterproof & Invisible
- ✔ Repairing Infections
- ✔ Easy To Use



9MM



12MM



144

PATCHES

Product Name: **WART REMOVER PATCHES**

Drug Facts	Purpose
Active Ingredients Salicylic acid 1%	Wart Remover

PURPOSE
Wart Remover

USE
For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface

WARNINGS
For external use only.

DO NOT USE
on irritated, infected or reddened skin
on genital warts and warts on the face
on moles, birthmarks and warts with hair growing from them
on mucous membranes

KEEP OUT OF REACH OF CHILDREN
If swallowed, get medical help or contact a Poison Control
Center right away.

DIRECTIONS
wash affected area; may soak wart in warm water for 5 minutes
dry area thoroughly
remove bandage strips by peeling backing off
If necessary, cut medicated patch to fit wart
carefully apply medicated plaster
repeat procedure every 48 hours as needed (until wart is removed)
for up to 12 week

WHEN USING
Ask a doctor before use if you have diabetes poor blood circulatio

OTHER INFORMATION
Store between 59° and 86°F (15° and 30°C).

INACTIVE INGREDIENTS
hard paraffin, lanolin, phenol.

DOSAGE & ADMINISTRATION SECTION
One patch per day, each patch contains 1 mg of tolnaftate

WART REMOVER PATCHES

- ✔ Fast Healing
- ✔ Waterproof
- ✔ Transparent
- ✔ Dermatologist Tested



144 PATCHES

Designed in USA

Safe

Effective

Skin Care

Suitable for All Skin Types



Product Name: WART REMOVER PATCHES	
Drug Facts	
Active Ingredients	Purpose
Salicylic acid 1%.....	Wart Remover
PURPOSE	
Wart Remover	
USE	
For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface	
WARNINGS	
For external use only.	
DO NOT USE	
on irritated,infected or reddened skin on genital warts and warts on the face on moles, birthmarks and warts with hair growing from them on mucous membranes	
KEEP OUT OF REACH OF CHILDREN	
If swallowed, get medical help or contact a Poison Control Center right away.	
DIRECTIONS	
wash affected area; may soak wart in warm water for 5 minutes dry area thoroughly remove bandage strips by peeling backing off If necessary, cut medicated patch to fit wart carefully apply medicated plaster repeat procedure every 48 hours as needed (until wart is removed) for up to 12 week	
WHEN USING	
Ask a doctor before use if you have diabetes poor blood circulatio	
OTHER INFORMATION	
Store between 59° and 86°F (15° and 30°C).	
INACTIVE INGREDIENTS	
hard paraffin, lanolin, phenol.	
DOSAGE & ADMINISTRATION SECTION	
One patch per day, each patch contains 1 mg of tolnaftate	

WART REMOVER PATCH

salicylic acid patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84023-110
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

LANOLIN (UNII: 7EV65EAW6H)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84023-110-01	144 in 1 BOX	07/15/2024	
1		100 mg in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	07/15/2024	

Labeler - Shenzhen Yangan Technology Co., Ltd. (419283765)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Yangan Technology Co., Ltd.		419283765	manufacture(84023-110)

Revised: 9/2024

Shenzhen Yangan Technology Co., Ltd.