

**SUNSCREEN CREAM- avobenzene , homosalate ,octisalate ,
octocrylene lotion, augmented
Shenzhen Furuizhilian keji Co., Ltd.**

Sunscreen Cream

Avobenzene 3%, Homosalate 6%, Octisalate 5%, Octocrylene 5%

Sunscreen

Helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only

rash occurs

on damaged or broken skin

keep out of eyes. Rinse with water to remove

If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Water, Ethylhexyl Methoxycinnamate, Butylene Glycol, Ethylhexyl Salicylate, Phenylbenzimidazole Sulfonic Acid, Cetearyl Alcohol, Dicaprylyl Carbonate, Diethylhexyl Butamido Triazone, Titanium Dioxide, C20-22 Alkyl Phosphate, Aluminum Starch Octenylsuccinate, C20-22 Alcohols, Arginine, Pentylene Glycol, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Sodium Stearoyl Glutamate, Sodium Hydroxide, Hydroxyacetophenone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Squalane, Silica, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Allantoin, Caprylyl Glycol, Tocopherol (Vitamin E), Stearyl Glycyrretinate, Polysorbate 60, Disodium EDTA, Fragrance, Sorbitan Isostearate, BHT, Caprylic/Capric Triglyceride, Theobroma Cacao (Cocoa) Seed Extract, Glucose, Potassium Sorbate

Use when going out

彩盒尺寸:47×33×138mm

材质:350g白卡纸+哑膜



Drug Facts

Active ingredient	Purpose
Avobenzone 3%, Homosalate 6.0%, Octisalate 5%, Octocrylene 5%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions


- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Sun Protection Measures
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirtpants, hats, sunglasses
 - Children under 6 months of age. Ask a doctor

Other information

Store at 59-86 °F (15-30°C)

Inactive Ingredients

Water, ethylhexyl methoxycinnamate, butylene glycol, ethylhexyl salicylate, phenylbenzimidazole sulfonic acid, cetearyl alcohol, dicaprylyl carbonate, diethylhexyl butamido triazone, titanium dioxide, C20-22 alkyl phosphate, aluminum starch octenylsuccinate, C20-22 alcohols, arginine, pentylene glycol, bis-ethylhexyloxyphenol methoxyphenyl triazine, sodium stearyl glutamate, sodium hydroxide, hydroxyacetophenone, hydroxyethyl acrylate /sodium acryloyldimethyl taurate copolymer, phenoxyethanol, squalane, silica, acrylates /C10-30 alkyl acrylate crosspolymer, xanthan gum, allantoin, caprylyl glycol, tocopherol (vitamin E), stearyl glycyrrhettinate, polysorbate 60, disodium EDTA, fragrance, sorbitan isostearate, BHT, caprylyl/capric triglyceride, theobroma cacao (cocoa) seed extract, glucose, potassium sorbate



SUNSCREEN CREAM

avobenzone , homosalate ,octisalate , octocrylene lotion, augmented

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84445-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.5 g in 50 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3 g in 50 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.5 g in 50 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.5 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
C20-22 ALCOHOLS (UNII: O4M0347C6A)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S AT 1.0%) (UNII: 8Z5ZAL5H3V)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BEMOTRIZINOL (UNII: PWZ1720CBH)	
ARGININE (UNII: 94ZLA3W45F)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
COCOA (UNII: D9108TZ9KG)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ISCOTRIZINOL (UNII: 2UTZ0QC864)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TOCOPHEROL (UNII: R0ZB2556P8)	
STEARYL GLYCYRRHETINATE (UNII: 3YYE6VJS0P)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ANHYDROUS DEXTROSE (UNII: 5SL0G7R00K)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
OCTINOXATE (UNII: 4Y5P7MUD51)	
ENSULIZOLE (UNII: 9YQ9DI1W42)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALLANTOIN (UNII: 344S277G0Z)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

C20-22 ALKYL PHOSPHATE (UNII: L4VKPOY7RP)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SQUALANE (UNII: GW89575KF9)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84445-005-01	50 g in 1 TUBE; Type 0: Not a Combination Product	07/16/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/16/2024	

Labeler - Shenzhen Furuizhilian keji Co., Ltd. (418598613)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Furuizhilian keji Co., Ltd.		418598613	manufacture(84445-005)

Revised: 7/2024

Shenzhen Furuizhilian keji Co., Ltd.