

PRINUMB TATTOO NUMBING CREAM- tattoo numbing cream cream
Shijiazhuang Auro Technology Co., Ltd.

84555-001

Active Ingredient

Lidocaine 5%

Purpose

Local Anesthetic

Use

For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings

For External Use Only

Do not use

Pregnant or breastfeeding, ask your doctor before use.
in case of accidental overdose, seek immediate medical help or contact the Poison Control Center.
seal is broken or missing.

When Using

Do not exceed the recommended daily dosage unless directed by a doctor.
Certain persons can develop allergic reactions to ingredients in this product.
Do not put this product into the rectum by using fingers or any medical device or applicator.

Stop Use

The symptom being treated does not improve, or if redness, irritation, swelling, pain, or other symptoms appear or worsen. Seek medical help right away.

Ask Doctor

discomfort persists for 7 days.

Keep Out Of Reach Of Children

Avoid contact with the eyes. If swallowed, seek medical attention immediately.

Directions

Apply up to 3 times a day.

Children (under 12 years of age): consult a doctor.

Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue.

Other information

Store at room temperature and out of direct sunlight or heat.

Inactive ingredients

.Alpha.-Tocopherol Acetate

Carbomer 940

Chrysanthemum Extract

Glycerol

Lecithin, Soybean

Portulaca Oleracea Extract

Prilocaine

Propylene Glycol

Sodium Hyaluronate

Water

PRINCIPAL DISPLAY PANEL

DRUG FACTS**Keep Out Of Reach Of Children**

• Avoid contact with the eyes • If swallowed, seek medical attention immediately

Directions

- Apply up to 3 times a day
- Children (under 12 years of age): consult a doctor
- Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue

Other information

- Store at room temperature • Out of direct sunlight or heat

Inactive ingredients

Alpha-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water

PRINUMB

Jatboo

NUMBING CREAM

5% LIDOCAINE
5.07oz / 150ml**DRUG FACTS (Continued)****Active Ingredient**

Lidocaine 5%

Purpose

Local Anesthetic

Uses For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings (For External Use Only)

Do not use this product if you are allergic to lidocaine

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- certain persons can develop allergic reactions to ingredients in this product
- do not put this product into the rectum by using fingers or any medical device or applicator

DRUG FACTS**Keep Out Of Reach Of Children**

• Avoid contact with the eyes • If swallowed, seek medical attention immediately

Directions

- Apply up to 3 times a day
- Children (under 12 years of age): consult a doctor
- Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue

Other information

- Store at room temperature • Out of direct sunlight or heat

Inactive ingredients

Alpha-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water

PRINUMB

Jatboo

NUMBING CREAM

5% LIDOCAINE
6.76oz / 200ml**DRUG FACTS (Continued)****Active Ingredient**

Lidocaine 5%

Purpose

Local Anesthetic

Uses For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings (For External Use Only)

Do not use this product if you are allergic to lidocaine

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- certain persons can develop allergic reactions to ingredients in this product
- do not put this product into the rectum by using fingers or any medical device or applicator

DRUG FACTS**Keep Out Of Reach Of Children**

• Avoid contact with the eyes • If swallowed, seek medical attention immediately

Directions

- Apply up to 3 times a day
- Children (under 12 years of age): consult a doctor
- Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue

Other information

- Store at room temperature • Out of direct sunlight or heat

Inactive ingredients

Alpha-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water

PRINUMB

Jatboo

NUMBING CREAM

5% LIDOCAINE
1.7oz / 50ml**DRUG FACTS (Continued)****Active Ingredient**

Lidocaine 5%

Purpose

Local Anesthetic

Uses For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings (For External Use Only)

Do not use this product if you are allergic to lidocaine

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- certain persons can develop allergic reactions to ingredients in this product
- do not put this product into the rectum by using fingers or any medical device or applicator

DRUG FACTS**Keep Out Of Reach Of Children**

• Avoid contact with the eyes • If swallowed, seek medical attention immediately

Directions

- Apply up to 3 times a day
- Children (under 12 years of age): consult a doctor
- Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue

Other information

- Store at room temperature • Out of direct sunlight or heat

Inactive ingredients

Alpha-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water

PRINUMB

Jatboo

NUMBING CREAM

5% LIDOCAINE
3.4oz / 100ml**DRUG FACTS (Continued)****Active Ingredient**

Lidocaine 5%

Purpose

Local Anesthetic

Uses For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings (For External Use Only)

Do not use this product if you are allergic to lidocaine

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- certain persons can develop allergic reactions to ingredients in this product
- do not put this product into the rectum by using fingers or any medical device or applicator



PRINUMB

Tattoo

NUMBING CREAM

EXTRA STRENGTH
LONG LASTING NUMBNESS

5% LIDOCAINE
2.0oz/60ml

DRUG FACTS

Active Ingredient
Lidocaine 5%

Purpose
Local Anesthetic

Uses For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings (For External Use Only)
Do not use this product if you are allergic to lidocaine

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- certain persons can develop allergic reactions to ingredients in this product
- do not put this product into the rectum by using fingers or any medical device or applicator

Keep Out Of Reach Of Children

- Avoid contact with the eyes
- If swallowed, seek medical attention immediately

Directions

- Apply up to 3 times a day
- Children (under 12 years of age): consult a doctor
- Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue

Other information

- Store at room temperature
- Out of direct sunlight or heat

Inactive ingredients
Alpha.-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water

PRINUMB

Tattoo

NUMBING CREAM

EXTRA STRENGTH
LONG LASTING NUMBNESS

5% LIDOCAINE
1.0oz/30ml

DRUG FACTS

Active Ingredient
Lidocaine 5%

Purpose
Local Anesthetic

Uses For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings (For External Use Only)
Do not use this product if you are allergic to lidocaine

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- certain persons can develop allergic reactions to ingredients in this product
- do not put this product into the rectum by using fingers or any medical device or applicator

Keep Out Of Reach Of Children

- Avoid contact with the eyes
- If swallowed, seek medical attention immediately

Directions

- Apply up to 3 times a day
- Children (under 12 years of age): consult a doctor
- Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue

Other information

- Store at room temperature
- Out of direct sunlight or heat

Inactive ingredients
Alpha.-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water

DRUG FACTS (Continued)

Keep Out Of Reach Of Children

- Avoid contact with the eyes
- If swallowed, seek medical attention immediately

Directions

- Apply up to 3 times a day
- Children (under 12 years of age): consult a doctor
- Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue

Other information

- Store at room temperature
- Out of direct sunlight or heat

Inactive ingredients
Alpha.-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water

PRINUMB

MAXIMUM STRENGTH PAIN RELIEF

NUMBING CREAM

5% LIDOCAINE | 1.7oz/50ml

TATTOO NUMBING CREAM

DRUG FACTS

Active Ingredient
Lidocaine 5%

Purpose
Local Anesthetic

Uses
For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations

Warnings (For External Use Only)
Do not use this product if you are allergic to lidocaine

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- certain persons can develop allergic reactions to ingredients in this product
- do not put this product into the rectum by using fingers or any medical device or applicator

DRUG FACTS
 ACTIVE INGREDIENTS: _____PURPOSE
 Lidocaine 5% _____Local Anesthetic

USE For temporarily relieves pain and itching associated with minor burns, minor cuts or skin irritations.

WARNINGS - FOR EXTERNAL USE ONLY

DO NOT USE THIS PRODUCT IF • pregnant or breastfeeding, ask your doctor before use • in case of accidental overdose, seek immediate medical help or contact the Poison Control Center.
 • seal is broken or missing.

WHEN USING THIS PRODUCT • do not exceed the recommended daily dosage unless directed by a doctor. • certain persons can develop allergic reactions to ingredients in this product. • do not put this product into the rectum by using fingers or any medical device or applicator.

STOP USE AND ASK A DOCTOR IF • the symptom being treated

PRINUMB
MAXIMUM STRENGTH
PAIN RELIEF
NUMBING CREAM
5% LIDOCAINE 1.7oz/50ml
TATTOO NUMBING CREAM

DRUG FACTS (Continued)
 does not improve. • redness, irritation, swelling, pain, or other symptoms appear or worsen, seek medical help right away. • discomfort persists for 7 days.

KEEP OUT OF REACH OF CHILDREN • Avoid contact with the eyes. • If swallowed, seek medical attention immediately.

DIRECTIONS • Apply up to 3 times a day. • Children (under 12 years of age): consult a doctor. Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly, pat dry the area with a soft cloth or tissue.

OTHER INFORMATION • Store at room temperature. • Out of direct sunlight or heat.

INACTIVE INGREDIENTS Alpha-Tocopherol Acetate, Carbomer 940, Chrysanthemum Extract, Glycerol, Lecithin, Soybean, Portulaca Oleracea Extract, Prilocaine, Propylene Glycol, Sodium Hyaluronate, Water.

CORRECT USE STEPS BEFORE TATTOOING
 1. Clean hands and treatment area with mild soap and warm water, rinse thoroughly and gently pat dry.
 2. Apply a thick numbing cream to the treatment area, making sure to cover the tattoo and its surroundings.
 3. Wrap tightly with plastic wrap and wait for 40-60 minutes.
 4. Wipe away any excess residue and allow an additional 15-25 minutes for the numbing effect to reach its peak then start working.

NOTICE the duration of numbness may vary depending on factors such as skin type and temperature, it is recommended to perform a small test area first to determine the optimal numbness effect.

MANUFACTURED BY Shijiazhuang Auro Technology CO., Ltd. Room 1501, Building B, Dongsheng Plaza, NO.508 Zhongshan East Road, Chang'an District, Shijiazhuang, Hebei, China.

Lot No. :
 Mfg Date :   
 Made in China

PRINUMB TATTOO NUMBING CREAM

tattoo numbing cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84555-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CHRYSANTHEMUM INDICUM WHOLE (UNII: O9ECF2PL1F)	
PRILOCAINE (UNII: 046O35D44R)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
GLYCERIN (UNII: PDC6A3C0OX)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	
PURSLANE (UNII: M6S840WYG5)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84555-001-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	
2	NDC:84555-001-02	100 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package	07/17/2024	
3	NDC:84555-001-03	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	
4	NDC:84555-001-04	200 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	
5	NDC:84555-001-05	30 mL in 1 TUBE; Type 0: Not a Combination Product	07/17/2024	
6	NDC:84555-001-06	60 mL in 1 TUBE; Type 0: Not a Combination Product	07/17/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/17/2024	

Labeler - Shijiazhuang Auro Technology Co., Ltd. (406846461)

Establishment

Name	Address	ID/FEI	Business Operations
Shijiazhuang Auro Technology Co., Ltd.		406846461	manufacture(84555-001)

Revised: 7/2024

Shijiazhuang Auro Technology Co., Ltd.