

VGO SUNSCREEN BROAD SPECTRUM- zinc oxide lotion
Hainan Shengtaizhuo International Information Development Co., LTD

ZINC OXIDE 4.8%

WATER □ GLYCERIN □ CYCLOPENTASILOXANE □ ETHYLHEXYL METHOXYCINNAMATE □
ISOHEXADECANE □ BIS-PEG-18 METHYL ETHER DIMETHYL SILANE □ SORBETH-30
TETRAOLEATE □ AMMONIUM POLYACRYLOYLDIMETHYL TAURATE □ PEG/PPG-14/7
DIMETHYL ETHER □ SODIUM POLYACRYLATE □ PEG-10 DIMETHICONE □
POLYHYDROXYSTEARIC ACID □ ETHYLHEXYL STEARATE □ PHENOXYETHANOL □ POTASSIUM
CETYL PHOSPHATE □ METHYL PARABEN
□ TRIETHOXYCAPRYLYLSILANE □ SILICA □ GLYCINE SOJA (SOYBEAN) SEED EXTRACT □
TRIDECETH-6 □ LACTIC ACID □ FRAGRANCE □ ETHYLHEXYLGLYCERIN

- Shake well before use
- Apply liberally 15 minutes before sun exposure and as needed.
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
 - Children under 6 months of age: ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Helps prevent sunburn. - If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Sunscreen

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

For external use only.


Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

VGO SUNSCREEN LOTION BROAD SPECTRUM

SPF50



VGO SUNSCREEN BROAD SPECTRUM

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84556-421
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4.8 g in 50 g
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) (TRIETHOXYCAPRYLYLSILANE - UNII:LDC331P08E)	TRIETHOXYCAPRYLYLSILANE	2 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
ISOHEXADECANE (UNII: 918X1OUF1E)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (UNII: F01RIY4371)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
SILANOL (UNII: 079V3J9O3X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SORBETH-30 TETRAOLEATE (UNII: 5KSN7B8P6P)	
BIS-PEG-18 METHYL ETHER DIMETHYL SILANE (UNII: OEB4R3WW9C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
LACTIC ACID (UNII: 33X04XA5AT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84556-421-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/17/2024	

Labeler - Hainan Shengtaizhuo International Information Development Co., LTD (976885514)

Registrant - Hainan Shengtaizhuo International Information Development Co., LTD (976885514)

Establishment

Name	Address	ID/FEI	Business Operations
Hainan Shengtaizhuo International Information Development Co., LTD		976885514	manufacture(84556-421)

Revised: 7/2024

Hainan Shengtaizhuo International Information Development Co., LTD