MEBENDAMAX PINWORM- pyrantel pamoate tablet Pharmadel LLC

Mebendamax Pinworm (AS)

Drug Facts

Active ingredient & Purpose

Active ingredient (in each tablet)

Purpose

Pyrantel pamoate 180 (equivalent to 62.5mg of pyrantel base)...... Pinworm treatment

Use

For the treatment of pinworms.

Warnings

Ask a doctor before use if you

- have liver disease
- are pregnant

Stop use and ask a doctor if

- any symptoms or pinworms are still present after treatment
- any worms other than pinworms are present before or after treatment
- any of these symptoms that sometimes occur after taking the product persist:
- abdominal cramps
- nausea
- vomiting
- diarrhea
- headache
- dizziness

Keep out of reach of children.

In case of an accidental overdose get medical help or contact a Poison Control Center right away.

Directions

READ THE PACKAGE CAREFULLY BEFORE TAKING THIS MEDICATION.

- take only according to directions
- do not exceed the recommended dosage, unless directed by a doctor
- medication should only be taken one time as a single dose; do not repeat treatment

- when one individual in a household has pinworms, the entire household should be treated unless otherwise advised
- adults, children 12 years of age and over, and children 2 years to under 12 years of age:
- this product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice.
- use of a laxative is not necessary before, during, or after medication
- oral dosage is a single dose of 5 mg of pyrantel base per pound or 11 mg of pyrantel base per kilogram of body weight not to exceed 1 gram (1000mg)
- children under 25 lbs. or 2yrs old: do not use unless directed by a doctor

Weight	Dosage (taken as a single dose)
Less than 25 lb. or under 2 yrs. old	do not use unless directed by a doctor
25-37 lbs.	2 tablets
38-62 lbs.	4 tablets
63-87 lbs.	6 tablets
88-112 lbs.	8 tablets
113-137 lbs.	10 tablets
138-162 lbs.	12 tablets
163-187 lbs.	14 tablets
188 lbs. and over	16 tablets

Inactive ingredients

croscarmellose sodium, crospovidone, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, potassium sorbate, povidone k-30, silicon dioxide, talc

Dist. by:

Pharmadel LLC.

New Castle, DE 19720

1-866-359-3478

Principal Display Panel

Instrucciones en Español adentro de la caja



Pyrantel Pamoate/ Pamoato de Pirantel 180 mg

Tratamiento para las lombrices intestinales Treatment for Pinworms

- ✓ Effective one-time single dose
- Una sola dosis que es efectiva en un solo uso
- Recommended by health care professionals for the entire family
- Recomendado por profesionales de la salud para toda la familia

10 tablets/ tabletas

MEBENDAMAX PINWORM

pyrantel pamoate tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55758-441

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)

PYRANTEL

PYRANTEL

180 mg

Inactive Ingredients

Ingredient Name	Strength	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
CROSPOVIDONE (UNII: 2S7830E561)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MJQ0SDW1A)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
TALC (UNII: 7SEV7J4R1U)		
POVIDONE K30 (UNII: U725OW/32X)		

Product Characteristics

Color	yellow	Score	score with uneven pieces
Shape	ROUND	Size	13mm

Flavor	Imprint Code	G	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:55758-441- 10	10 in 1 CARTON	08/01/2024	
1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product		



Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M024	08/01/2024	

Labeler - Pharmadel LLC (030129680)

Revised: 7/2024 Pharmadel LLC