

MORPHINUM- morphine pellet

Remedy Makers

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

CII

WARNING

"The FDA has not determined that the product is safe, effective and not misbranded for its intended use"

INDICATION:

PAIN, NAUSEA, DIARRHEA, NEURITIS, OR OTHER INDICATIONS

WARNING:

Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug. If you are pregnant or nursing (breast-feeding) a baby, seek the advice of a health professional before using this product. Store tightly closed in a cool area.

Directions (adult/children)

Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.

Inactive Ingredients

Lactose and Sucrose. Free from yeast, wheat, corn and soy.

Other Information

Contains approx. 152 - 155 pellets.

Questions or comments:

(877) REM4YOU Fax (909) 594-4205 Pomona, CA. 91768 USA www.remedymakers.com

CAUTION: Federal law prohibits dispensing without prescription.

REMEDY MAKERS™
 
MORPHINUM 6X_H
(Morphine Base) 1 gram of pellets contain approx. 0.1mg
PAIN, NAUSEA, DIARRHEA,
NEURITIS, OR OTHER INDICATIONS

2 Drams (1/4 ounce) Lot # EBF-AEH-C Exp. N/A
***WARNING: The FDA has not determined that this product is safe, effective, and not misbranded for its intended use.**
Drug Facts: Active ingredient: Listed above. To be used according to standard homeopathic indications for self-limiting conditions such as those indicated above or as directed by a physician.
Warning: Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug, if you are pregnant or nursing (breast-feeding) a baby, seek the advice of a health professional before using this product. Store tightly closed in a cool area.
Directions (adult/children): Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.
Other information: Contains approx. 152 - 155 pellets.
Inactive ingredients: Lactose and Sucrose. Free from yeast, wheat, corn and soy.
Questions or comments: (877) REM4YOU Fax: (909) 594-4205 Pomona, CA 91768, USA www.remedymakers.com

CAUTION: Federal law prohibits dispensing without prescription
NDC 10191-1002-2
 HOMEOPATHIC
MEDICINE

MORPHINUM

morphine pellet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10 19 1-10 0 2
Route of Administration	SUBLINGUAL	DEA Schedule	CII

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ABT-925 ANHYDRO US FREE BASE (UNII: E6CKI5C54O) (ABT-925 ANHYDROUS FREE BASE - UNII:E6CKI5C54O)	ABT-925 ANHYDROUS FREE BASE	6 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10 19 1-10 0 2-2	152 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/23/20 15	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/23/20 15	

Labeler - Remedy Makers (018543582)

Revised: 8/2015

Remedy Makers