

VGO SUNSCREEN- titanium dioxide spray
Hainan Shengtaizhuo International Information Development Co., LTD

TITANIUM DIOXIDE 4.2%

ZINC OXIDE 1.5%

ETHYLHEXYL TRIAZONE 1%

Sunscreen

If swallowed, get medical help or contact a Poison Control Center immediately.

For External Use Only

WATER □ CYCLOPENTASILOXANE □ ETHYLHEXYL METHOXYCINNAMATE □ ALCOHOL □
BUTYLENE GLYCOL □ ETHYLHEXYL SALICYLATE □ PHENYLBENZIMIDAZOLE SULFONIC
ACID □ DICAPRYLYL CARBONATE □ CETYL PEG/PPG-10/1 DIMETHICONE □ SODIUM
CHLORIDE □ METHYLENE BIS-BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL □
DISTEARDIMONIUM HECTORITE □ PHENOXYETHANOL □ SODIUM HYDROXIDE □ ALUMINUM
HYDROXIDE □ STEARIC ACID □ PARFUM □ PROPYLENE CARBONATE □
ACRYLATES/DIMETHICONE COPOLYMER □ TOCOPHERYL ACETATE □ DECYL GLUCOSIDE □
TRIETHOXYCAPRYLYLSILANE □ BISABOLOL □ ETHYLHEXYLGLYCERIN □ GLYCERIN □
PROPYLENE GLYCOL □ XANTHAN GUM □ JASMINUM SAMBAC (JASMINE) LEAF CELL
EXTRACT

Apply liberally 15 minutes before sun exposure and
as needed.

- Reapply:
- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit your time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Helps prevent sunburn. - If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only

VGO CRYSTAL SUNSCREEN SPRAY SPF 50



PRODUCT NAME:
CRYSTAL SUNSCREEN
SPRAY SPF 50 PA+++

EFFECT: BROAD SPECTRUM SUNSCREEN WITH PROTECTION AGAINST THE SUN, THIS PRODUCT IS REFRESHING AND MOISTURIZING. THE DELICATE SPRAY IS LIGHT, SKIN-FRIENDLY, DURABLE WATER AND SWEAT RESISTANT.

ACTIVE INGREDIENTS: ETHYLHEXYL METHOXYCINNAMATE 7%, ZINC OXIDE 6%, OCTOCRYLENE 2.3%, TITANIUM DIOXIDE 2.3%, BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE 0.5%, ETHYLHEXYL TRIAZONE 0.5%

INACTIVE INGREDIENTS: AQUA, ISODODECANE, CYCLOPENTASILOXANE, DIMETHICONE, PROPYLENE GLYCOL, METHYLENE BIS-BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL, DECYL GLUCOSIDE, XANTHAN GUM, PHENYLBENZIMIDAZOLE SULFONIC ACID, DIETHYLHEXYL CARBONATE, DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE, DISTEARDIMONIUM HECTORITE, GLYCERIN, SILICA, CETYL ETHYLHEXANOATE, CETYL PEG/PPG-10/1 DIMETHICONE, CAPRYLYL METHICONE, VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER, ARGININE, SODIUM CHLORIDE, AROMA, PHENOXYETHANOL, ETHYLHEXYLGLYCERIN
PROPELLANT: BUTANE, PROPANE

MANUFACTURER: HAINAN SHENGTAI ZHUO INTERNATIONAL INFORMATION DEVELOPMENT CO., LTD
MANUFACTURER ADDRESS: C-40, XINGCHUANG FUTURE TECHNOLOGY PARK, 3/F, HAINAN MANSION, NO. 5 GUOXING AVENUE, MEILAN DISTRICT, HAIKOU CITY, HAINAN PROVINCE, CHINA

USAGE: BEFORE USE, PLEASE FULLY SHAKE IT UP. PLEASE KEEP A DISTANCE OF ABOUT 20CM FROM THE HUMAN BODY WHEN SPRAYING IT ON THE FACE, ARMS AND OTHER PARTS OF THE BODY EASILY EXPOSED TO ULTRAVIOLET LIGHT, AND THEN GENTLY PAT AND MASSAGE THE PARTS TO HAVE THE SPRAYING FULLY ABSORBED. USE IT AT LEAST 15 MINUTES BEFORE GOING OUT. IF THERE IS A LONG TIME OUTDOORS UNDER THE SUN, IT IS RECOMMENDED TO SPRAY THE PARTS EVERY 2 HOURS FOR BETTER EFFECT.

NOTICE: FOR EXTERNAL USE ONLY. KEEP IT AWAY FROM FIRE. THIS PRODUCT IS FILLED WITH PRESSURE VESSEL, SO REMEMBER NOT TO HAVE IT IMPACTED AND DO NOT PUT IT UNDER THE SUN OR IN PLACE WITH HIGH TEMPERATURE. PLEASE KEEP IT IN A COOL AND DRY PLACE. KEEP IT AWAY FROM CHILDREN. IN CASE OF CONTACT WITH EYES, NOSE OR MOUTH, PLEASE RINSE THE PART WITH WATER IMMEDIATELY. IF SKIN DISCOMFORT OCCURS AFTER USE, DISCONTINUE THE USE OF IT IMMEDIATELY OR CONSULT A DOCTOR.

TIPS: 1. IN ORDER TO AVOID SPRAYING IN THE ROOM FOR A LONG TIME, PLEASE TRY TO USE IT IN A WELL-VENTILATED ENVIRONMENT. 2. BE SURE TO CLOSE YOUR EYES, HOLD YOUR BREATH AND AVOID DIRECT CONTACT WITH MUCOUS MEMBRANES WHEN USING IT ON THE FACE. 3. WHEN THE SPRAYING IS JUST SPRAYED, THERE WILL BE BRIGHT WATER LIGHT, WHICH IS A NORMAL PHENOMENON, PLEASE FEEL FREE TO USE IT.

THE US AGENT: THE RAGE PRODUCT CORP
ADDRESS: 4556 OAK SHORES DR PLANO TX 75024-7351
PERIOD OF VALIDITY: 3 YEARS



SPF 50+++

CRYSTAL SUNSCREEN
SPRAY SPF 50 PA+++

BROAD SPECTRUM
SUNSCREEN WITH PROTECTION
AGAINST THE SUN



Net : 5.07oz/150ml



7 627164 710540

titanium dioxide spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84556-682
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ETHYLHEXYL TRIAZONE (UNII: XQN8R9SAK4) (ETHYLHEXYL TRIAZONE - UNII:XQN8R9SAK4)	ETHYLHEXYL TRIAZONE	1 g in 150 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.2 g in 150 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.5 g in 150 mL

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84556-682-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/18/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M020	07/18/2024	
--------------------	------	------------	--

Labeler - Hainan Shengtaizhuo International Information Development Co., LTD (976885514)

Establishment

Name	Address	ID/FEI	Business Operations
Hainan Shengtaizhuo International Information Development Co., LTD		976885514	manufacture(84556-682)

Revised: 7/2024

Hainan Shengtaizhuo International Information Development Co., LTD