

**MORPHINUM- morphine pellet**  
**REMEDY MAKERS**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

CII

**WARNING**

"The FDA has not determined that the product is safe, effective and not misbranded for its intended use."

**INDICATIONS:**

PAIN, NAUSEA, DIARRHEAN NEURITIS, OR OTHER INDICATIONS

**WARNING:**

Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug. If you are pregnant or nursing (breast-feeding) a baby, seek the advise of a health professional before using this product. Store tightly closed in a cool area.

**Directions (adult/children)**

Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day or as directed by a physician. Children 2 years and older take 1/2 adult dose.

**Inactive Ingredients**

Lactose and Sucrose. Free from yeast, wheat, corn and soy.

**Other Information**

Contains approx. 158 - 165 pellets.

**Questions and comments:**

(877) REM4YOU Fax (909) 594-4205 Pomona, CA. 91768 USA [www.remedymakers.com](http://www.remedymakers.com)

CAUTION: Federal law prohibits dispensing without prescription.

REMEDY MAKERS™



**MORPHINUM 12X<sub>H</sub>**

(Morphine Base) 1 gram of morphine contains approx. 0.1 mg

**PAIN, NAUSEA, DIARRHEA,  
NEURITIS, OR OTHER INDICATIONS**

2 Drams (1/4 ounce) Lot # XXX-XXXX Exp N/A

**\*WARNING: The FDA has not determined that this product is safe, effective, and not adulterated for its intended use.**

**Drug Facts: Active ingredient:** Listed above. To be used according to standard homeopathic indications for self-limiting conditions such as those indicated above or as directed by a physician.

**Warning:** Use only if cap and seal are unbroken. Keep this and all medication out of reach of children. If symptoms persist for more than 3 days or worsen, discontinue (STOP) use and consult your physician. As with any drug, if you are pregnant or nursing (breast-feeding) a baby, seek the advice of a health professional before using this product. Store tightly closed in a cool area.

**Directions (adult/children):** Dissolve 3 or 4 pellets in mouth or under tongue 3 times a day; dose directed by a physician, children 2 years and older take 1/2 adult dose.

**Other information:** Contains approx. 158 - 165 pellets.

**Inactive ingredients:** Lactose and Sucrose. Free from yeast, wheat, corn and soy.

**Questions or comments:** (877) REMAYOU Fax: (909) 594-4205 Pomona, CA 91769, USA [www.remedymakers.com](http://www.remedymakers.com)

CAUTION: Federal law prohibits dispensing without prescription

NDC 10191-1004-2



HOMEOPATHIC  
MEDICINE

**MORPHINUM**

morphine pellet

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10 19 1-10 0 4
<b>Route of Administration</b>	SUBLINGUAL	<b>DEA Schedule</b>	CII

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ABT-925 ANHYDRO US FREE BASE (UNII: E6CKI5C54O) (ABT-925 ANHYDROUS FREE BASE - UNII:E6CKI5C54O)	ABT-925 ANHYDROUS FREE BASE	12 [hp_X]

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
LACTOSE (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

### Packaging

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:10 19 1-10 0 4-2	158 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/03/2015	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		08/03/2015	

**Labeler** - REMEDY MAKERS (018543582)

**Registrant** - REMEDY MAKERS (018543582)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
REMEDY MAKERS		018543582	manufacture(10 19 1-10 0 4)

Revised: 8/2015

REMEDY MAKERS