

RAPIDOL 500 EXTRA STRENGTH- acetaminophen tablet
Pharmadel LLC

Rapidol Acetaminophen 500 Display (V)

Drug Facts

Active ingredient & Purposes

Active ingredient (in each tablet)
Acetaminophen 500 mg

Purposes

Pain reliever/ fever reducer

Uses

For the temporary relief of minor aches and pains due to:

- a cold
- headache
- backache
- muscular aches
- toothache
- minor pain of arthritis
- premenstrual and menstrual cramps
- and to reduce fever

Warnings

Liver warning: This product contains **acetaminophen**. Severe liver damage may occur if you take

- more than **8 tablets in 24 hours**, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product
-

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if allergic to any of the ingredients in this product

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

If pregnant or breast feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see LIVER WARNING)**

Age	Dose
adults and children 12 years of age and older	<ul style="list-style-type: none">• take 2 tablets, every 6 hours while symptoms last• do not take more than 8 tablets in 24 hours
children under 12 years of age	<ul style="list-style-type: none">• do not use

Other information

- store between 77-86°F (25-30°C)

Inactive ingredients

croscarmellose sodium, microcrystalline cellulose 101, povidone k30, silicon dioxide, stearic acid

Questions or comments?

+1-866-359-3478 (M-F) 9 AM to 5 PM EST or www.pharmadel.com

Dist.by/ por:

Pharmadel LLC.

New Castle, DE 19720

Principal Display Panel

NDC 55758-439-50

Rapidol[®]

500_{mg}

**ACETAMINOPHEN
EXTRA STRENGTH**
for adults



- ***Pain reliever***
- ***Fever reducer***

Each Packet: 2 Tablets
Cada Sobre: 2 Tabletas

RAPIDOL 500 EXTRA STRENGTH

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-439
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POVIDONE K30 (UNII: U725QWY32X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MICROCRYSTALLINE CELLULOSE 101 (UNII: 7T9FYH5QMK)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule-Shaped Tablet)	Size	18mm
Flavor		Imprint Code	A1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-439-50	25 in 1 CARTON	08/06/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:55758-439-01	2 in 1 PACKET; Type 0: Not a Combination Product	08/01/2024	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/01/2024	

Labeler - Pharmadel LLC (030129680)

Revised: 10/2024

Pharmadel LLC