

**CVS HEALTH MULTI SYMPTOM SEVERE COLD MULTI SYMPTOM SEVERE COLD-  
acetaminophen, dextromethorphan hbr, phenylephrine hcl powder, for solution  
CVS Pharmacy, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**CVS Health Multi-Symptom Severe Cold Green Tea and Honey Lemon Flavors 6 Packets**

***Active ingredients (in each packet)***

Acetaminophen 500 mg

Dextromethorphan hydrobromide 20 mg

Phenylephrine hydrochloride 10 mg

***Purposes***

Pain reliever / fever reducer

Cough Suppressant

Nasal Decongestant

***Uses***

- temporarily relieves these symptoms due to a cold:
  - minor aches and pains
  - minor sore throat pain
  - headache
  - nasal and sinus congestion
  - cough due to minor throat and bronchial irritation
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

**Do not use**

- in a child under 4 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or a pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**When using this product**

**do not exceed recommended dosage**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not use more than directed**
- take every 4 hours ; not to exceed 6 packets in 24 hours or as directed by a doctor

Age	Dose
<b>children under 4 years of age</b>	<b>do not use</b>

children 4 to under 12 years of age	do not use unless directed by a doctor
adults and children 12 years of age and over	one packet

- dissolve contents of one packet into 8 oz. hot water: sip while hot. Consume entire drink within 10 - 15 minutes.
- if using a microwave, add contents of one packet to 8 oz. of cool water: stir briskly before and after heating, Do not overheat.

### ***Other information***

- **each packet contains**: potassium 6 mg
- store at controlled room temperature 20°-25°C (68°-77°F). Protect from excessive heat and moisture.

### ***Inactive ingredients***

anhydrous citric acid, caramel, flavors, maltodextrin ,potassium citrate, silica, sucralose, sucrose,

### **Questions or Comments**

**1-866-467-2748**

### **Principal Display**



READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE, KEEP CARTON FOR REFERENCE. DO NOT DISCARD.

**Drug Facts**

**Active ingredients (in each packet)** **Purposes**  
Acetaminophen 500 mg. Pain reliever/fever reducer  
Dextromethorphan hydrobromide 20 mg. Cough Suppressant  
Phenylephrine hydrochloride 10 mg. Nasal Decongestant

**Uses**  
Temporarily relieves these symptoms due to a cold:  
minor aches and pains, minor sore throat pain, headache, nasal and sinus congestion, cough due to minor throat and bronchial irritation, temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours, with other drugs containing acetaminophen, 3 or more alcoholic drinks every day while using this product.  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use in a child under 4 years of age if you are allergic to acetaminophen or with any other drug containing acetaminophen (prescription and nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
liver disease, heart disease, high blood pressure, thyroid disease, diabetes, trouble urinating due to an enlarged prostate gland, cough that occurs with too much phlegm (mucus), cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**When using this product** do not exceed recommended dosage

**Stop use and ask a doctor if**  
nervousness, dizziness, or sleeplessness occurs, fever gets worse or lasts more than 3 days, redness or swelling is present, new symptoms occur, symptoms do not get better or worsen, pain, cough or nasal congestion gets worse or lasts more than 7 days, cough comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

\*This product is not manufactured or distributed by Novartis Consumer Health, Inc., distributor of Theraflu® Multi-Symptom Severe Cold.

**Drug Facts (continued)**

**Directions**

do not use more than directed  
take every 4 hours; not to exceed 6 packets in 24 hours or as directed by a doctor

Age	Dose
children under 4 years of age	do not use
children 4 to under 12 years of age	do not use unless directed by a doctor
adults and children 12 years of age and over	one packet

do not use if you are pregnant or breastfeeding  
do not use if you are taking other acetaminophen products  
do not use if you are taking other cough suppressant products  
do not use if you are taking other nasal decongestant products  
do not use if you are taking other cold and flu products  
do not use if you are taking other pain relievers  
do not use if you are taking other fever reducers  
do not use if you are taking other throat lozenges  
do not use if you are taking other throat sprays  
do not use if you are taking other throat pastilles  
do not use if you are taking other throat patches  
do not use if you are taking other throat tablets  
do not use if you are taking other throat drops  
do not use if you are taking other throat gels  
do not use if you are taking other throat ointments  
do not use if you are taking other throat creams  
do not use if you are taking other throat powders  
do not use if you are taking other throat capsules  
do not use if you are taking other throat lozenges  
do not use if you are taking other throat sprays  
do not use if you are taking other throat pastilles  
do not use if you are taking other throat patches  
do not use if you are taking other throat tablets  
do not use if you are taking other throat drops  
do not use if you are taking other throat gels  
do not use if you are taking other throat ointments  
do not use if you are taking other throat creams  
do not use if you are taking other throat powders  
do not use if you are taking other throat capsules

**Other information**  
each packet contains: potassium 6 mg  
store at controlled room temperature 20°-25°C (68°-77°F). Protect from excessive heat and moisture.

**Inactive ingredients** anhydrous citric acid, caramel, flavors, potassium citrate, silica, sucralose, sucrose, maltodextrin

**Questions or comments?**  
1-866-467-2746

**TAMPER EVIDENT INNER UNIT: DO NOT USE IF SEALED PACKET IS TORN OR BROKEN.**

**Dye, Aspartame, & Sodium free**

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-12431



CVS Health.  
**Multi-Symptom Severe Cold**  
ACETAMINOPHEN  
Pain reliever; Fever reducer  
DEXTROMETHORPHAN HBr  
Cough suppressant  
PHENYLEPHRINE HCl  
Nasal decongestant  
6 PACKETS

CVS Health.  
Compare to the active ingredients in Theraflu® Multi-Symptom Severe Cold\*  
**Severe**

**Multi-Symptom Severe Cold**  
ACETAMINOPHEN  
Pain reliever; Fever reducer  
DEXTROMETHORPHAN HBr  
Cough suppressant  
PHENYLEPHRINE HCl  
Nasal decongestant

- Relieves:
- Nasal congestion
  - Sore throat pain
  - Cough
  - Headache
  - Body ache
  - Fever



Green Tea & Honey Lemon Flavors  
6 PACKETS

#633103 54706CVSFC  
0 50428 52409 1

Lot:  
Exp:

CVS Health.

**Multi-Symptom Severe Cold**  
CVS Health™ Multi-Symptom Severe Cold provides complete relief of your severe cold symptoms. This soothing hot liquid formula is dye free, aspartame free and sodium free and tastes great.

For nighttime relief, try CVS Health™ Nighttime Severe Cough & Cold.

CVS Health™  
Compare to the active ingredients in Theraflu® Multi-Symptom Severe Cold\*  
Severe  
NDC 59779-877-06  
Multi-Symptom  
Severe Cold  
ACETAMINOPHEN  
Pain reliever; Fever reducer  
DEXTROMETHORPHAN HBr  
Cough suppressant  
PHENYLEPHRINE HCl  
Nasal decongestant  
Relieves:

- Nasal congestion
- Sore throat pain
- Cough
- Headache
- Body ache
- Fever

Green Tea & Honey Lemon Flavors

6 PACKETS

**READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE, KEEP CARTON FOR REFERENCE, DO NOT DISCARD,**

Multi-Symptom Severe Cold

**CVS Health™ Multi-Symptom Severe Cold** provides complete relief of your severe cold symptoms. This soothing hot liquid formula is dye free, aspartame free and sodium free and tastes great.

**For nighttime relief, try CVS Health™ Nighttime Severe Cough & Cold.**

**TAMPER EVIDENT INNER UNIT: DO NOT USE IF SEALED PACKET IS TORN OR BROKEN.**

Dye, Aspartame, & Sodium free

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

©2015 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

V-12431

CVS® Quality

Money back Guarantee

\*This product is not manufactured or distributed by Novartis Consumer Health Inc., distributor of Theraflu® Multi-Symptom Severe Cold

## CVS HEALTH MULTI SYMPTOM SEVERE COLD MULTI SYMPTOM SEVERE COLD

acetaminophen, dextromethorphan hbr, phenylephrine hcl powder, for solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-877
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg

<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	<b>PHENYLEPHRINE HYDROCHLORIDE</b>	10 mg
---	------------------------------------	-------

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>CARAMEL</b> (UNII: T9D99G2B1R)	
<b>MALTO DEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	HONEY (Green Tea infused with Honey Lemon)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-877-06	6 in 1 CARTON; Type 0: Not a Combination Product	07/21/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/21/2015	

**Labeler** - CVS Pharmacy,Inc. (062312574)

Revised: 7/2019

CVS Pharmacy,Inc.