GUAIFENESIN 100MG/5ML- guaifenesin solution
Belleview Biosciences

Guaifenesin Oral Solution 100mg/5mL

Dosage & Admin

Directions:

■ do not take more than 6 doses in any 24-hour period.

AGE	DOSE
Adults & Children 12 years and over	2-4 teaspoonfuls every 4 hours
Children 6 years to under 12 years	1-2 teaspoonfuls every 4 hours
Children 2 to under 6 years	1/2 - 1 teaspoonfuls every 4 hours
Children Under 2 years	Ask a Doctor

Warnings

Warnings:

Ask a doctor before use if you have

■ cough that occurs with too much phlegm (mucus)

■ cough that lasts or is chronic, such as occurs with smoking, asthma,

Chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes

back, or is accompanied by fever, rash or persistent headache.

These could be signs of a serious condition.

If pregnant of breast-feeding, ask a health professional before

use. Keep out of reach of children. In case of overdose, get

medical help or contact a Poison Control Center right away.

Inactive Ingredients: Citric Acid, Flavor, Methylparaben, Monoammonium Glycyrrhizinate, Potassium Citrate, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Sucralose

Uses:

■ helps loosen phlegm (mucus) and thin bronchial secretions to make

coughs more productive

Keep out of reach of children. In case of overdose, get

medical help or contact a Poison Control Center right away.

Purpose: Expectorant

Active Ingredient (in each 5 mL tsp)

Guaifenesin 100 mg

NDC 84447-101-01
Guaifenesin Oral Solution
Guaifenesin 100mg/5ml

Bulk Label

Lot:
Mfg:

BULK SHIPMENT
PLEASE HANDLE CAREFULLY

Contains:
100mg Guaifenesin per 5 ml; Inactive Ingredients: Citric
Acid, Flavor, Methylparaben, Monoammonium
Glycyrrhizinate, Potassium Citrate, Propylene Glycol,
Propylparaben, Purified Water, Sorbitol, Sucralose

Sugar, Alcohol, Gluten and Dye Free

CAUTION:
FOR REPACKAGING ONLY
Store at controlled room temperature 15°-30°C (59°- 86°F)

BELLEVIEW
BIOSCIENCE
Manufactured by:
Belleview Biosciences LLC.
Brooksville, FL 34604

Gross wt: _____
Tare wt: _____
Net wt: _____
Drum: _____ of _____

GUAIFENESIN 100MG/5ML

guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84447-101
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84447-101-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/11/2024	
2	NDC:84447-101-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/11/2024	
3	NDC:84447-101-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/11/2024	
4	NDC:84447-101-01	200000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/11/2024	

Drug Facts

Active Ingredient (in each 5 mL tsp) — **Purpose**
Guaifenesin 100 mg .... Expectorant

Uses:
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings:
Ask a doctor before use if you have
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic, such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant of breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:
- do not take more than 6 doses in any 24-hour period.

Age	Dose
adults and children 12 years and over	2-4 teaspoonfuls every 4 hours

NDC 83335-101-16

MADE IN THE USA

CuraTUSSIN

EXPECTORANT

GUAIFENESIN 100 mg / 5 mL

LOOSENS AND RELIEVES CHEST CONGESTION

Compare to the active ingredient in *Robitussin®

✓SUGAR FREE ✓ALCOHOL FREE
✓DYE FREE ✓GLUTEN FREE

Net Content: 16 fl oz (473 mL)
Grape Flavor

W Wittman Pharma

Drug Facts (continued)

Directions: (continued)
- do not take more than 6 doses in any 24-hour period.

Age	Dose
children 6 years to under 12 years	1-2 teaspoonfuls every 4 hours
children 2 years to under 6 years	½-1 teaspoonfuls every 4 hours
under 2 years	ask a doctor

Other information
- store at 15°-30°C (59°-86°F)
- tamper evident, do not use if imprinted safety seal under cap is broken or missing

Inactive Ingredients: Citric Acid, Flavor, Methylparaben, Monoammonium Glycyrrhizinate, Potassium Citrate, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Sucralose

Questions? Call 1-352-549-9917 M-F 9am - 5pm EST
Manufactured for: Wittman Pharma, Inc. Brooksville, FL 34604

*Robitussin® is a registered trademark of Wyeth Consumer Healthcare.   Rev. 1/2024

N3 83335 10116 2

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

| OTC Monograph Drug | M012 | 10/01/2024 | |

Labeler - Belleview Biosciences (131968803)

Registrant - Belleview Biosciences (131968803)

Establishment

Name	Address	ID/FEI	Business Operations
Belleview Biosciences		131968803	manufacture(84447-101) , label(84447-101) , analysis(84447-101)

Revised: 11/2024

Belleview Biosciences