ACETAMINOPHEN- acetaminophen oral solution solution Belleview Biosciences LLC

CuraNOL

Directions:

- Dosage may be repeated every 4 hours, or as directed by doctor
- Do not exceed recommended dose.
- Find dose in chart below If possible, use weight to dose, otherwise use age

Dosage							
Weight (lbs)	Under 24	24-35	36-47	48-59	60-71	72-95	Over 95
Age (years)	Under 2	2 to 3	4 to5	6 to 8	9 to 10	11	12 to Adult
Dosage Teaspoonful (tsp)	consult a doctor	1 tsp (5 mL)	5 1 1/2 tsp (7.5 mL)	2 tsp (10mL)	2 1/2 tsp (12.5 mL)	3 tsp (15 mL)	4 tsp (20mL)

Warnings: Liver Warning: This product contains acetaminophen.

Severe liver damage may occur if.

- adults take more than 6 doses in 24 hours, which is the maximum daily amount
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen (prescription or nonprescription)
- adult has 3 or more alcoholic drinks while using this product.
- Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening blisters ■rash

If skin reaction occurs, stop use and seek medical help right away

Do not use with any other product containing acetaminophen (prescription or nonprescription), this will provide more than the recommended dose (overdose) of acetaminophen and could cause serious health concerns. If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. WHEN USING THIS PRODUCT, DO NOT EXCEED RECOMMENDED DOSE

Ask a doctor before use if you have a liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask doctor if: \blacksquare pain gets worse or lasts more than 10 days in adults

■ pain gets worse or lasts more than 5 days in children under 12 years

fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness

or swelling is present. These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Inactive ingredients: Citric Acid, Flavor, Methylparaben, Monoammonium

Glycyrrhizinate, Potassium Citrate, Propylene Glycol, Propylparaben, Purified Water, Sorbitol,

Sucralose

Uses:Temporarily relieves minor aches and pains due to: ■ headache

 \blacksquare backache \blacksquare muscular aches \blacksquare minor pain of arthritis \blacksquare the common cold

■ toothache ■ premenstrual and menstrual cramps

Temporarily reduces fever.

Keep out of reach of children.

Purpose:

Pain reliever/Fever reducer

Active Ingredient(in each 5 mL tsp)

Acetaminophen,160mg

NDC 84447-104-01 Acetaminophen 160mg/ml Bulk Label

Lot: Mfg:

BULK SHIPMENT PLEASE HANDLE CAREFULLY

Contains:

160mg Acetaminophen per 5 ml; Inactive Ingredients: Citric Acid, Grape Flavor, Methylparaben, Monoammonium Glycyrrhizinate, Potassium Citrate, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Sucralose

Sugar, Alcohol, Gluten and Dye Free

CAUTION: FOR REPACKAGING ONLY Store at controlled room temperature 15°-30°C (59°- 86°F)

	Gross wt:
BELLEVIEW	Tare wt:
BIØSCIENCE	Net wt:
Manufactured by: Belleview Biosciences LLC. Brooksville, FL 34604	Drum: of

Δ(CETAMIN					
'		oral solution s	solution			
act	etaminoprien					
D	roduct Info	rmation				
	roduct Type		HUMAN OTC DRUG	Item Coc	le (Source)	NDC:84447-104
Ro	oute of Admi	nistration	ORAL			
٨	ctivo Ingro	hient/Active	Mojety			
Active Ingredient/Active Moiety Ingredient Name Basis of Strend						ngth Strength
AC		-	.9D) (ACETAMINOPHEN -	- UNII:36209ITI 9		160 mg in 5 mL
~~				01111.30203112		100 mg m 5 mE
In	active Ingr	edients				
Ingredient Name					Strength	
METHYLPARABEN (UNII: A2I8C7HI9T)						
	POTASSIUM CITRATE (UNII: EE90ONI6FF)					
PROPYLPARABEN (UNII: Z8IX2SC10H)						
SORBITOL (UNII: 506T60A25R) PROPYLENE GLYCOL (UNII: 6DC9Q167V3)						
	ATER (UNII: 059		2107 03)			
	SUCRALOSE (UNII: 96K6UQ3ZD4) AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)					
		RIC ACID (UNII:)				
Dı	roduct Cha	racteristics				
				Score		
Color		Size				
Shape Flavor		GRAPE Imprint Code				
Contains					-	
Pa	ackaging					
#	Item Code	Pa	ackage Descriptio	n	Marketing Start Date	Marketing End Date
	NDC:84447- 104-16	473 mL in 1 BO Combination Pro	TTLE, PLASTIC; Type 0: oduct	Not a	07/20/2024	
	NDC:84447- 104-08	237 mL in 1 BO Combination Pro	TTLE, PLASTIC; Type 0: oduct	Not a	07/20/2024	
-	NDC:84447- 104-04	118 mL in 1 BOT Combination Pro	TTLE, PLASTIC; Type 0: oduct	Not a	07/20/2024	
	NDC:84447- 104-01	200000 mL in 1 Product	DRUM; Type 0: Not a C	ombination	07/20/2024	
Μ	larketing	Informat	ion			
	Marketing	Applicat	tion Number or Mo	nograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M013	07/20/2024	

Labeler - Belleview Biosciences LLC (131968803)

Establishment

Name	Address		Business Operations
Belleview Biosciences LLC		131968803	label(84447-104) , manufacture(84447-104) , analysis(84447-104) , pack(84447-104)

Revised: 11/2024

Belleview Biosciences LLC