DIPHENHYDRAMINE HCL- diphenhydramine hcl solution Belleview Biosciences

Diphenhydramine HCL

Directions: Take every 4-6 hours, or as directed by doctor. * Do NOT exceed the recommended dose

Age Dose

Adults and Children 12 years of age take 10 to 20 mL (2 to 4 tsp), not to exceed 300

and over mg in 24 hours

Children 6 to under 12 years of age take 5 to 10 mL (1 to 2 tsp) not to exceed 150 mg

in 24 hours

Children under 6 years of age Consult a doctor

Warnings:

Do not use: ■ with any other product containing

diphenhydramine, even one used on skin

to make a

child sleepy

Ask a doctor before use if you have: ■ a breathing

problem such as emphysema or chronic bronchitis

■ glaucoma ■ trouble urinating due to the enlarged

prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product: ■ excitability might occur,

especially in children ■ marked drowsiness may occur

■ avoid alcoholic drinks ■ alcohol, sedatives, and

tranquilizers may increase drowsiness effect ■ be careful

when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health

professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a

Poison Control Center (1-800-222-1222) right away.

Inactive Ingredients: Citric Acid,

Flavor, Methylparaben, Monoammonium

Glycyrrhizinate, Potassium Citrate, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Sucralose Uses: Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ Temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Purpose: Antihistamine

Active Ingredient (in each 5 mL tsp)

Drug Facts

Diphenhydramine HCL, 12.5 mg

NDC 84447-103-01 Diphenhydramine HCI 12.5 mg / 5 ml Bulk Label

Lot:	
Mfg	:

BULK SHIPMENT PLEASE HANDLE CAREFULLY

Contains:

12.5mg Diphenhydramine HCL per 5 ml; Inactive Ingredients: Citric Acid, Flavor, Methylparaben, Monoammonium Glycyrrhizinate, Potassium Citrate, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Sucralose

Sugar, Alcohol, Gluten and Dye Free

CAUTION:

FOR REPACKAGING ONLY

Store at controlled room temperature 15°-30°C (59°-86°F)

BELLEVIEW
BIQSCIENCE
Manufactured but

Manufactured by: Belleview Biosciences LLC. Brooksville, FL 34604

Gross wt: _	
Tare wt:	
Net wt:	
Drum:	_ of

DIPHENHYDRAMINE HCL

diphenhydramine hcl solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84447-103

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)		
POTASSIUM CITRATE (UNII: EE90ONI6FF)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SORBITOL (UNII: 506T60A25R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84447- 103-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/20/2024	
2	NDC:84447- 103-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/20/2024	
3	NDC:84447- 103-01	200000 mL in 1 DRUM; Type 0: Not a Combination Product	07/20/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/20/2024	

Labeler - Belleview Biosciences (131968803)

Revised: 7/2024 Belleview Biosciences