

**ACID REDUCER- omeprazole magnesium capsule, delayed release  
LEADER/ Cardinal Health 110, Inc.**

-----  
**Omeprazole Magnesium - Cardinal Leader**

**Active ingredient (in each capsule)**

\*Omeprazole delayed-release capsule 20 mg  
(equivalent to 20.6 mg omeprazole magnesium)

**Purpose**

Acid reducer

**Use**

- treats frequent heartburn (occurs ***2 or more*** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:**

- Do not use if you are allergic to omeprazole
- Omeprazole may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - blisters
  - rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

## **Ask a doctor or pharmacist before use if you are**

taking a prescription drug.

Acid reducers may interact with certain prescription drugs.

## **Stop use and ask doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away(1-800-222-1222).

## **Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

### **14-day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush capsules.

### **Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

## **Other information**

- read the directions and warnings before use
- keep the carton. It contains important information
- store at 20-25°C (68-77°F) and protect from moisture

## **Inactive ingredients**

black iron oxide, dibasic calcium phosphate, gelatin, glyceryl monostearate,

hypromellose 3 cps, magnesium oxide, magnesium stearate, methacrylic acid copolymer dispersion, methacrylic acid copolymer Type B, microcrystalline cellulose, polysorbate 80, potassium hydroxide, propylene glycol, red iron oxide, shellac, silicon dioxide, sodium lauryl sulphate, sugar spheres, talc, titanium dioxide, triethyl citrate

## Questions

Call **1-888-375-3784**

## Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

## Acid Reducer Carton Label

**LEADER™**

NDC 70000-0232-1

**Acid Reducer**

**Omeprazole**

**Delayed-release Capsules, 20 mg\***

Treats Frequent Heartburn

**14 DELAYED-RELEASE CAPSULES**

**One 14-Day Course of Treatment**

May take 1 to 4 days for full effect

**COMPARE TO**

**PRILOSEC OTC®**

**active ingredient\*\***

100% Money

Back Guarantee

## Acid Reducer Bottle Label

**LEADER™**  
NDC 70000-0232-1

## Acid Reducer Omeprazole Delayed-release Capsules, 20 mg\*

Treats Frequent Heartburn

May take 1 to 4 days for full effect

**14 DELAYED-RELEASE CAPSULES**  
**One 14-Day Course of Treatment**



LOT

EXP

NDC 70000-0232-1  
**24 Hour**  
**Omeprazole**  
Delayed-Release Capsules, 20 mg\*  
Acid Reducer

Treats Frequent Heartburn!

**14 CAPSULES (SAFETY SEALED)**  
One 14-Day Course of Treatment  
May Take 1 to 4 Days for Full Effect

**IMPORTANT:** This label does not contain full product information. See carton for complete information. Read all warnings and directions on carton before use. Retain carton for reference.

**Active ingredient Purpose (in each capsule)**  
\* Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium), .....reducer

**Use**  
■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Other Information**  
■ read the directions and warnings before use ■ keep the carton. It contains important information. ■ store at 20-25 °C (68-77 °F) and protect from moisture

**Questions?** call 1-888-375-3784

**TAMPER EVIDENT:** Do not use if foil seal under cap printed with "Sealed for your protection" or pink band around center of capsule is broken or missing.

DIST. BY CAH DUBLIN, OH 43007  
www.myleader.com 1-800-200-6313  
**100% Money Back Guarantee**  
Return to place of purchase if not satisfied.

**150091926**  
CIN 5309364  
REV. 1/23

**ACID REDUCER**

No Coating Area

15 031 9 0 6

No Coating Area

LOT

EXP

No Coating Area

15 031 9 0 6

**Drug Facts**

**Active ingredient (in each capsule) Purpose**  
Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium) Acid reducer

**Use**  
■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect

**Warnings**  
**Allergy alert:**  
■ Do not use if you are allergic to omeprazole  
■ Omeprazole may cause severe skin reactions. Symptoms may include ■ skin redness ■ blisters ■ rash  
If you have an allergic reaction occur, stop use and seek medical help right away.

**Do not use if you have:**  
■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools  
■ heartburn with lightheadedness, sweating or dizziness  
■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness  
■ frequent chest pain  
These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have:**  
■ had heartburn over 3 months. This may be a sign of a more serious condition.  
■ frequent vomiting, particularly with heartburn  
■ unexplained weight loss ■ nausea or vomiting ■ stomach pain

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if:**  
■ your heartburn continues or worsens  
■ you need to take this product for more than 14 days

**Drug Facts (continued)**

■ you need to take more than 1 course of treatment every 4 months  
■ you get dizziness ■ you develop a rash or peeling skin  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
■ for adults 18 years of age and older  
■ this product is to be used once a day (every 24 hours), every day for 14 days  
■ it may take 1 to 4 days for full effect, some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**  
■ swallow 1 capsule with a glass of water before eating in the morning  
■ take every day for 14 days  
■ do not take more than 1 capsule a day  
■ do not use for more than 14 days unless directed by your doctor  
■ you may repeat a 14-day course every 4 months

**Important 14-Day Courses (if needed)**  
■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor  
■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a reflux condition.

**Other information**  
■ read the directions and warnings before use  
■ keep the carton. It contains important information.  
■ store at 20 to 25 °C (68 to 77 °F) and protect from moisture

**Inactive ingredients**  
black iron oxide, dibasic calcium phosphate, gelatin, glyceryl monostearate, hypromellose 3 cps, magnesium oxide, magnesium stearate, methacrylic acid copolymer dispersion, methacrylic acid copolymer (E-12), microcrystalline cellulose, polyethylene glycol, potassium hydroxide, polyethylene glycol, red iron oxide, silica, silicon dioxide, sodium lauryl sulfate, titanium dioxide, yellow iron oxide, hydroxypropyl cellulose

**Questions or comments?** call 1-888-375-3784

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- Avoiding alcohol, lose weight
- Quit smoking

**TAMPER EVIDENT:** Do not use if foil seal under cap printed with "sealed for your protection" or pink band around center of capsule is broken or missing.

**IMPORTANT:** Read the directions and warnings before use. Keep the carton. It contains important information.

\*\*This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC®. Prilosec OTC® is a registered trademark of AstraZeneca AB.

**24 Hour**  
**Omeprazole**  
Delayed-Release Capsules, 20 mg\* | Acid Reducer

1 BOTTLE INSIDE

See Current Drug Facts

**LEADER™**

NDC 70000-0232-1  
**24 Hour**  
**Omeprazole**  
Delayed-Release Capsules, 20 mg\* | Acid Reducer

Treats Frequent Heartburn!

**14 CAPSULES (SAFETY SEALED)**  
One 14-Day Course of Treatment  
May Take 1 to 4 Days for Full Effect

Actual Size

1 BOTTLE INSIDE



Actual Size

**CardinalHealth™**

©2023 Cardinal Health. All rights reserved. CARDINAL HEALTH, the Cardinal Health logo, DESIGN TO LIVE, LEADER, and the LEADER logo are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

150091926

www.myleader.com 1-800-200-6313

Enrolled in GM® since 1979

Not in use

100% Money Back Guarantee

Return to place of purchase if not satisfied.

CIN 5309364 REV. 1/23



0 96295 113085 0

omeprazole magnesium capsule, delayed release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0232(NDC:55111-397)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OMEPRAZOLE MAGNESIUM</b> (UNII: 426QFE7XLK) (omeprazole - UNII:KG60484QX9)	omeprazole	20 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>Gelatin</b> (UNII: 2G86QN327L)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>HYPROMELLOSE 2208 (3 MPA.S)</b> (UNII: 9H4L9160BU)	
<b>Magnesium Oxide</b> (UNII: 3A3U0GI71G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:2)</b> (UNII: 5KY68S2577)	
<b>Methacrylic Acid - Ethyl Acrylate Copolymer (1:1) Type A</b> (UNII: NX76LV5T8J)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>RAW SUGAR</b> (UNII: 8M707QY5GH)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>Sodium Lauryl Sulfate</b> (UNII: 368GB5141J)	

### Product Characteristics

<b>Color</b>	WHITE, PINK	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	22mm
<b>Flavor</b>		<b>Imprint Code</b>	OMP20
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:70000			

1	NDC: 70000-0232-1	1 in 1 CARTON	03/07/2017	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC: 70000-0232-2	2 in 1 CARTON	03/07/2017	02/28/2026
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC: 70000-0232-3	3 in 1 CARTON	03/07/2017	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078878	03/07/2017	

**Labeler** - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 7/2025

LEADER/ Cardinal Health 110, Inc.