CHILDRENS MUCUS AND COUGH RELIEF - dextromethorphan hbr, guaifenesin liquid CVS

Childrens Mucus and Cough

ACTIVE INGREDIENTS (in each 5 mL)

Dextromethorphan HBr 5 mg Guaifenesin 100 mg

PURPOSE

Cough suppressant Expectorant

USES

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
 - the impulse to cough to help your child get to sleep
 - the intensity of coughing

WARNING

DO NOT USE

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

ASK A DOCTOR BEFORE USE IF THE CHILD HAS

- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

STOP USE AND ASK A DOCTOR IF

• cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious illness.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

DIRECTIONS

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL=milliliter

Age	Dose
children 6 years to under 12 years	5 mL-10 mL every 4 hours
children o years to under 12 years	every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL
children 4 years to under 0 years	every 4 hours
children under 4 years	do not use

OTHER INFORMATION

- each 5 mL contains: potassium 5 mg, sodium 5 mg
- store between 20 to 25°C (68 to 77°F)
- do not refrigerate
- dosing cup provided

INACTIVE INGREDIENTS

citric acid anhydrous, dextrose, D&C red#33, FD&C red#40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propyl paraben, purified water, saccharin sodium, sodium hydroxide, sorbitol, sucralose, xanthan gum

PRINCIPAL DISPLAY PANEL

CVS Health

Compare to the active ingredients in Children's Mucinex[®] Cough*

NDC 51316-552-03

Children's

Cough

Dextromethorphan HBr 5mg

cough Suppressant

Guaifenesin 100 mg

Expectorant

Controls Cough

Relieves Chest Congestion

Breaks up mucus

Free of alcohol, parabens & high fructose corn syrup

Ages 4+ Years

Natural Cherry Flavor Dosage Cup Included 4 FL OZ (118mL)

CVS Health.

♥CVS

Health.

Children's

Children's Cough

DEXTROMETHORPHAN HBr 5 mg Cough suppressant **GUAIFENESIN** 100 mg Expectorant

Compare to the

active ingredients in Children's Mucinex® Cough*

Drug Facts

Active ingredients (in each 5 mL) Purpose

Dextromethorphan HBr 5 mg......Cough suppressant Guaifenesin 100 mg......ExpectorantExpectorant Uses

R

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
- the impulse to cough to help your child get to sleep
 the intensity of coughing

Warnings

Do not use in a child who is taking a prescription monoami oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has persistent or chronic cough such as occurs with asthma
 cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious illness. Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period measure only with dosing cup provided
 do not use dosing cup with other products
 ml, = millifiter

Age	Dose	
children 6 years to under 12 years	5 mL - 10 mL every 4 hours	
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours	
children under 4 years	do not use	

Drug Facts (continued)

Other information

each 5 ml, contains: potassium 5 mg, sodium 5 mg
 store between 20-25*C (58-77*F)
 do not refrigerate
 dosing cup provided

Inactive ingredients citric acid anhydrous, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sorbitol, sucralose, xanthan gum.

Free of gluten, sugar, aspirin, and ibuprofer

"This product is not manufactured or distributed by RB Health (USA), distributor of Children's Mucinex® Cough.

KEEP THIS BOX FOR COMPLETE INSTRUCTIONS.

DO NOT USE IF SEAL UNDER CAP IMPRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.

PARENTS:



Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2023 CVS/ph 1-800-SHOP CVS CVS.com V-15002

4

WestRock1343131-2 2/24

100% money back guaranteed. CVS.com/returnpolicy



Controls cough Relieves chest congestion

Breaks up mucus Free of alcohol, parabens & high fructose corn syrup

Ages 4+ Years




Natural Cherry Flavor Dosage Cup Included

Exp:

4 FL OZ (118 mL)







Actual Size

DO NOT USE IF SEAL UNDER CAP IMPRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING. Drug Facts Active ingredients (in each 5 mL) Purpose	Children's	Drug Facts (continued) Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ do not use dosing cup with other products		
Dextromethorphan HBr 5 mgCough suppressant Guaifenesin 100 mgExpectorant Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive ■ temporarily relieves: • cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants • the impulse to cough to help your child get to sleep • the intensity of coughing Warnings	DEXTROMETHORPHAN HBr 5 mg Cough suppressant GUAIFENESIN 100 mg Expectorant Controls cough Relieves chest congestion	Age Dose children 6 years to under 12 years 5 mL - 10 mL every 4 hours children 4 years to under 6 years 2.5 mL - 5 mL every 4 hours children under 4 years do not use Other information each 5 mL contains: potassium 5 mg, sodium 5 mg sodium 5 mg store between 20-25°C (68-77°F) do not refrigerate dosing cup provided		
Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.	& high fructose corn syrup	Refer to carton for full labeling information MFR# 53041 REV 06 Distributed by: CVS Pharmacy, Inc. One CVS Drive Woonsocket, RI 02895 Woonsocket, RI 02895 LOT: © 2023 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-15002 EXP:		

CHILDRENS MUCUS						
		LIEF				
dextromethorphan hbr, guaif	enesin liquid					
Product Information						
Product Type	HUMAN OTC DRUG	MAN OTC DRUG Item Code (Source)		NDC:51316-552		
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingre	dient Name		Basis of Strength		Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH)			DEXTROMETHORPHAN HYDROBROMIDE		5 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)			GUAIFENES IN		100 mg in 5 mL	
Inactive Ingredients						
Ingredient Name					Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				Sti	rength	
ANHIDROUS CITRIC ACID (UNII:	XF417D3PSL)			Sti	rength	
DEXTROSE, UNSPECIFIED FOR				Sti	rength	
· · · · · ·	(UNII: IY9XDZ 35W2)			Sti	rength	
DEXTROSE, UNSPECIFIED FOR	(UNII: IY9XDZ 35W2) BOL)			Sti	rength	
DEXTROSE, UNSPECIFIED FORM D&C RED NO. 33 (UNII: 9DBA0SB	(UNII: IY9XDZ 35W2) BOL)			Sti	rength	
DEXTROSE, UNSPECIFIED FORM D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZB912	(UNII: IY9XDZ 35W2) BOL) 27XOA)			Sti	rength	
DEXTROSE, UNSPECIFIED FORM D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZB912 GLYCERIN (UNII: PDC6A3C0OX)	(UNII: IY9XDZ 35W2) BOL) 27XOA) I9T)			Sti	rength	
DEXTROSE, UNSPECIFIED FORM D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZB912 GLYCERIN (UNII: PDC6A3C0OX) METHYLPARABEN (UNII: A2I8C7H	Image: UNII: IY9XDZ 35W2) B0L) 27XOA) I9T) PU26JZZ4)			Sti	rength	
DEXTROSE, UNSPECIFIED FORM D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZB912 GLYCERIN (UNII: PDC6A3C0OX) METHYLPARABEN (UNII: A218C7H POTASSIUM SORBATE (UNII: 1VF	Image: UNII: IY9XDZ 35W2) B0L) 27XOA) I9T) 2026JZZ4) Q167V3)				rength	
DEXTROSE, UNSPECIFIED FORM D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZ B912 GLYCERIN (UNII: PDC6A3C0OX) METHYLPARABEN (UNII: A2I8C7H POTASSIUM SORBATE (UNII: 1VF PROPYLENE GLYCOL (UNII: 6DC9	Image: UNII: IY9XDZ 35W2) B0L) 27XOA) I9T) 2026JZZ4) Q167V3)				rength	

SORBITOL (UNII: 506T60A25R)							
SODIUM HYDROXIDE (UNII: 55X04QC32I)							
SUCRALOSE (UNII:	96K6UQ3ZD4)						
XANTHAN GUM (UI	NII: TTV12P4NE	E)					
Product Characteristics							
Color		RED	Score				
Shape			Size				
Flavor		CHERRY	Imprint Code				
Contains							
Packaging							
# Item Code	Package Description		Marketing Start Date	Marketing End Date			
1 NDC:51316-552- 03	1 in 1 CARTON		01/28/2025				
1 118 mL in 1 BOTTLE; Type 0: Not a Combination Product							
Marketing Information							
Marketing Category	Application Number or Monograph Citation				ograph	Marketing Start Date	Marketing End Date
OTC Monograph Dru	ug M012			01/28/2025			

Labeler - CVS (062312574)

Establishment					
Name	Address	ID/FEI	Business Operations		
Guardian Drug Company		119210276	MANUFACTURE(51316-552)		

Revised: 1/2025

CVS