LORATADINE- loratadine tablet Bi-Mart

Loratadine Tablets, 10 mg

Active ingredient(in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not useif you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use ifyou haveliver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask doctor ifan allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24	
	hours	
children under 6 years of age	ask a doctor	
consumers with liver or kidney	ask a doctor	
disease		

Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED.

Inactive ingredients

lactose monohydrate, magnesium stearate, pregelatinized starch (maize), sodium starch glycolate

Questions?

call toll free 1-844-912-4012

Distributed by:

BI-MART

Eugene, OR 97402

PRINCIPAL DISPLAY PANEL-10 Tablets

NDC 37835-621-10

Compare to the Active Ingredient in Claritin ®*

Non-Drowsy**

Allergy Relief

Loratadine 10 mg/Antihistamine

24 Hour Allergy

Relief of:

- Sneezing, runny nose
- Itchy, watery eyes
- Itchy throat or nose

Original Prescription Strength

**When Taken as Directed. See Drug Facts Panel.

10 Tablets

*This product is not manufactured or distributed by the owner of the registered trademark Claritin ®



This product is not manufactured or distributed by the Eugene, 0R 97402 of overdose, get medical help or contact Poison Control Center (1-800-222-1222) more than 1 tablet store between 20° to 25°C (68° to 77°F) adults and children 1 tablet daily; not (eep out of reach of children. In case pregelatinized starch (maize), sodium Inactive ingredients lactose monohydrate, magnesium stearate, Irug Facts (continued ask a doctor ask a doctor owner of the registered trademark Claritin® in 24 hours protect from excessive moisture call to free 1-844-912-4012 Other information "When taken as directed, 6 years and over consumers with Questions? iver or kidney starch glycolate children under 6 years of age **Directions** ight away. disease

PRINCIPAL DISPLAY PANEL-30 Tablets NDC 37835-621-30

Compare to the Active Ingredient in Claritin ®*

Non-Drowsy**

Allergy Relief

Loratadine 10 mg/Antihistamine

24 Hour Allergy

Relief of:

- Sneezing, runny nose
- Itchy, watery eyes
- Itchy throat or nose

Original Prescription Strength

**When Taken as Directed. See Drug Facts Panel.

30 Tablets

*This product is not manufactured or distributed by the owner of the registered trademark Claritin $^{\circledR}$





PRINCIPAL DISPLAY PANEL-100 Tablets NDC 37835-621-01

Compare to the Active Ingredient in Claritin ®*

Non-Drowsy**

Allergy Relief

Loratadine 10 mg/Antihistamine

24 Hour Allergy

Relief of:

- Sneezing, runny nose
- Itchy, watery eyes
- Itchy throat or nose


Original Prescription Strength

**When Taken as Directed. See Drug Facts Panel.

100 Tablets

*This product is not manufactured or distributed by the owner of the registered trademark Claritin $^{\circledR}$





LORATADINE

loratadine tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-621
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg	

Inactive Ingredients		
Ingredient Name	Strength	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
STARCH, CORN (UNII: 08232NY3SJ)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)		

Product Characteristics			
Color	white (white to off white)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	G;10
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-621- 10	10 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	
2	NDC:37835-621- 30	30 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	
3	NDC:37835-621- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210722	01/01/2020	

Labeler - Bi-Mart (027630078)

Establishment				
Name	Address	ID/FEI	Business Operations	
Granules India Limited		918609236	manufacture(37835-621)	

Revised: 4/2025 Bi-Mart