

**FEXOFENADINE HCL- fexofenadine hcl tablet**  
**Rite Aid**

-----  
**Non-drowsy**

**Fexofenadine HCl Tablets USP, 180mg**

**Antihistamine**

**Indoor/Outdoor Allergy relief**

- **sneezing**
- **runny nose**
- **itchy, watery eyes**
- **itchy nose or throat**

**Active ingredient (in each tablet)**

Fexofenadine HCl USP, 180 mg

**Purpose**

.Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose  itchy, watery eyes  sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids

□ do not take with fruit juices (see Directions)

### **Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

### **If pregnant or breast-feeding,**

ask a health professional before use

### **Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours

children under 12 years of age do not use

adults 65 years of age and older ask a doctor

consumers with kidney disease ask a doctor

### **Other information**

□ safety sealed: do not use if imprinted foil under bottle cap is opened or torn

□ store between 20° and 25°C (68° and 77°F)

□ protect from excessive moisture

### **Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, macrogol, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide

### **Questions or comments?**

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

### **Principal Display Panel**





## FEXOFENADINE HCL

fexofenadine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-7660
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FEXOFENADINE HYDROCHLORIDE</b> (UNII: 2S068B75Z U) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL 6000</b> (UNII: 30IQX730WE)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>HYPROMELLOSE 2910 (15 MPA.S)</b> (UNII: 36SF2JZ0W)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

## Product Characteristics

<b>Color</b>	orange ((PEACH))	<b>Score</b>	no score
<b>Shape</b>	OVAL ((Capsule-shaped))	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	G6
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-7660-7	15 in 1 BLISTER PACK; Type 0: Not a Combination Product	10/01/2024	
2	NDC:11822-7660-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2024	
3	NDC:11822-7660-9	90 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211075	10/01/2024	

**Labeler** - Rite Aid (014578892)