PROCEUTICALS PRIVATE LABEL BY TIZO TINTED MINERAL SUNSCREEN 20% ZINC OXIDE- zinc oxide cream Fallien Cosmeceuticals, Ltd

ACTIVE INGREDIENTS: Zinc Oxide 20%

PURPOSE:Sunscreen

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure
- Reapply:
- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am- 2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Bismuth Oxychloride, C12-15 Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG 10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Iron Oxides, Hydrogren Dimethicone, Mica, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of the reach of children.

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging cuased by the sun.

Apply liberally 15 minutes befor sun exposure.

Principal Display Panel - 113 g Bottle Label

PROCEUTICALS

PRIVATE LABEL by TiZO

non-tinted

mineral sunscreen

20% zinc oxide

broad spectrum spf 40

water resistant (40 minutes)

net wt. 4 oz/ 113 g

Graphic-Untitled

DRUG FACTS

Zinc Oxide 20%

ACTIVE INGREDIENT:

PURPOSE:

Sunscreen

USES

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- · Apply liberally 15 minutes before sun exposure
- · Reapply:
 - · After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - · At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - · Limit time in the sun, especially from 10 am- 2 pm
 - · Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Bismuth Oxychloride, C_{12-15} Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG 10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Iron Oxides, Hydrogren Dimethicone, Mica, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

OTHER INFORMATION:

- · Protect this product from excessive heat and direct sun
- · May stain some fabrics.

MANUFACTURED FOR: City, State, Zip

NDC 58892-204-50



tinted mineral sunscreen 20% zinc oxide

broad spectrum spf 40 water resistant (40 minutes)

net wt. 2.1 oz /60 g

PROCEUTICALS PRIVATE LABEL BY TIZO TINTED MINERAL SUNSCREEN 20% ZINC OXIDE

zinc oxide cream

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:58892-204 |
|-------------------------|----------------|--------------------|---------------|
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | | |
|--|--------------------------|---------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 200 mg in 1 g | | |

| Inactive Ingredients | |
|---|------|
| Ingredient Name Stree | ngth |
| MICA (UNII: V8A1AW0880) | |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587) | |
| FERRIC OXIDE YELLOW (UNII: EX43802MRT) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |
| DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| .ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE 100 (UNII: RO266O364U) | |
| PEG-30 DIPOLYHYDROXYSTEARATE (4000 MW) (UNII: 9713Q0S7FO) | |
| HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| STEARYL DIMETHICONE (400 MPA.S AT 50C) (UNII: R327X197HY) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) | |
| TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ) | |
| TROLAMINE (UNII: 903K93S3TK) | |
| FERROSOFERRIC OXIDE (UNII: XM0M87F357) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |

| Packaging | | | |
|---------------------------------|---------------------------------------|-------------------------|-----------------------|
| # Item Code Package Description | | Marketing Start Date | Marketing End Date |
| NDC:58892- | 60 g in 1 BOTTLE, PUMP; Type 0: Not a | 07/22/2024 | |

| OTC Monograph Dru | g M020 | 07/22/2024 | |
|-----------------------|--|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| Marketing Information | | | |
| | | | |
| 204-50 | Combination Product | 07/22/2024 | |

Labeler - Fallien Cosmeceuticals, Ltd (958388357)

| Establishment | | | | |
|----------------------|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Custom Analytics LLC | | 144949372 | analysis (58892-204) | |

| Establishment | | | | |
|------------------------------------|---------|-----------|---|--|
| Name | Address | ID/FEI | Business Operations | |
| Fragrance Manufacturing Inc. (FMI) | | 793406000 | pack(58892-204), manufacture(58892-204) | |

Revised: 7/2024 Fallien Cosmeceuticals, Ltd