

FEXOFENADINE HCL- fexofenadine hcl tablet

Rite Aid

Non-drowsy

Fexofenadine HCl Tablets USP, 180mg

Antihistamine

Indoor/Outdoor Allergy relief

- **sneezing**
- **runny nose**
- **itchy, watery eyes**
- **itchy nose or throat**

Active ingredient (in each tablet)

Fexofenadine HCl USP, 180 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose itchy, watery eyes sneezing itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
years of age and over

children under do not use
12 years of age

adults 65 years ask a doctor
of age and older

consumers with ask a doctor
kidney disease

Other information

- safety sealed: do not use if imprinted foil under bottle cap is opened or torn
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, macrogol, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide

Questions or comments?

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

PDP



FEXOFENADINE HCL

fexofenadine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-7661
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSE 2910 (15 MPA.S) (UNII: 36SFW2JZ0W)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	
STARCH, CORN (UNII: O8232NY3SJ)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	orange ((PEACH))	Score	no score
Shape	OVAL ((Capsule-shaped))	Size	17mm
Flavor		Imprint Code	G6
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-7661-5	766 in 1 BOTTLE; Type 0: Not a Combination Product	10/25/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211075	10/25/2024	

Labeler - Rite Aid (014578892)

Revised: 12/2025

Rite Aid