

**ACETAMINOPHEN- acetaminophen tablet**  
**CVS PHARMACY, INC**

-----  
**EXTRA STRENGTH**

**Acetaminophen Caplets, 500 mg**

**Pain reliever / Fever reducer**

**For adults**

**Contains no aspirin**

**Active ingredient (in each caplet)**

Acetaminophen USP, 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

## **Ask a doctor before use if you have**

liver disease

## **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

## **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition

## **If pregnant or breast-feeding,**

ask a health professional before use

## **Keep out of reach of children**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

- do not take more than directed (see overdose warning)**

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

## **Other information**

- store between 20-25°C (68-77°F). See USP Controlled Room Temperature.
- see bottom of the label for lot number and expiration date

## **Inactive ingredients**

hydroxypropyl methyl cellulose, polyethylene glycol, povidone k-30, pregelatinized

starch, sodium starch glycolate, stearic acid

## Questions or comments?

call **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

## Principal display Panel




actual size

NDC 51316-177-15

**Extra Strength**  
**ACETAMINOPHEN**  
 Pain Reliever / Fever Reducer  
**500 mg**

Compare to  
 Tylenol® Extra Strength  
 active ingredient\*

**THIS PACKAGE FOR HOUSEHOLDS  
 WITHOUT YOUNG CHILDREN**

**150 CAPLETS!**  
\*Capsule-Shaped  
 Tablets

Contains **No Aspirin** For **Adults**

**IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredient (in each caplet)**  
 Acetaminophen USP, 500 mg. Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- itching
- swelling
- skin rash

If a skin reaction occurs, stop use and seek medical help right away

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- itchiness or swelling is present

These could be signs of a serious condition

Distributed by: CVS Pharmacy, Inc.,  
 One CVS Drive, Woonsocket, RI 02895  
 © 2025 CVS/pharmacy CVS.com®  
 Made in India V-39638

**100% money back**  
 guaranteed.  
 CVS.com/returnpolicy

\*This product is not manufactured or distributed by  
 Kenvue Brands LLC, owner of the registered  
 trademark, "Wendy" Extra Strength.

#346027



0 50428 16422 8

Lot

Exp.

label,  
e.

## Inside (adhesive side)



how2recycle.info

PLASTIC  
BOTTLE

**Questions or comments?**  
 call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

**Drug Facts (continued)**

**Keep out of reach of children**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- adults and children 12 years and over
  - take 2 caplets every 8 hours while symptoms last
  - do not take more than 6 caplets in 24 hours, unless directed by a doctor
  - do not use for more than 10 days unless directed by a doctor
- children under 12 years
  - ask a doctor

**Other information**

- store between 20-25°C (68-77°F). See USP Controlled Room Temperature, and see bottom of the label for lot number and expiration date

**Inactive ingredients**  
 hydroxypropyl methylcellulose, polyethylene glycol, povidone K-30, pregelatinized starch, sodium starch glycolate, stearic acid

## ACETAMINOPHEN

acetaminophen tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-177	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>		<b>Strength</b>	
	STEARIC ACID (UNII: 4ELV7Z65AP)			
	STARCH, CORN (UNII: O8232NY3SJ)			
	POVIDONE K30 (UNII: U725QWY32X)			
	HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
	SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)			
	POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
<b>Product Characteristics</b>				
<b>Color</b>	white (White to Off-white)	<b>Score</b>	no score	
<b>Shape</b>	CAPSULE (Caplet Shape)	<b>Size</b>	17mm	
<b>Flavor</b>		<b>Imprint Code</b>	G551	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:51316-177-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	11/26/2024	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M013	11/26/2024		

**Labeler** - CVS PHARMACY, INC (062312574)

Revised: 12/2025

CVS PHARMACY, INC