HISMILE- sodium fluoride gel HISMILE PTY LTD

Blue Raspberry Sodium Fluoride Anticavity Toothpaste

Active ingredient

Sodium Fluoride 0.243% (0.14 w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Warnings

When using this product

- Do not swallow
- Do not use in eye area

Keep out of reach of children under 6 years of age

If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or use as directed by a dentist or doctor.
- Instruct children under 6 years of age in good brushing and rinsing habtis (to minimize swallowing).
- Supervise children as necessary until capable of using without supervision.
- Children under 2 years of age: Consult a dentist or doctor.

Inactive ingredients

Water

Sorbitol

Glycerin

Hydrated Silica

Xylitol

Sodium Phosphate

Xanthan Gum

Sodium Lauroyl Sarcosinate

Tetrapotassium Pyrophosphate

1,2-Hexanediol

Cellulose Gum

Sucralose

Lauryl Glucoside

Methyl Diisopropyl Propionamide

Sodium Gluconate

Zinc Lactate

FD&C Blue No. 1.

label

BLUE RASPBERRY FLAVOR

sodium fluoride anticavity toothpaste



Distributed by: Hismile Pty Ltd, Burleigh Waters, QLD 4220 AU.

Formulated in Australia. Made in USA.

www.hismileteeth.com © Hismile Pty Ltd, 2024





PLEASE PEEL AT THE BOTTOM CORNER FOR FULL DRUG FACTS.

Drug Facts

Active ingredient

Purpose

Sodium Fluoride 0.24% (0.14% w/v fluoride ion)......Anticavity

Use Aids in the prevention of dental cavities

Warnings

30102717A

When using this product ■ Do not swallow ■ Do not use in eye area

Keep out of reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away

Directions ■ Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or use as directed by a dentist or doctor.

- Instruct children under 6 years of age in good brushing and rinsing habits (to minimize swallowing). ■ Supervise children as necessary until capable of using without supervision.
- Children under 2 years of age: Consult a dentist or doctor.

Net wt. 2.1 oz (60 g)

PLEASE PEEL HERE





HISMILE

sodium fluoride gel

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:83013-326 Route of Administration DENTAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII: Q80VPU408O)	SODIUM FLUORIDE	0.243 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
XYLITOL (UNII: VCQ006KQ1E)		
HYDRATED SILICA (UNII: Y6O7T4G8P9)		
SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618)		
GLYCERIN (UNII: PDC6A3C0OX)		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K6790BS311)		
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		
SODIUM PHOSPHATE (UNII: SE337SVY37)		
XANTHAN GUM (UNII: TTV12P4NEE)		
POTASSIUM PYROPHOSPHATE (UNII: B9W4019H5G)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
LAURYL GLUCOSIDE (UNII: 76LN7P7UCU)		
SODIUM GLUCONATE (UNII: R6Q3791S76)		
ZINC LACTATE (UNII: 2GXR25858Y)		
METHYL DIISOPROPYL PROPIONAMIDE (UNII: 6QOP5A9489)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

l	Packaging				
	#	Item Code Package Description		Marketing Start Date	Marketing End Date
	1	NDC:83013- 326-06	60 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/23/2024	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	07/23/2024	

Labeler - HISMILE PTY LTD (758083252)

Establishment				
Name	Address	ID/FEI	Business Operations	
Accupac LLC		061595175	manufacture(83013-326)	

Revised: 7/2024 HISMILE PTY LTD